Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



DICELLANDANIS SEEDS for 1937



BUCK BRAND TESTED SEEDS

18 S. FRONT ST. MEMPHIS, TENN.



547 CALENDULA ORANGE SHAGGY (See Page 32)



695 PETUNIA DAINTY LADY (See Page 37)



675A NASTURTIUM DWARF DOUBLE GEM MIXTURE (See Page 36)

Novelties

OF FLOWERLAND FOR 1937

The eight flowers on this page are deserving Flower introductions of proven merit. In each variety there are outstanding and desirable characteristics that are the results of the great progress of Breeders. Beautiful new colors, fine flowers, strong plants—something new and different that will lend interest and charm to your garden.



682 PETUNIA FLAMING VELVET (See Page 37)



670 MARIGOLD DIXIE SUNSHINE



769 ZINNIA FANTASY MIXED (See Page 39)



671 MARIGOLD GIGANTEA SUNSET GIANTS (See Page 35)



650 LARKSPUR GIANT IMPERIAL MIXED

Gentlemen:	—I am enclo	sing \$	for this order.				
Ship to me l	by—Mail 🗌	Express [] (Mark X in square for des	Freight stred shipment)				
Name Mrs. — Mrs. — Miss	(If Mrs., kind	ily use husband's first name or i	initials, as Mrs. Sam B. Clark)				
Postoffice		***************************************	State		PLEASE DO	NOT WRITS SPACE	E
Rural Route	Box No	Express orFreight office	f Different from Your Post Office)		e		
Street Address		(1	Different from Your Post Office)	Zon	e	***************	
REME: We do not passeds quoted wholesale price of this book.	ay postage on on our yellow	FREE FLOWER SEED See offer on back of this Order Blank.	NOTICE If goods are wanted C. O. D. 25 per cent. of amount must accompany the order. No plants shipped C.O.D.	Che Wt.	edecked	P	
or any other mate Purity and germin	ter of any seeds, b nation, when given,	ulbs, plants, fertilizers, insectici	no warranty, express or implied, as tides, etc., they send out and will not in without warranty. If the purchaser does be refunded.	any w	ay be respon	sible for the	he crop
QUANTITY	Number in Catalog	NAMES OF SEEDS	OR OTHER ARTICLES WANTED		Clerk's Check Col.	PRIC Dollars	
	765A		FLOWER SEED FREE.				
	BULB COL.	24 Superb Vari	CADIOLUS COLLECTION—50c eties, \$1.00—12 Kinds, 50c.				
	PLANT COL.		OSE COLLECTION, 12 Varieties Roses, 2-yr. plants—Ready to Bl				
Z E	SEED COL.	Ten full size 10c Packets Pink, Canary Yellow, Rose,	CALIFORNIA ZINNIAS s, ten colors—Crimson, Golden Ye White, Purple, Violet, Scarlet and I	Burnt			
1	SUB.	2½ YEARS SUBSCRIPT	ION TO PROGRESSIVE FARM 30 Numbers	IER-			
S			DEN SEED COLLECTION OUTSIDE BACK COVER \$1.00				
H							
3							
0							
A T							
त स							
ō							
A R							
<u> </u>							
							-
If Prices taken	from Yellow	Sheet Enclosed—Add Post	tage, See Parcel Post Map. TO	TAL			

BUCHANAN'S 1937 ORDER BLANK

R. B. BUCHANAN SEED CO., MEMPHIS, TENN.

QUANTITY	Number in Catalog	NAME OF ARTICLES WANTED	Clerk's Check Col.	PRICE Dollars Cents		
		Amount Brought Forward,				
			-			
		3				
		TOTAL				
BUCHANAN'S	SEED PRE	MIUMS Please read carefully so you understand this offer vegetable and flower seeds in packet to ounce quantities you may select	fully. V	Vith every		

BUCHANAN'S SEED PREMIUMS Please read carefully so you understand this offer fully. With every order amounting to a dollar or over for vegetable and flower seeds in packet to ounce quantities you may select extra seeds in packets only to the amount of 25 cents on each dollar's worth ordered. This does not apply to quarter pounds, pounds or larger sized seed packages, nor does it apply on special collections, plants or bulbs. To be entitled to these premium seeds your order for packet to ounce quantities must amount to a dollar or more. Then select your premium seeds in packets only. Take full advantage of this extra 25%.

When Ordering Write Below

The names and correct addresses of five of your friends and neighbors, who you believe may be interested in receiving our garden literature and also might order from us. For your kindness we shall be glad to send you some extra seeds along with your order.

	NAMES	POSTOFFICE	R. F. D. No. · STATE
1			
2			
3			
4			
5			





R. B. BUCHANAN, SEEDSMAN

TO YOU:—I began selling seed in Memphis in January, 1896. That was 41 years ago.

To many families I am selling the fourth generation, having sold seed to their
Fathers, Grandfathers and Great-grandfathers.

R. B. BUCHANAN.

READ CAREFULLY DIRECTIONS FOR ORDERING

LIBERAL PREMIUMS—Please bear in mind that on seeds in packets and ounces only (no quarter-pounds, pounds or two pounds), the purchaser may select 25 cents' worth extra on each dollar sent. This does not apply to orders for collections, prices of which are net. See this Premium Offer on Yellow Order Sheet in front of catalog.

CASH WITH ORDER—Please send money with order sufficient to cover the whole bill and remit by express, postal money order or check. We advise against C.O.D. orders because of delays and high collection charges, which are unsatisfactory to the customer and expensive to us if uncalled for and returned at our expense. We accept C.O.D. orders for seeds when 25 per cent of the order amount is paid in advance. The deposit is meant to cover collection and return charges in case the order is not called for and paid for by the customer.

FREE DELIVERY BY MAIL—We pay postage to any postoffice in the United States on all Vegetable and Flower Seeds quoted in this catalog, except when quoted on Yellow Price List. The Parcel Post delivery being so convenient for those living away from their postoffice, especially during their busy planting season, we have tried to quote all items in this catalog Post Paid in small quantities, and will quote any other items prepaid to you if you will list the goods you want, saying you want all transportation charges paid to you. Read pages 2 and 3, study the parcel post map, figure your postage and save money. Sending coins, bills, or stamps through the mail is safe and convenient—use coin envelope enclosed. Customers have been sending money in coins and bills to us through U.S. mails for 30 years without loss.

ERRORS—While we exercise care in filling orders, yet in the press of business errors sometimes will be made, in which event we wish to be promptly notified of the fact and will make such corrections as will be entirely satisfactory. Customers should be very clear and explicit in making out all orders, and thereby help us to avoid errors. Please keep copies of all orders for comparison.

PLANTS, BULBS AND SLIPS—Plants, bulbs and slips are seldom forwarded on the same day with seeds ordered at the same time. They are packed separately and sometimes are delayed.

YOUR NAME AND ADDRESS—Always be sure to give both; we have hundreds of orders, either unsigned or without address, awaiting identification. If you have not received the seeds you ordered, probably yours is among them.

NON-WARRANTY—R. B. Buchanan Seed Co., Inc., give no warranty, express or implied, as to description, quality, productiveness or any other matter of any seeds, bulbs, plants, fertilizers, insecticides, etc., they send out and will not in any way be responsible for the crop. Purity and germination, when given, are the results of tests, but are without warranty. If the purchaser does not accept the goods on these terms, they are to be returned at once and the amount paid for them will be refunded.

JANUARY 1, 1937

R. B. BUCHANAN SEED CO., INC.

INDEX

VEGETABLE SEEDS AND PLANTS, FLOWER SEEDS, ROSES AND BULBS Chicory 11 O Spinach 27 Lettuce 6 Painted Squash 24 Potato Slips 6 Petun

vegetable Seeds	Chicory 1	1 0	Spinach 27	Lettuce 6	Painted Daisy 38
Pages 6 through 29	Cress 1	1 Okra 2	Squash 24	Potato Slips 6	Petunia36-37
Δ.	Corn—Garden13-1-	Onion Seed 2	Swiss Chard 10	Tomato 6	Phlox 37
Asparagus 6	Collards 13	Onion Sets 2	ál	Garden Gloves 25	Poppy 37
Asparagus Roots 6	Corn—Pop 1	3)	´ T	Peat Moss 26	Shasta Daisy 33
Imparagus Itoots o	Cucumber 1	5 P	Thyme 11	T31 . C . 1-	Snap Dragon 30
В	10	Parelov 2	3 Tobacco 26	Flower Seeds	Sweet Peas 30
Beans—Bush 7	Egg Plants 1	Parsnip 2	3 Tobacco 26 3 Tomato 28	Pages 30 through 39	Verbena 38
Deans-wax	255 2 2001100 1111111	Peas—Garden 2			Zinnia 39
2000 1000		D-00 TN:-13 9	1	Till till till till till till till till	
Beans—Lima 9	H	Popper 2	5 V	Alyssum	Roses and Bulbs
	Herbs 1	Potatoes	V Vegetable Case 27	(Little Gem) 30	Pages 40 through 44
Beets—Garden 10	Hot Caps 2	Pon Corn 1	3	Asters 31	D
Beets—Stock 10	Horse Radish	6 Dumpling	W	Calendula 31	Bush Roses 40-41
Broccoli 6	K	Fumpkins 2	W Watermelon18-19	Cornflower 32	Caladiums 43
Brussels Sprouts 6	Kale 1	R	Vegetable Plants	COSITIOS	Cannas 43
C	Kohl Rabi 1	Double . 95.9	6 - Vegetable Flants		Climbing Roses 40
Cabbage12-13	L	Radish25-2 Rhubarb	Beet Plants 6		Dahlia Collection 44
Carrots 11	Lettuce 1	6	Bermuda Onion 6		Dahlia, Giant 44
Cantaloupes 17	M	° S	Cabbage,		Gladiolus 42
Cauliflower 10	Mustard 1	6 Sage 1	Frost-Proof 6		Dahlia, Pompom 44
Celery 11	Mustard Spinach 1	Salsify 2	6 Egg Plants 6	Nasturtium 36	Rose Collections 41
					1

FIELD AND GRASS SEE	DS, INSECTICIDES	, SPRAYING, FR	UITS AND BERRY PLANTS
Field and Grass Seeds Millet Mung Beans Pages 48 through 64 Alfalfa 54-55 Benne 62 Benne 62 Buckwheat 63 Peas—Field 2 Peanuts Peanuts Peanuts Cane Seed 61 Peanuts Peanuts Cane—Hegari 61 Rape—Essex Rye Seeders Cane—Syrup 61 Cone—Syrup 61 Soricea Shady Mixture Clover—Sweet 56 Corghum Soy Beans Sunflower Clover—Red 56 Corn—Field 52-53 Wheat Corn—Field 52-53 Wheat Insecticides Pages 69 through Cotton Seed 48-51 A A Arsenate Lead A Game Bird Seed 62 A A A A Grass—Rye 57 Grass—Bermuda 57 Grass—Red Tortalaria Black Leaf 40 B Black Leaf 40	62 C 59 Calcium Arsenate	K K K K K K K K K K	Sausage Seasoning. 78 Sa-Va-Tree 70 Scalecide 70 Semesan 65 Sheps Spray 72 Slug Shot 71 Smoke Salt 78 Spraying 66-67-68-69 Spray Pumps 73-74 Sulforon 71 Sulforon 71 Sulphur 71 Tanglefoot 78 Tree Killer 78 Twine 75 V Wood Labels 75 W Wood Labels 75 Spraying Orchards and Gardens Sausage Seasoning. 78 Cantaloupes 68 Cantaloupes 68 Cantaloupes 66 Cantaloupes 68 Cantaloupes 66 Cantaloupes 68 Cantaloupes 66 Sausage Seasoning Insects 66 Cucumber 68 Fungus Diseases 66 San Jose Scale 66 Spraying Apples 67 Spraying Grapes 67 Spraying Grapes 67 Spraying Peaches 67 Tomatoes 68 Watermelon 68 Watermelon 68 Watermelon 68 Spraying Orchards and Gardens 69 Spraying Orchards and Gardens 69 Spraying Orchards and Gardens 75 Spraying Trees 46 Spraying Orchards and Gardens 75 Spraying Orchards 26 Spraying Orchards 26 Spraying Orchards 36 Spraying Orchard
Grass—Carpet 58 Brooders8 Budding Knives Bug Death	75 H	Ratenone 70	Bush Fruits 68 Strawberries 47 Beta Napthol

IS EASY TO FIGURE PARCEL POST ice List, giving prices Not Prepaid to those buying in larger quantities who We quote all Seeds, Insecticides, Baby Chicks, and Poultry Supplies up to cerin quantities, post paid. We also enclose in this catalogue our Yellow Sheet sh to figure their postage or to have their goods come by Express, Truck, Rail-

You pay transportation charges on all goods bought from the "Yellow Price List." inces, and change the ounces into full pounds (see table below). Then show The shipping weight is given on each article listed. Add the pounds and ad, or who come to our store for their goods.

Office figures a fraction of a pound as a full pound. For example: If the In figuring postage on packages weighing more than one pound, the Post

e total weight of your order in pounds.

total weight of your order is 7 pounds 2 ounces, it will take the 8-pound

Takes Rate for 9 oz. to 16 oz. 17 oz. to 32 oz. 49 oz. to 64 oz. 65 oz. to 80 oz. 33 oz. to 48 oz. Total Ounces

When you have the total weight of your order, refer to the Parcel Post Map -and so on. There are 16 ounces in each pound.

id shipped separately to insure safe delivery. In all cases, however, you pay ily for the actual amount of postage used. If you remit more than the actual d Rate Table on page 3 for the amount to include with your order for postage. in most instances the amount required for postage can be determined very accutely in this way. In some cases the actual postage may be slightly more or ss, due to variations in shipping weights or because certain items are packed stage we will return the balance due you.

heavier and bulkier packages that cannot be shipped by parcel post can be Packages weighing up to 70 pounds can be carried by Parcel Post in all zones. pped economically by freight, express or truck.

LARGER ORDERS INCREASE SAVING

ckage to the Third Zone is only 27c-less than 3c a pound. Larger orders reduce There is a decided advantage to you in sending larger orders, as the postage several articles is often not much more than for one or two! For example: stage on a 1-pound package to the Third Zone is 9c; while postage on a 10-pound ur transportation cost and increase your saving!

EXPRESS RATES FROM MEMPHIS, TENNESSEE you prefer rapid Express service on your seed and want your order shipped

& N., N. C. & St. L., or Frisco Railroads within 400 miles of Memphis, you can der 60 pounds or less for a minimum of 55c per shipment, or 200 miles of Memphis 50c minimum. Remember-these special rates are for those living east of the Express, and you live east of the Mississippi River on either the I. C., Y. & M. V., ssissippi River whose Express Office is on the Railroads listed above. To all er points in this radius the approximate Express Rate would be 30 pounds, 58c, thin 100 miles, and 62c, within 200 miles, as per list below.

These special Express rates on seed do not apply to Corn, Oats, Wheat, Rye, rley and Cane Seed, which take a very low Grain freight rate.

Distance from Memphis, Tenn. 8 lbs.

.40 .54 .67 .95 .95

88.4.0.0.4.8

42 47 47 68 68 79

10 lbs 15 lbs. 20 lbs. 30 lbs. 40 lbs. 50 lbs. 75 lbs.

Pridate All Land All
FOLLOW - - ARROWS LEADING FROM ALL PROMINENT HIGHWAYS FOR MOST DIRECT R.B. BUCHANAN S LARGE SEED STORES LARGE SEED LARGE SEED STORES LARGE SEED STORES LARGE SEED STORES LARGE SEED LARGE SEED STORES LARGE SEED
THE REPORT OF THE PARK WAY AND THE PARK
SALICA STORE OF THE EET ACOND TO STORE OF TH
HOW HOURS AND
(Page 2) BANIA IddISSISSIM



POS ZONE

Zone 8th $\begin{array}{c} \textbf{8400} \\ \textbf{7000} \\ \textbf{8000} \\$ Zone 7th Zone 3rd Zone 1 & 2

SAVE MONEY—By reading the instructions, studying and referring to the Rate Table below, you can easily figure your postage on any amount up to 70 pounds. See our Yellow Price List, enclosed, showing prices Not Prepaid. Charges on parcel post shipments must be paid in advance. Add the amount for postage to the cost of merchandise and include it in your remitadvance. Add the amount for postage to the cost of merchandise and include it in your remittance when using yellow price list. We always return every penny you send over actual postage.

SAVE MONEY-This Parcel Post Map and Rate Table will help you to save money. Study it carefully—also study page 2. It is easy to figure Parcel Post. After studying these pages get the Yellow Price List enclosed and many times you can save money for yourself and friends by

combining your orders and having those orders sent together in one package.

GEORGIA Parcel Post Zone Map from Memphls: Zones 1 and 2, not over 150 Miles, Zone 3, 151 to 300 Miles, Zone 4, 301 to 600 Miles, Zone 5, 601 to 1,000 Miles, Zone 6, 1,001 to 1,400 Miles, Zone 7, 1,401 to 1,800 Miles, Zone 8, all over 1,800 Miles. O Coel Creek ort Valley O Americus O Arlington OLumpkin racy City Albertville nville out Payne O O Georgiana Glasgow O O Winchester O Leitchi O Evergr Gallatin O Bowling Green O Blocton FranklinO Columbia Grove Hill O Fulton Ofin gston O Demopolis O Nanelalia Hopkinsville Linden Thomasville O OLInd Jackson Murrayo O Milan Δ PHIS O Bolivar Ripley O nervilla O Anna. O Finkbine Dyersh. O Ripley O Crystal Springs Doniphen O Campbello O Maiden O Haziehurst Cape Girardea Chaffee Lexington (1) Canton e Belzoni Popler Bluff Moreh O Cleveland Ittabena noia O Forrest Fredericktown O O Leland Marked Tree O Jonesboro O Bly Wynne O Walnut Ridge O AND 2 atchez NOZ O Bayville Oseu ONE Salem Searcy O O Mountain O sul So .0 Crossett O O Smackover S O 0 O Colfax Eldorado Winnileld O O Arkade Camden O O Clarksville Hot Springa O Prescott Magnolia OCrane O Cassville 0 O Eureka S O Fish O Paria Σ De Queen O Mashville O Booneville Osdu Hope O © Fayetteville O Prairie Grove O Springdale O Dierks Lincoln Ozerk O Van Buren Fort Smith O Mena 00 00 Center O 0

Overnon Andalusia O O Opp Urish O Poplary OColumbia Amite O Bogalusa Centwood O oodville O Gloster OSt. Nartinsville Oponald O New Iberla Rayne OLa Fayette S O Plneville O Alexandria Abbeville Crowley Jennings Charles O 66. O Vinto © Lufkin TEXAS O Nacogdochea Beaumont Port Arthu Sour Lake K 0 (Page 3)

© 100,000 to 500,000 © 25,000 to 100,000

© 5,000 to 25,000

0 0 to 5,000

FLOWER SEED PLANTING TABLE

This table is for middle South climate and conditions. Allowances must be made. It is only a general guide. Abbreviations: T, tender; H, Hardy; H H, half-hardy; A, annual; B, biennial; P, perennial. Months are numbered; 1, January; 2, February; etc.

AN ANNUAL PLANT—The seed must be sown each year and after producing its blossom and seed the plant will perish. Examples: Asters, Salvia, Sweet Peas and Zinnias.

A BIENNIAL PLANT—Is one that maintains its vitality for two years or more, producing roots and leaves the first year and fruit or

blossom the second season. Examples: Canterbury Bells, Digitalis and Sweet Williams.

A PERENNIAL PLANT—Is one that lives indefinitely and usually has a dormant season in which it loses its leaves and which puts on new growth the following growing seasons. Examples: Geranium, Carnation, Hollyhock and Delphinium.

years or more, producing roots and leaves the first year and fruit or Hollyhock and Delphinium.										
NAME	Helght of Plant	Shape of Plant	Color of Flowers	Good Cut Flowers	Best Use	Location SunShady	Months to Month Plant Trans		No. Seed to Ounce	No. Days to Germ.
Abronla, HHA	6- 9 in	_trailing	_yellow, pink		_edging	_sunny	_ 4-5hin_	6-10	10,000	10-15
Ageratum, HHA	8-24 in 2-12 in	_bushy _spreading	Lblue, white	yes	_bedding	sunny	_ 1-4 4-5 _ 3-4thin	6-11 5-11		5-10
Amaranthus, TA	24-60 in	bushy	reds	fair	_bedding	sunny	. 3-5 4-5	6-10	30,000	5-10
Antirrhinum, HA	18-24 in 24-48 in	bushy branchy	_many	yes	bedding borders	anyany				8-12 12-60
Arctotis, HA.	_18-24 in	bushy	blue, white		border	sunny	3-5	6-11	no record	
Asters, A	12-30 in	bushy	many	yes	bedding	any	1-6	6-11	12,000	- 5-10
Balsam, A Balsam Apple, A	18-30 ft 15 in	_erect	orange fr	_fair	border	.sunny	3-5	6-10 6-10		30
Bellis, TP	6-8 in	_bushy	_several	yes	border	sunny	l., 3-5	6-11	no record	~~**************
Calendula, HA	12 in	bushybushy	several	fair yes	edging	.anysunny	3-5	6-11	no record 3.000	5-10
Calliopsis, HA	12-36 in		yellows	yes	_bedding		1-4 _thin	l 6-10	100,000	8-10
Candytuft, HA	12-18 in	bushy	_manv	_ves	bedding	sunny	3-4thin 2-34-5	6- 9 7-11		5-10
Canna, TP Canterbury Bells, B	30-72 in 18-42 in	erect bushv	many	fair	_border	sunny	3-9	6- 7	no record	5-10
Carnation, P	18-36 in	bushy	many	yes	bedding	sunny	_ 2-3 4-5	6-10	1 00 000	10-15
Celosia, HHACenturea, HA		bushy erect	red, yellow		bedding	sunny		6-11	30,000 7,000	8-10 8-10
Chrysanthemum, A	24-36 in	bushy	several	yes	_bedding	sunny	3-5thin	7-11		8-10
	18-24 in 15-30 in	bushy	foliageseveral	no yes	edging border	.sunny				10
Cobea Scandens, P	15-30 ft	vine	purple	no	climbing	sunny	3-5 4-5	6- 8		15-20
Coleus, TA	12-24 in	bushy	white	no	bedding	sunny	l., 2-3 4-5	for lvs		10-15
Coreopsis, HP	18-36 in 48-72 in	bushy bushy	yellow .several	.yes	bedding	sunny	_ 4-5thin	7-11	no record	8-10
Cynoglossum, P	18-24 in	_bushy	blue	yes	border	sunny	3, 8	0 5- 7	_no record	
Cypress Vine, TA Dahlia, TP		vine bushy	red, white	.no .yes	climbing bedding	sunny		6-11 7-11	2,200 3,000	10-20
Daisy, HP	10-30 in	bushy	white, pink	_yes	edging	any	2-3, 8 3-4,	0 5-10	200,000	8-10
Delphinium, P	36-60 in	tall	blues	yes	border	sunny	1-3, 8 3-4, 3-5	0 5-7. 10	15,000	20
Dianthus, HA		bushyslender	manyblue	ves	cutting	sunnyshady		6-11	28,000 no record	_ 5-10
Digitalis, B	30-48 in	_erect	many	yes	border	shady	l., 2-3, 8 3-4,	0 5- 7	200,000	10-15
Eschscholtzia, A Euphorbia, HA		bushybushy	several	_yes	bedding	.sunny	3-5thin	6- 9	15,000 no record	5-10
Forget-Me-Not, TP.	8-12 in	_bushy	blue. white	_yes	_edging	shady	_ 3-4thin	4-5, 10	_ 55,000	10-15
Four O'Clock, HA Galllardia, P	24-30 in 18-30 in	bushy	.many	no	border bedding	sunny	3-4	8-11	.no record	10.15
Geranium, HA	_12-15 in	bushy	red, gold several	_no	_bedding	any	. 3-4	4-10	no record.	10-15
Gerbera, HHP	12-15 in	tuftyred to	vellow	_ves	_bedding	sunny	l., 2-4: 7-8l., 4-5-8	9 5-11	no record	
Gilia, AGlobe Amaranth, TA		bushy	blue purple, white	.yes	bedding	_sunny		6-10 7-10		
Godetia, A	12-18 in	erect	_many	ves	border	_any	. 3-5thin	6-10	_100.000	
Gypsophila, A	18-24 in 24-36 in	branchy bushy	white		border bedding	sunny	- 4-5	6 wks		5-10
Heliotrope, TP	18-24 in	bushy	several	fair	_bedding	.shady	2-5 4-5	5-11	55,000	30
Hollyhock, P.	5- 8 ft	slender	many	yes	border	moist	2-3, 8 3-4, 4-5thin			10-30
Hop, Japanese, TP Hyacinth Bean, TA	10-20 ft 10 ft	vine	var. lvs several	no	shade	sunny	- 4-5thin	var. lvs 6-8	2,500 no record	8-10
Ivy, Kenilworth, HP	36 in	trailer	lilac	no	trailing	_any	. 3, 8 4, 10		_no record_	4.0
Kochla, TA Kudzu, P	36 in 50 ft	bushy	red purple	no	bordershade	_sunny	3-4thin	9-11 4- 5		10
Lantana, A	24-36 in	branchy	several	yes	bedding	sunny	2-4 4-5			
Larkspur, ALathyrus, P	36-48 in 6-12 ft	tallvine	many pink, white	_yes	bedding	_sunny	3-5thin 1-43-4	6-10 6-10	14,000	. 60
Linum, HA and HP	_12-30 in	clump	red-blue	no	bedding	sunny	2-8-7-9 4-9		no record	
Lobelia, TA	6- 8 in -24-30 in	bushy	blue	fair	edging	.shady	3-4		700,000	_ 5-20
Lupine, HA	8-30 in	bushy	_several _yellows	yes	border bedding	shady	4-5	6- 9 6-11	1,800 9,000	5-10
Matricaria, HHP	18-24 in	bushy	white	_yes	bedding	.sunny	3-4	7-11	150,000	10-12
Mignonette, TA Moon Flower, TA	10-12 in 20-30 ft	erect	several	yes	_edging _shade	sunny	4-5thin	6- 8 6-11		8-10
Morning Glory, A	20-50 ft	vine	.many	no	shade	sunny	3-5 thin	6-11	1,500	5-10
Nicotiana, TA	12 in. 8 ft. 30-42 in	bush, vine branchy	_many _several	_yes	_edging _border	sunny	4-6	5-11 6- 8	250	8-10 5-10
Nigella, HA	18-24 in	_bushv	blue white	_yes	_border	sunny	3-5 thin	6- 8	12,000	10-15
Oenothera, A	36-48 in	bushy	_yellow	no	border	sunny	3-4thin	5- 9	.no record	
Pansy, HA Passion Flower, A	4- 6 in 15 ft	clump	_many _blue	_yes	edging climbing	.any	1-3, 9 3-4, 2-3 4-5		24,000 no record	8-10
Petunia, HA	_18-24 in	_bushy	many	_fair	_bedding	.any	2-5 4-5	5-10	152,000	8-10
Phlox, HHAPhysalis, HP	12-18 in 18-24 in	bushybranch	_red pods	_yes	bedding drying	_sunny	3-5thin 2-4-7-9 3-5-9	6- 9 102nd yr	15,000 no record	8-10
Physostegia, HP	18-24 in	erect	_orchid	_yes	bedding	.any	2 -4 -9 3-5-1) 6- 9	no record	
Poppy, HA	24-60 in 4- 6 in	erect spready	many		_bedding	.sunny	1-4thin	6- 9 6-10	150,000	15 8-10
Pyrethrum, HP	12-24 in	erect	_several	yes	bedding	_sunny			no record	
Ricinus, TA	5-10 ft	bushy	bronze lvs	no	_massing	.sunnv	. 4-5	big lvs	50	12-15
Salpiglossis, HHA Salvia, A	18-30 in 24-42 in	bushy	many	yes	_border _bedding	.anysunny	3-5	6-11 6-11	10,000	5-10
Scabiosa, HA	24-30 in	bushy	_many	yes	bedding	sunny	l., 3-5	6-11	5,000	10-15
Stocks, A	10-12 ft 24-30 in	vinebushy	_red		climbing bedding	sunny	4-5thin	6-10 6- 8		3-10
Sweet Pea, HA	4- 8 ft	vine	many	_yes	_cutting	_sunny	12-3thin	3- 6	no record	
	12-24 in	bushy	many	yes	_bedding	_sunny	. 1-4 3-4	5- 6	28,000	5-10
Thunbergia, HHA	4- 5 ft 4- 6 ft	vinebranchy	_several	_no	climbing	_sunny	4-5	6-11 7-11	no record	
Torenia, TA	10-12 in	_bushy	blue	_no	_bedding	_shadv	2-5 4-6	5-11	no record	
Venedlum, HHA	3- 4 ft 24-36 in	erectbushy	_orange red	_yes	_bedding	sunny	2-4-9		no record	
Verbena, HHP	6-10 in	spready	_many	_yes	_edging	_sunny	2-5 3-5	6-10	10,000	10-15
Vinca, A	15-18 in	bushy	_pink, white		bedding		2-5	6-11	22,000	
Zinnia, HHA	24-36 in	bushy	many	yes	bedding	sunny		6-11	15,000 4,000	5-10
		-,			7	7 *******			-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

FIELD AND GARDEN SEED PLANTING TABLE COMPLETE CULTURAL DIRECTIONS ARE ALSO GIVEN UNDER EACH SEED HEADING

TILLD AND G	ANDER	OLLE	I LANTING I	ADLL	GIVEN	UNDER EACH SEE	D HEADING
FIELD SEED Lbs	r to Sow	Pounds Per Acre	Time of Seeding	Average No. Seed to Pound		age Forage d to Acre	Average Lbs. Seed Yield to Acre
Alfalfa	1 to 2 1 to 3 1 to 3	90 to 100 6 to 8 4 to 6 75 to 100 30 to 40 5 to 8 50 to 60 6 to 10 18 to 20 40 to 60 20 to 30 12 to 15 10 to 12 8 to 12 12 to 15 6 to 8 10 to 15 6 to 10 30 to 40 25 to 50 12 to 15 10 to 15 25 to 50 12 to 15 10 to 12 10 to 15 10 to 15 10 to 12 10 to 15 10 to 10 10 to 60 10 to 90 10 to 10 10 to 60 10 to 12 10 to 50 10 to 12 10 to 50 10 to 12 10 to 50 10 to 10 10 to 60 10 to 90 10 to 10 10 to 60 15 to 90 10 to 10 15 to 90 10 to 50 10 to 10 15 to 90 10 to 50 10 to 10 15 to 90 10 to 50 10 to 10 15 to 90 10 to 50 10 to 10 15 to 90 10 to 50 10 to 10 15 to 90 10 to 50 10 to 10 15 to 90 10 to 50 10 to 10 15 to 90 10 to 60 15 to 90 10 to 10 15 to 90 10 to 60 15 to 90 10 to 10 10 to 60 15 to 90 10 to 10 10 to 60 15 to 90 10 to 10 10 to 60 10	Feb. to May-Aug. to Nov. Apr. to June-SeptDcc Mch. to AugSeptNov. Mch. to AugSeptNov. Mch. to June-AugNov. Mch. to June-Aug.st. Feb. to May. May to June-AugNov. Feb. to March-Aug. to Dec. July to AugSeptOct. Aug. to SeptOctNov. July to AugSeptOct. Feb. to MchSept. to Nov. Feb. to AprAugNov. Feb. to AprAugDec. Feb. to June-AugNov. Mch. to July 15th. Mch. to July 15th. Mch. to July 15th. April, May, June. April, May, June. March, April, May March, AugSeptNov. Mch. to July-AugJan. Mch. to July-AugDec. May to Aug. 15th. Anytime if Can Water. Mch. to June-AugDec. Mch. to June-AugDec. Mch. to June-AugDec. Mch. to June-July. AprMay-June-July. AprMay-June-July. AprMay-June-July. Early Spring after Frost. May-June-July-Aug. May-June-July-May-May-June-July-May-May-May-May-May-May-May-May-May-Ma	232,000 25,600 1,800,000 2,608,000 30,000 21,700 680,000 150,600 600,000 294,400 222,300 790,600 1,300 4,000 285,000 1,300 285,000 1,200,000 5,920,000 320,000 7,776,000 320,000 1,315,200 1,500,000 30,000 20,800 20,800 20,800 20,000 125,000 135,000 20,800 20,800 20,000 125,000 1315,000 20,800 20,000 125,000 231,800 231,000 231,000	For Grazing For Grazing and For Grazing and For Grazing and For Grazing and For Lawns in SI 2,000 to 3,000 lt 3,000 to 6,000 lt Planted for Hor 2,000 to 5,000 lt Grazing and Im Grazing and Im Grazing and Im Grazing and Im 25,000 to 5,000 lt 4,000 to 5,500 lt Pasture and Lav Depends on Sea None Soil Building Le Hay and Pastur Pasture and Graz 2,000 to 3,000 lt 3,000 to 4,000 lt 4,000 to 5,000 lt Grazing and Im Grazing and Im Compared to Sea None Soil Building Le Hay and Graz 4,000 to 5,000 lt Grazing 4 to 10 tons witl 4 to 10 tons For 6,000 to 8,000 lt Grazing Toppending on Sea Planted for Soil To 25 tons For 50 to 75 tons For 4 to 6 tons of Hay 4,000 to 6,000 lt 5 tons of Hay 5 to 4 tons of Hay 6 to 10 tons of For 6 to 10 tons of For 6 to 10 tons of For 10 to 15 tons of 10 to 12 tons 10 to 15 tons of 10 to 200 gallor 10 to 15 tons of 10 to 10 tons of Hay 10 to 15 tons of 10 tons of Hay 1	Season and Grazing st Cutting Building briage briage sos of Hay sorage briage	300 to 500 lbs. 1,000 to 1,500 lbs. 200 to 250 lbs. 200 to 250 lbs. 240 to 160 lbs. 140 to 160 lbs. 140 to 160 lbs. 200 to 600 lbs. 500 to 1,000 lbs. 100 to 400 lbs. 100 to 400 lbs. 200 to 600 lbs. 200 to 600 lbs. 300 to 400 lbs. 100 to 300 lbs. 100 to 300 lbs. 100 to 300 lbs. 100 to 300 lbs. 100 to 400 lbs. 100 to 5,600 lbs. 100 to 600 lbs. 200 to 600 lbs. 200 to 600 lbs. 1,000 to 1,600 lbs. 1,000 to 1,600 lbs. 200 to 600 lbs. 200 to 400 lbs. 200 to 400 lbs. 200 to 400 lbs. 300 to 1,000 lbs. 200 to 600 lbs. 200 to 400 lbs. 200 to 400 lbs. 300 to 1,000 lbs. 50 to 100 lbs. 50 to 100 lbs. None 250 to 500 lbs. None 250 to 500 lbs. 300 to 1,000 lbs. 200 to 400 lbs. 500 to 500 lbs. 300 to 1,000 lbs. 500 to 500 lbs. 300 to 1,000 lbs. 500 to 800 lbs. 600 to 1,000 lbs. 500 to 3,000 lbs. 1,000 to 3,000 lbs. 1,000 to 3,000 lbs. 1,000 to 3,000 lbs. 600 to 900 lbs. 600 to 900 lbs. 600 to 900 lbs. 600 to 900 lbs. 1,200 to 2,400 lbs.
GARDEN SEED	Seed for 100 ft. row	Seed for 1 acre	Time of Planting	Put Row Apart	Leave Plts. Apart in Row	Crop Matures in about	Depth of Planting
Beans, Bush Beans, Pole Beet, Table Beet Stock Broccoli Brussels Sprouts Cabbage, Early Cabbage, Late Carrot Cauliflower Celery Celeriac Chives Collards Corn, Sweet Cucumber Egg Plant Endive Kale Kohlrabi Leek Lettuce Melons, Musk Melons, Water Mustard Okra Onion Seed Onion Seed Onion Sets Parsley Parsnips Peas, Garden Pepper Potatoes, Potatoes, Sweet Pumpkin Radish Rhubarb Roots Salsify Spinach Squash, Bush Squash, Running	2 oz. 2 oz. 1 Pkt. 2 Pkts. 1 Pkt. 1 Pkt. 1 oz. 2 Pkts. 1 Pkt. 2 Pkts. 1 Pkt. 2 Pkts. 1 Pkt. 2 Pkts. 1 Pkt. 1 oz. 2 Pkts. 1 oz. 3 Pkts. 1 oz. 1 Pkt. 1 oz. 2 Pkts. 1 oz. 3 Roots 1 oz. 33 Roots 1 oz.	60 lbs. 50 lbs. 10 lbs. 8 lbs. 4 oz. T. 4 oz. T. 8 oz. T. 8 oz. T. 10 lbs. 2 lbs. 8 oz. T. 10 lbs. 2 lbs. 4 oz. T. 3 lbs. 2 lbs. 4 lbs. 3 lbs. 2 lbs. 4 lbs. 5 lbs. 5 lbs. 7 lbs. 6 lbs. 7 lbs. 7 lbs. 7 lbs. 7 lbs. 8 lbs. 1 lbs. 9 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 3 lbs. 3 lbs. 3 lbs. 3 lbs. 3 lbs. 3 lbs. 5 lbs. 6 lbs. 7 lbs.	All Year All Year All Year All Year All Year All Year June to January January to May January to May September to May All Year March to Sept. March to Sept. January to August August to May All Year All Year September to April All Year March to July March to July March to July September to April All Year April to July September to April All Year January to July December to Sept. March to July March to July March to July December to May February to October All Year February to October February to August	3 ft. 3 ft. 2 ft. 3 ft. 2 ft. 2 // ft. 2 // ft. 2 // ft. 2 // ft. 3 ft. 1 ft. 30 in. 30 in. 30 in. 30 in. 24 in. 30 in. 24 in. 3 ft. 4 ft. 24 in. 36 in. 36 in. 36 in. 36 in. 36 in. 37 ft. 38 ft. 4 ft. 4 ft. 5 ft. 5 ft. 6 ft. 7 ft. 8 ft. 8 ft. 8 ft. 9 ft.	6 in. 1 1/4 ft. 6 in. 1 ft. 1 ft. 2 ft. 6 in. 2 1/4 ft. 5 in. 15 in. 15 in. 16 in. 8 in. 6 in. 8 in. 6 in. 18 in. 6 in. 18 in. 18 in. 10 in. 18 in. 18 in. 10 in.	2 to 3 Months. 2 to 3 Months. 3 to 3½ Months. 4 to 6 Months. 5 Months. 5 Months. 4 to 5 Months. 5 to 4 Months. 5 to 3 Months. 6 Months. 7 to 3 Months. 7 to 3 Months. 8 to 3 Months. 9 to 4 Months. 9 to 65 Days. 9 Months. 9 to 4 Months. 9 to 4 Months. 9 to 4 Months. 9 to 4 Months. 9 to 5 Months. 9 to 4 Months. 9 to 65 Days.	1 to 2 inches 1 inch
Tomato, Seed	1 Pkt. 35 Plants 2 Pkts. 2 Pkts.	3 oz. T. 3000 P 4 lbs. 3 lbs.	March to October All Year All Year	5 ft. 5 ft. 24 in. 24 in.	3 ft. 3 ft. 6 in. 8 in.	2 to 3 Months 3 to 4 Months 3 to 4 Months	½ inch

BUCHANAN'S VEGETABLE PLANTS

All prices on this page are post paid and must be paid in advance, as we do not ship plants C.O.D. either by Parcel Post or Express. The growing, packing and shipping of plants, bulbs and roots is governed by weather conditions. We grow millions of plants; get our prices when wanted in large quantities. We cannot send plants by parcel post in extremely hot weather.

These plants grown in Memphis by our grower of 30 years' experience.

Home-grown Cabbage Plants ready March 10th, grown from the best seed money can buy.

Prices: 100, 40c; 200, 70c; 500, \$1.50; 1,000, \$2.50; 5,000, \$10.00; post paid

PEPPER PLANTS (Ready March 25th) - Chinese Giant (Sweet), Red Cayenne (Hot).

Doz., 30c; 25, 50c; 50, 75c; 100, \$1.25

EGG PLANTS (Ready April 15th)—Black Beauty, New York Doz., 30c; 25, 50c; 50, 75c; 100, \$1.25 LETTUCE PLANTS (Ready March 25th)—Big Boston, Won-

100, 50c; 200, 85c; 500, \$1.75; 1,000, \$2.85 derful. BEET PLANTS (Ready March 25th)—Market Gardener, Early 100, 50c; 200, 85c; 500, \$1.75; 1,000, \$2.85 Wonder.

TOMATO PLANTS (Ready March 25th)-Grown from certified seed. Hotbed grown-transplanted. Marglobe, Ponderosa, Gulf State, Early Detroit, Earliana, and Acme. Doz., 30c; 25, 50c; 50, 75c; 100, \$1.25; 500, \$3.00; 1,000, \$5.00

CELERY PLANTS (Ready March 15th)—Golden Self Blanch-25, 25c; 50, 40c; 100, 75c; 500, \$3.50

CAULIFLOWER PLANTS (Ready March 15th)—Extra Early Doz., 25c; 50, 75c; 100, \$1.25; 200, \$2.00 Snowball.



Frost Proof Cabbage Plants

Onion Plants



Sweet Potato Slips

ASPARAGUS ROOTS AND SEED

CULTURE—Sow seed thinly in drills 1 foot apart, early in the spring or fall, after soaking seed in warm water for an hour. Use a rich, well-worked light soil and when well up, thin plants to 1 inch apart and cultivate often until the plants are a year old. Transplant or set out the roots in permanent bed, using the richest soil you have, thoroughly prepared and worked very deep. Set roots 4 inches deep and 18 inches apart in rows 4 to 6 feet apart.

WASHINGTON ASPARAGUS SEED - The most superior strain of the finest and largest Pkt., 5c; oz., 15c; 1/4 lb., 35c; post paid variety of asparagus now known.

WASHINGTON ASPARAGUS ROOTS-Plant these extra large roots and save 11/2 to 2 years' time in having your bed ready for cutting. Prices-Doz., 30c; 25, 50c; 50, 90c; 100, \$1.50; post paid.

RHUBARB ROOTS-Should be set in well-enriched soil at least 4 feet apart each way. Each, 20c; ½ doz., 95c; 1 doz., \$1.75; post paid

HORSERADISH ROOTS-Set the roots, small end down, with tops 2 inches below surface. Cultivate well until leaves cover the ground. Roots are sent separate from seed orders as we wait for seasonable time to ship to prevent damage in transit.

12 roots or sets, 35c; 25 roots, 60c; 50 roots, \$1.10; 100 roots, \$2.00

BROCCOLI—ITALIAN GREEN SPROUTING (60 days from plants)—This vigorous plant is entirely different from the white heading sorts. Cultivated like cabbage.

Pkt., 10c; ½ oz., 35c; 1 oz., 50c; 2 oz., 75c; ¼ lb., 95c; 1 lb., \$2.75

BRUSSELS SPROUTS (125 days)—Small shoots, like miniature cabbages clustered around a stem, are the valuable part of this unique member of the cabbage family.

Pkt., 10c; ½ oz., 15c; 1 oz., 25c; 2 oz., 40c; ¼ lb., 65c; 1 lb., \$1.85

BUCHANAN'S GENUINE FROST-PROOF CABBAGE PLANTS For Wholesale Prices-Not Prepaid-See Yellow Sheet in Center of Catalogue

You will have very early cabbage by setting Buchanan's Frost Proof Cabbage Plants. We begin shipping them January 1st, and continue through January, February, March and April.

BUCHANAN'S GENUINE FROST-PROOF CABBAGE PLANTS will be somewhat wilted and have a hard, stunted appearance when you receive them. Do not let this disappoint you, as it is the natural way they grow. Plant them; the crop will not be disappointing. They are the genuine Frost-Proof Plants. Varieties: Early Jersey and Large Charleston Wakefield, Succession and Early Flat Dutch. Set cabbage in rows 30 inches apart, 20 inches in row, 10,000 to 14,000 to acre. All prices on Cabbage plants are subject to crop conditions and market changes.

Prices-100, 40c; 200, 70c; 500, \$1.25; 1,000, \$2.25; post paid BUCHANAN'S BERMUDA ONION PLANTS—Set in rows 24 inches apart; plants 6 inches apart in row; requires about 44,100 plants to acre. Onion plants are much cheaper and grow a large sweet onion which keeps through the winter.

YELLOW BERMUDA—The most popular of all the Bermuda varieties. It is a light straw-

colored onion. No onion compares with the Bermuda in mildness of flavor, and for this reason it is extensively planted, especially in the South, where it reaches perfection.

CRYSTAL WHITE WAX BERMUDA-No other onion has such clear, white skin, such mildness of flavor. It is deliciously tender and can be eaten raw like an apple. We begin shipping about September 1 and continue shipping Bermuda plants until May 1 the following year. Write or wire us for prices on larger quantities when wanted. All prices on Onion plants are subject to crop conditions and market changes.

Price, Either Variety—100, 15c; 200, 30c; 500, 60c; 1,000, \$1.00; post paid

BUCHANAN'S STATE CERTIFIED SWEET POTATO SLIPS

One bushel Sweet Potatoes produces about 3,000 slips. Tied 100 to bundle.

Set in rows 3 feet apart; plants 12 inches apart. It takes about 7,500 plants for each acre. For a home garden 1,000 slips will make you a nice patch. I ship many orders of 500, and even 100 plants. We begin shipping Sweet Potato Slips April 10, weather permitting, and ship every day until July 1. We believe May and June are the best months to set them.

NANCY HALL-This is our most popular Sweet Potato, because of its early maturing and ready sale on all markets.

PORTO RICO YAMS—It is fine-grained, juicy, as good for eating as the Nancy Hall, and has the additional quality of being a good winter keeper. Color, golden red, running, late maturing, good keeper, and I consider it the best Sweet Potato grown.

Price, Either Variety-100, 50c; 200, 90c; 500, \$1.75; 1,000, \$3.00; post paid

BUSH SNAP BEANS

Beans are sensitive to both cold and wet, so do not plant till the ground is warm. To have a continuous supply, plant every two weeks until September; further South they may be planted even later. Make the rows 2 to 3 feet apart, drop the beans 3 inches apart and cover 1½ to 2 inches deep. Give frequent but shallow cultivation up to blossoming time, not afterward, and never when the plants are wet. Plant in a light loamy soil that warms up quickly. One pound plants 60 feet.

FIELD PLANTING—In rows 3 ft. apart; 1 bushel (60 lbs.) to acre. Ready in 6 or 7 weeks.

All Prices on This Page Post Paid. All 10c Pkts., 3 for 25c Quantity Prices—Not Prepaid—See Yellow Price List Enclosed

37—IMPROVED EXTRA EARLY RED VALENTINE—A standard variety, extra early. The pods are produced in large clusters on erect plants. It is very prolific and reliable and an excellent shipper. The pods are of medium length, and about 4½ inches long, medium green color, curved, cylindrical, with crease in back, very fleshy, crisp and tender. When the young plants have to contend with adverse weather conditions. Ready for picking in 47 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c 40—STRINGLESS GREEN POD (BURPEE'S)—This is one of the most popular and best of the stringless varieties. It is earlier than the Valentine, absolutely stringless, hardy, vigorous and productive. Pods are long and straight, round, meaty, of green color, and remain tender and crisp a long time after maturity. Seed of medium size and length, yellowish brown. Ready for picking in 45 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c

39—BLACK VALENTINE—Pods 6 inches long, dark green, slender, round, fine grained. An early, productive gardener's variety. Pods very dark and firm. Will stand shipping long distances. Ready for picking in 45 days.

Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 35c; 5 lbs., 80c 41—STRINGLESS BLACK VALENTINE—A stringless Black Valentine. It is perfect for the home gardener or trucker. The attractive green pods are nearly round, long, straight, very tender, and of good flavor. This bean is early, a vigorous grower, and one of the most prolific; splendid shipper. Ready for picking in 43 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., \$1.00
42—NEW STRINGLESS GREEN POD OR TENDERGREEN—Similar to Full Measure, but hardier, and a more dependable cropper. Plant medium large, erect, somewhat thick stemmed, heavily productive. Pods nearly straight, dark green, round, meaty, succulent; absolutely stringless, totally without fiber, of outstanding quality. Ready for picking in 53 days. Good variety for canning.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c

44—GIANT STRINGLESS GREEN POD—This is a very desirable green-podded variety for the home garden, and also for truckers. The handsome round pods are 6 to 7 inches long, dark green in color, brittle and perfectly stringless. It is one of the most productive sorts and can be picked in one-third the time of any other variety. This variety has achieved much popularity in Southern states, where it is grown on a large commercial scale for shipment to Northern markets. The best canning variety. Ready for picking in 54 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c

45—FULL MEASURE—Has every qualification required of a really first class bean. It has earliness; it is one of the most abundant bearers, and bears for a long season; it is entirely stringless, and the round 6 inch pods are very fleshy, firm and tender. For the home garden, as well as for market, it is hard to imagine a finer bean. A good variety for canning. Ready for picking in 55 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c
38—TENNESSEE GREEN POD—A very hardy and healthy bean of recent introduction; is a good yielder of large, very flat pods, 6 to 7 inches long; dark green color and excellent flavor. Not entirely stringless. Ready for picking in 52 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., 95c

43—LONGFELLOW—Pods 6 to 7 inches long, round and straight. Ready for picking in 57 days.

Pkt., 10c; ½ lb., 15c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., 95c 51—BOUNTIFUL—Best of the flat-podded stringless varieties. Pods 6½ to 7 inches long, thick, flat and slightly curved; stringless, slightly fibrous, attractive and of fine quality; color, light green. Very early, vigorous, hardy and productive. Ready for picking in 49 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., 95c

DWARF WAX BEANS


55—PENCIL POD BLACK WAX—Very early and productive and absolutely stringless. Ready for picking in 52 days.

58—IMPROVED GOLDEN WAX—One of the best snap beans, golden yellow pod, excellent flavor. Medium length, straight and oval. Seed white and mottled brown, round shape. Ready for picking in 49 days.

60—ROUND-POD, KIDNEY WAX (Brittle Wax)—The best of the round-podded sorts; early, prolific; pods long, handsome shape and color; entirely stringless.

Seed white with brownish-black eye. Ready for picking in 52 days. 59—SURE CROP STRINGLESS WAX—The finest wax bean ever introduced. It is very prolific and of the finest eating qualities. The handsome rich looking yellow pods are 6 to 7 inches long, very thick, very meaty and sweet flavored; stringless at all stages of growth. Plants are upright in growth, healthy and vigorous. This is the best wax bean we recommend for the garden. Notice the picture. It is beautiful in appearance and as fine a garden bean as you can grow. Seeds jet black. A great favorite in Northern and Eastern markets. Ready for picking in 53 days.

Prices All Wax Beans: Pkt., 10c; 1/2 lb., 20c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., 95c



Stringless Green Pod or Tendergreen




Giant Stringless




Sure Crop Stringless Wax

McCaslan Pole Snap Bean



Kentucky Wonder



Southern Cornfield

POLE SNAP BEANS

Pole Beans produce the largest crop over the longest season. You obtain a greater supply of beans in a smaller space as compared with Bush Beans. They are even more tender than most bush varieties.

CULTURE—Set 6- to 8-foot poles every 4 feet in 4-foot rows, and plant 6 to 8 beans, about 2 inches deep, around each pole. When well started, thin to the four strongest A packet plants 20 hills; 2 pounds to 150 hills; 30 pounds (½ bushel) to an acre. May also be planted in rows and supported by a wire fence or trellis. For this method plant seed 2 feet apart, sowing 300 feet with a pound of seed. Top dress with good fertilizer or manure; work it in as you cultivate. Save time, labor and space by planting pole beans in all corn, when the corh is about 1 foot high, inoculate the beans with Pure Culture and improve your soil.

PLEASE READ—Our seed beans are grown in the arid section of the Northwest where Anthracnose and Bacterial Blight do not develop; growing fields are carefully rogued to eliminate all non-productive plants; therefore, our seed will produce maximum yields. Beans planted after July 15th mature in shorter time than if planted in the Spring.

All Prices on this Page Post Paid. All 10c Pkts., 3 for 25c Quantity Prices—Not Prepaid—See Yellow Price List Enclosed

67—KENTUCKY WONDER (Also called Old Homestead and Texas Prolific)—It is the most prolific pole, green, snap bean to plant any time from April to August; if closely picked will continue bearing until frost. Pods are green, round, well rounded out, meaty, tender, practically stringless and grow 6 to 12 inches long. Ready for picking in 65 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c 64—KENTUCKY WONDER WAX—This is one of the earliest of the wax podded sorts, and similar to the green-podded Kentucky Wonder, but the pods are broader. The pods are very long, handsome light yellow, often over 8 inches long, very fleshy, brittle but stringy. Ready for picking in 68 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 35c; 2 lbs., 50c; 5 lbs., \$1.00 65—McCASLAN—An astonishing yielder of large, rich, deep green pods 8 to 10 inches in length, stringless, meaty, and of delicious flavor. When allowed to ripen, the shell beans are pure white. If kept closely picked, vines continue to bear until frost. Ready for picking in 65 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c 66—STRIPED SCOTIA OR CORNFIELD—A superb green bean, succeeding better when planted in cornfield than any other variety. The handsome green pods average 8 or 9 beans to the pod, grow very uniform, about 7 inches long, thick meated, rich and buttery. It continues in bearing so long it might be called "Everbearing." Specially adapted to growing on corn, thus economizing space on valuable land. Ready for picking in 72 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c

68—WHITE CREASEBACK—Splendid snap beans for home garden and early market. Good climber, heavily productive. Pods light green, round, 6 inches long, nearly stringless, very fleshy, brittle, tender. Seeds white; excellent for baking. Ready for picking in 68 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c

71—WHITE KENTUCKY WONDER (Green Pod)—The pods are large and fill perfectly, and in the "snap" stage are deep green in color, meaty, stringless and of the finest flavor. When allowed to ripen the shell beans of pure white are most excellent for winter use. Seed small, oval, white in color. Ready for picking in 64 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., \$1.00 72—WHITE OR SOUTHERN CORNFIELD—A popular early green podded pole bean for snap-shorts; of rapid growth and very productive. Pods grow in clusters and are from 5 to 6 inches in length, perfectly rounded, being deeply creased or "saddle-backed." The dry seed is pure white and excellent for winter use. Seed small, oblong, white in color. Ready for picking in 65 days.

Pkt., 10c; ½ lbs., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c

SHELL OR SOUP BEANS

These are grown to use as dried beans during the winter, for baking and making soup. Plant in May and June, using 20 to 30 pounds to the acre. Plant in 4-foot rows and cultivate well. One pound drills 150 to 200 feet of row.

62—GREAT NORTHERN BEANS—Well suited to heavy soils. Beans slightly larger than the Navy Bean: snow white and of splendid cooking quality.

the Navy Bean; snow white and of splendid cooking quality.
63—RED KIDNEY BEANS—The good old-fashioned cooking bean. Large size and of good flavor.

61—PEA BEAN, OR WHITE NAVY—An improvement over the popular small white baking beans.

81—PINTO BEANS—Fine cooking bean; bears heavily.

Price Either Variety: Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 75c

EVERY GARDENER SHOULD KNOW—That Garden Peas and Garden Beans belong to the Legume family. All legumes form a partnership at the roots with certain kinds of helpful bacteria called Legume Bacteria, that are able to draw nitrogen from the air and give it to the plant. They form on the roots in colonies, called nodules, which are really nitrogen storehouses.

When inoculated, peas and beans will grow off better, are more resistant to drouth and give a larger yield. Few soils contain a natural supply of these beneficial organisms. It is therefore necessary to "inoculate"—apply these nitrogen-gathering bacteria directly to the seed before planting. All agriculturists recommend inoculation for legumes.

Garden size inoculation, sufficient for four to six pounds of seed: Each, 10c, post paid.

POLE AND DWARF LIMA BUTTER BEANS

Lima Beans are not as hardy as Snap Beans and should not be planted before the ground is warm and frost is over. Plant Bush Limas in 3-foot rows, dropping three beans 15 inches apart in the row, eyes downward. For the tall varieties, set 6- to 8-foot poles firmly in the center of the hills 3 feet apart in 4-foot rows before the seeds are planted. Cover the beans 1½ inches deep; cultivate only when the vines are dry. One pound of the large seeded varieties plants 60 hills; 60 pounds to the acre. One pound of the small seeded varieties plants 100 hills; 30 pounds to the acre.

Prices Post Paid. All 10c Pkts. 3 for 25c. Quantity Prices—See Yellow Price List

77-BUCHANAN'S LIMA OR POLE BUTTER BEAN-This is an improved strain of the small type regular Butter Bean. Both pods and beans are larger than Sieva-in fact, they are very near as large as Large White Lima, and are wonderfully productive; vines always loaded with delicious, tender beans, and cook soft as butter. Ready for picking in 77 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c
78—CAROLINA SIEVA OR SMALL LIMA—This is the true Butter Bean. The seed beans are very small and white. The plants are of large growth, very early, vigorous and productive, and will stand more heat and drouth than any other of the Limas, and are one of the best for planting in the South. Ready for picking in 77 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c 79—FLORIDA SPECKLED BUTTER BEANS (Calico Lima)—The only other true pole lima sure to set pods from earliest of the season's blooms. It blooms and bears profusely all through the season. Will make an abundant crop under seasonal conditions that cause other varieties to fail. Seeds of the small lima or "Sieva" size, but are buff in color, spotted with brownish red. Pods in clusters. Ready for picking in 80 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., \$1.00 80—BUCHANAN'S MONSTROUS LIMA — The pods of this variety are very large, often measuring 6 inches long and containing beans of the most excellent quality, and bearing about the same time as the Large Lima; the vines are vigorous and strong-growing. These large Limas are not as prolific in the South as the smaller varieties. Ready for picking in 88 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 35c; 2 lbs., 50c; 5 lbs., \$1.10 75-LARGE WHITE LIMA-This well known variety is one of the best of the larger varieties for planting in the South. Ready for picking in 88 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 35c; 2 lbs., 50c; 5 lbs., \$1.10

DWARF OR BUSH LIMA

CULTURE—One quart will plant 100 feet of row, or 3 pecks to the acre. Bush Limas require the same cultivation as stated above for Pole Limas, except that the rows should be 2 feet apart and 6 inches of space between each plant in the row.

FIELD PLANTING—In rows 3 feet apart and 6 inches apart in rows; ½ to ¾ bushel to the acre. Ready in 7 to 8 weeks; 60 pounds in bushel.

49-HENDERSON'S BUSH LIMA-The original dwarf or bush butter bean, a dwarf type of the Small Pole Lima or Butter Bean. Valuable for its extreme earliness. Planted late, it continues to set pods right up to frost. Of the true bush type, growing 18 to 20 inches high; very productive and a sure cropper; a fine bean to dry for winter use. This is the bean so popularly known throughout the South as "bush butter beans," and is the favorite shipping or

market butter bean. Ready for picking in 65 days.

Pkt., 10c; ½ lb., 15c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c 50-McCREA'S BUSH LIMA-New, strong, stocky bush with good root, small pod with large seed (see cut). Will stand cold wet weather in spring and hot dry weather in summer better than other large seeded limas. An ideal home-garden lima, very prolific, pods contain three to five unusually sweet flavored beans. The seed have a green tint even when cooked and on account of the flavor and this green tint when cooked we believe this new lima will be a popular market gardener's variety even though the pods are small. This is an exceptionally fine bean for shelling to be used in the winter as they swell the same size as green beans when cooked, retaining


their sweet flavor. Ready for picking in 70 days. The finest bush lima yet introduced.

Pkt., 20c; ½ lb., 30c; 1 lb., 45c; 2 lbs., 75c; 5 lbs., \$1.75 46—JACKSON WONDER BUSH LIMA (Also known as Florida Bush Butter Bean, Calico Bean and Speckled Bush Butter Bean)—This bean originated in the South, where many gardeners prefer it to all other kinds of bush limas, claiming that it is the best bearer of them all, and that in dry seasons it is practically drouth-proof. The plants grow about 2 feet high and carry quite a load of pods that contain 3 to 4 beans each. It begins bearing early

and continues till killed by frost. Ready for picking in 65 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c 48-FORDHOOK BUSH LIMA-The bush is of erect growth, holding the pods off the ground, so that they are not injured by being beaten to the ground by the wind or rain. Very prolific, the pods, which are produced in clusters, each contain four or five large, fat beans of exceptionally fine quality. Ready for picking in 75 days.

Pkt., 10c; ½ lb., 20c; 1 lb., 35c; 2 lbs., 55c; 5 lbs., \$1.15



McCrea's Bush Lima

DUTOX—See Page 71 For control of Mexican Bean Beetle and many other chewing insects. For control of Mexican Bean Beetle, dust should be deposited on under side of leaves; for most other leaf - eating insects, dusting on top of leaves is sufficient.

"Butter Bean" Collection

Contains 1 large packet each of the following 4 varieties: 1 pkt. Fordhook Bush Lima pkt. Carolina Sieva pkt. Jackson Wonder Bush Lima

pkt. King of the Garden Value 40c; Post Paid for 25c



Carolina or Small Lima



Market Gardener Beet

Swiss Chard



Long Red Stock Beets

GARDEN BEETS

For the earliest beets, plant in a hot bed and transplant. For early outdoor crop, plant in March and make successive plantings till the end of July; the late plantings are to make beets for winter use and the seeds should be well soaked before planting. Beets thrive best in a light, clean, deeply worked soil that has been previously well manured; smooth roots cannot be had if fresh manure is used. Plant in rows 15 or 16 inches apart, cover 1 inch and thin to 4 inches apart. One ounce will plant 50 feet of row; 6 to 8 pounds, 1 acre.

All Prices on this Page Post Paid. All 10c Pkts. 3 for 25c Quantity Prices—Not Prepaid—See Yellow Price List Enclosed

17—BUCHANAN'S MARKET GARDENER'S BEET (60 days)—Our gardener's favorite, owing to its extreme earliness and uniformity in both shape and color. It is without a doubt the best beet for the home garden, or for canning. The tops are small and upright in growth. The leaves are dark green, shaded red. The roots are medium size, globular, very smooth and of dark blood red color, while the flesh is a deep vermilion red, zoned with lighter shade. It is unsurpassed in quality.

Pkt., 5c; oz., 10c; ½ lb., 25c; ½ lb., 40c; lb., 75c; 2 lbs., \$1.30 24—CROSBY'S EGYPTIAN (45 days)—We recommend Crosby's Egyptian as a combination of earliness, good shape, good color and good quality. The color is bright red, with bright vermilion-red flesh, very sweet and tender. We have a splendidly bred pedigreed stock that

is early, has fine shape and color and we believe cannot be surpassed for quality.

Pkt., 5c; oz., 10c; 1/4 lb., 25c; 1/2 lb., 35c; lb., 65c; 2 lbs., \$1.25

Pkt., 5c; oz., 10c; ¼ 1b., 25c; ½ 1b., 35c; 1b., 65c; 2 1bs., \$1.25 18—EARLY WONDER (45 days)—If earliness is desired, you have it in Early Wonder, but you have most excellent quality as well. It is of the blood turnip type, uniform in size, shape and color, always smooth, never stringy, and a good keeper. The flesh is a deep rich red, sweet, crisp and tender. Although bred primarily for market growers, its many fine qualities commend it highly to the home gardener. Pkt., 5c; oz., 15c; ¼ 1b., 30c; ½ 1b., 35c; 1b., 65c; 2 1bs., \$1.25 19—BUCHANAN'S CRIMSON GLOBE (50 days)—A rich, deep crimson beet of perfect globe shape, smooth and clean. Matures very early, is of a most attractive appearance, and in quality is not surpassed by any other variety. We recommend it not only for market gardeners and truckers, but for the home garden as well.

Pkt., 5c; oz., 10c; ¼ lb., 25c; ½ lb., 40c; lb., 75c; 2 lbs., \$1.30 20—EXTRA EARLY EGYPTIAN (40 days)—One of the very earliest, with small tops and best for forcing or early outdoor planting. Roots distinctly flat and moderately thick, very dark red;

flesh dark purplish-red, zoned a lighter shade.

Pkt., 5c; oz., 10c; ¼ lb., 25c; ½ lb., 40c; lb., 60c; 2 lbs., \$1.10 21—EARLY BLOOD TURNIP (50 days)—An extra selected, smooth, dark red beet of uniform size and first-class quality. One of the best for main crop, also for sowing

in May or June to make late beets for storing for winter.

Pkt., 5c; oz., 10c; ¼ lb., 25c; ½ lb., 35c; lb., 60c; 2 lbs., \$1.10 23—DETROIT DARK RED (50 days)—Round; skin dark blood red, flesh bright red. Pkt., 5c; oz., 10c; ¼ lb., 25c; ½ lb., 40c; lb., 75c; 2 lbs., \$1.30

26—SWISS CHARD (Spinach Beet or Sea Kale) (40 days)—A real cut-and-comeagain salad, for after cutting it quickly makes a new growth. It prefers a light soil, but grows anywhere, and does not shoot to seed in hot weather. Plant from early in the spring till July.

Pkt., 5c; oz., 10c; ½ lb., 20c; ½ lb., 35c; lb., 60c; 2 lbs., \$1.10

STOCK BEETS OR MANGELS

They make a splendid winter feed for cattle, sheep, hogs and poultry; increase the milk flow of dairy cows; yield larger crops than turnips and rutabagas and are higher in feeding value; keep stock and poultry in fine healthy condition; produce an immense yield of succulent and healthy food at low cost. When fed in combination with grain, mangels are worth almost as much, pound for pound, as grain, for they aid digestion and assimilation.

CULTURE—Plantings should be made beginning at corn planting time till the middle of June, soaking the seeds for 24 hours before planting. Make the rows 2 to 2½ feet apart, the drills 1 inch deep on lands that have plenty of moisture in the subsoil; on dry and sandy soil they should be planted deeper. Shallow plantings germinate better and give a larger proportion of vigorous plants. Thin out to stand 8 inches apart in the row; young plants may be transplanted to fill up vacancies. One ounce will sow 50 feet of drill; 6 pounds to acre.

28—GIANT HALF SUGAR MANGEL (90 days)—Desirable for stock feeding, affording not only a very large crop, much easier to harvest than other sorts, but also having higher nutritive value, being especially rich in sugar.

Pkt., 5c; oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 2 lbs., 65c; 5 lbs., \$2.25 30—MAMMOTH PRIZE LONG RED (110 days)—No other mangel can compare with this variety in yield. Crops of 40 to 50 tons per acre have been made on good land and under thorough cultivation. The roots often weigh 20 to 25 pounds each. It grows well above ground, is easily pulled; the deep red roots are straight, well-formed and solid. A fine keeper and, at a low cost, will supply an abundance of succulent green food for stock of all kinds and for poultry. Especially adapted to deep soils.

Pkt., 5c; oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 2 lbs., 65c; 5 lbs., \$2.25

CAULIFLOWER

CULTURE—Cultivate like cabbage. Sow in January or February for early crop; May or June for late. Transplant to rich, moist soil; manure heavily and water freely. When heading begins, fasten leaves over top of head to whiten; 1 ounce of seed makes 2,000 plants.

109—EXTRA EARLY SNOWBALL (55 days)—There is no better cauliflower for Southern growers, and our strain is as fine as can be had at any price. It is not only the earliest to head, but a remarkably sure header, making large, solid, perfect pure white heads of the finest quality. Late summer and fall crop.

Pkt., 10c; ½ oz., 75c; oz., \$1.25; 2 oz., \$2.00; ¼ lb., \$3.25; ½ lb., \$5.50

CARROTS

Plant in a light, rich, deeply-worked soil as early as you can work the ground, in drills 12 inches apart and ½ inch deep; press the soil firmly after planting and when well up, thin out to 3 or 4 inches apart in the row. For field culture, make the drills 18 to 24 inches apart; later plantings should be made in July and August for a late crop to store for winter. In dry weather soak the seeds before planting. To store for winter, pack in dry earth or sand in the cellar or put them outside on a well-drained situation, covering with a few inches of straw and 6 to 8 inches of earth to protect from frost. One ounce will plant 100 feet of drill; 3 to 4 pounds to the acre.

All Prices on this Page Post Paid. All 10c Pkts. 3 for 25c Quantity Prices—Not Prepaid—See. Yellow Price List Enclosed

103—OXHEART (72 days)—One of the heaviest yielders and the best for stiff and heavy soils where the long varieties would fail. The roots are often 3 to 3½ inches thick at the top; nearly oval in shape; the flesh is bright orange, fine grained and sweet. Of the finest table qualities and equally good for stock.

Pkt., 5c; oz., 10c; 2 oz., 15c; 1/4 lb., 25c; 1/2 lb., 45c; lb., 80c; 2 lbs., \$1.40

104—EARLY SCARLET HORN (63 days)—Not only the earliest variety on our list, but the earliest real good carrot. The roots are from 3 to 3½ inches long, 1½ inches thick at the shoulder, tapering to 1 inch at the bottom. It has scarcely any core, is fine grained and sweet flavored. Color, bright orange scarlet. Has small tops.

Pkt., 5c; oz., 10c; 2 oz., 15c; 1/4 lb., 25c; 1/2 lb., 45c; lb., 75c; 2 lbs., \$1.25

105—DANVERS HALF-LONG (75 days)—This handsome, half-long, orange carrot is adaptable to all soils. Its roots are smooth and longer than the Chantenay; the tops are medium size. The mature roots are 7 to 8 inches long, tapering uniformly to a blunt end. Its flesh is a deep, rich orange color, tender, sweet and crisp. It outyields any other variety.

Pkt., 5c; oz., 10c; 2 oz., 15c; ½ lb., 25c; ½ lb., 45c; lb., 80c; 2 lbs., \$1.40 106—LONG ORANGE (88 days)—Especially fine on light soils, making long, smooth, tapering roots of a deep orange color, free from side roots and superior in every respect. A fine winter sort for table, market and stock.

Pkt., 5c; oz., 10c; 2 oz., 15c; ¼ lb., 25c; ½ lb., 45c; lb., 80c; 2 lbs., \$1.40 108—CHANTENAY (72 days)—Very popular because of its beautiful appearance and excellent table quality. Its length will average 5½ inches; its color is a rich, bright orange-red. The roots are the half-long type, smooth, free from side rootlets, and unusually uniform. The crisp, tender and fine flavor makes it even more desirable. Our stock has been finely bred and may be planted with absolute confidence by market gardeners and truckers. Ready to pull in 60 days. (See illustration.)

Pkt., 5c; oz., 10c; 2 oz., 15c; ¼ lb., 25c; ½ lb., 45c; lb., 80c; 2 lbs., \$1.40

e earli, taperColor,

s., \$1.25

table to
e. The
ep, rich

s., \$1.40
apering
winter

s., \$1.40
chantenay
Carrot

chantenay
cha

107—LARGE YELLOW BELGIAN CARROT, FOR STOCK FEED ONLY (90 to 100 days)—The value of root crops for stock is just beginning to be appreciated in the South. One of the most valuable is the Belgian Carrot, an immense cropper, having produced as high as 20 tons of roots per acre. In the Central South they are easily kept all through the winter, while in the Lower South they can be left in the ground all winter and pulled as needed. The use of carrots in connection with dry feed helps keep the animals in good condition and in milk or dairy cattle the flow of milk is largely increased. Sow in drills 3 feet apart, using 4 pounds of seed per acre. When well up, thin out the plants to 6 inches apart. They should be grown on land that has been previously cultivated and worked deeply.

Pkt., 5c; oz., 10c; 2 oz., 15c; ½ lb., 20c; ½ lb., 35c; lb., 65c; 2 lbs., \$1.10

CELERY

CULTURE—Sow in beds in February or March and keep them well watered. Transplant to moist, mucky soil; 6 inches apart in 12-inch rows. Earth up two or three times. Cover with straw from severe weather, with boards on top; 1 ounce of seed produces 2,000 plants.

121—IMPROVED WHITE PLUME (112 days)—A magnificent celery for early use; being self-blanching requires little working. 122—GOLDEN SELF-BLANCHING (118 days)—The best self-blanching sort, it acquires a handsome golden color without having to be hilled up.

123—GIANT PASCAL (135 days)—In the South this is more generally grown than any other late celery. For fall and early winter it is certainly one of the best.

Price, either variety-

Pkt., 5c; oz., 25c; 2 oz., 40c; ¼ lb., 70c; ½ lb., \$1.00; lb., \$1.75



Golden Self Blanching Celery

HERRS

For flavoring soups, meats. All Herbs., pkt., post paid, 10c. SWEET BASIL—Leaves used for flavoring soups, stews, etc.

CHIVES SEED—Used for seasoning.

DILL—Leaves used in pickles and soups.

MARJORAM, SWEET—Leaves and shoots used for flavoring. Also dried for winter.

ROSEMARY-Leaves used for seasoning.

SAGE SEED-Leaves and tops used for seasoning.

THYME—Used for seasoning; tea is also made for headaches.

MISCELLANEOUS SEED

119—WITLOOF-CHICORY, OR FRENCH ENDIVE (75 days)—Witloof is used principally as a winter salad, and is most delicious served with French dressing and eaten like cos lettuce. Pkt., 10c; ½ oz., 15c; 1 oz., 25c; ¼ lb., 50c; ½ lb., 75c; 1 lb., \$1.25 120—CARDOON (100 days)—Large Spanish. Main stalks are blanched like celery; used for salad or in soups.

Pkt., $10c$; $\frac{1}{2}$ oz., $15c$; 1 oz., $25c$; $\frac{1}{4}$ lb., $70c$; $\frac{1}{2}$	Ib., \$1	1.35; 1 lb.,	, \$2.50
117—TRUE WATER CRESS (50 days)	Pkt. 10c	Oz. 40c	³ / ₄ lb. \$1.25
116—CRESS (Upland) (60 days)	10c	15c	.40
175—ENDIVE—EARLY GREEN (95 days)	5c	20c	.50
176—ENDIVE—BROAD LEAVED (95 days)	5c	20c	.50
183—EGG PLANT—BLACK BEAUTY			
(81 days)	5c	35c	1.00
178—KOHL-RABI—WHITE VIENNA			
(60 days)	5c	20c	.65
180—LEEK—AMERICAN FLAG (80 days)	5c	20c	.60
118—CHERVIL (Curled)	10c	15c	.50

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE. ND TES BRA ED SEE



Early Jersey Wakefield



Golden Acre



Early Drumhead



Chinese Chihli or Cclery Cabbage

CABBAGE SEED

CULTURE—When started in seed-beds, sow thinly in drills 6 inches apart, covering seed about ½ inch. When 4 to 6 inches high, transplant to the garden or field. Give frequent and deep cultivation, drawing the earth to the plants at each working. Set the early varieties at intervals of 18 inches in rows 2½ feet apart; the larger and later sorts, 2 feet apart in 3-foot rows. Cabbage should be grown rapidly. It is a heavy feeder, and a rich, well-prepared soil will produce the best crop. The maturity dates indicated are the average number of days required to produce heads ready for market from the time the young plants are set in the field. An ounce of seed will produce at least 1,000 strong plants; a half-pound is sufficient to sow an acre.

Our cabbage seed is grown by an expert of many years experience and is selected for purity of varieties and superior quality of heads. You are sure of the best when purchased from us.

FOR CABBAGE WORMS—Spray with Evergreen Spray and Red Arrow. Neither of them is poisonous, but both will kill the worm and will not impair the cabbage for human food. Both are described and priced on page 72.

EARLY VARIETIES

86—EARLY JERSEY WAKEFIELD (62 days)—Extremely early variety, very valuable for home and market garden as well as for shipment. Plants very small and compact, allowing very close planting; stem short. Heads conical, usually 7 in. long, 5 in. thick near base; firm and weigh 2-21/4 lbs.

Pkt., 5c; ½ oz., 10c; oz., 15c; 2 oz., 30c; ¼ lb., 50c; 1 lb., \$1.50

87-CHARLESTON OR LARGE WAKEFIELD (71 days)—Desirable for home and market garden. Head broad heart-shaped, 8 in. long, 7 in. broad at base, firm, commonly 4-5 lbs. Fully a week later and heads larger and broader heart-shaped than Early Jersey Wakefield.

Pkt., 5c; ½ oz., 10c; oz., 20c; 2 oz., 35c; ¼ lb., 50c; 1 lb., \$1.50

94—COPENHAGEN MARKET (66 days)—Distinctly and uniformly early. Splendid for early market and shipment; proving valuable as early kraut variety. Plant small, compact, allowing very close planting; stem short; heads uniformly round; firm; become 6-7 in. diameter and weigh 3½-4 lbs. Interior clear white and of excellent quality.

Pkt., 5c; ½ oz., 15c; oz., 20c; 2 oz., 35c; ¼ lb., 50c; 1 lb., \$1.15

84—GOLDEN ACRE (62-64 days)—The earliest round headed cabbage; especially valuable for early market and shipping. Plants very small and compact; stem short; heads uniformly round; firm, commonly 6 in. in diameter and weigh 3 lbs. This is similar to Copenhagen Market but is several days earlier and the heads are smaller. It is practically as early as Early Jersey Wakefield.

Pkt., 5c; ½ oz., 15c; oz., 25c; 2 oz., 45c; ¼ lb., 60c; 1 lb., \$1.25

SECOND EARLY VARIETIES

98-ALL HEAD EARLY (77 days)-Particularly valuable for kraut; good winter keeper. Heads flat but deep; 8-9 in. broad, 6½-7 in. deep, weigh 6-7 lbs.; firm and of fine quality.

Pkt., 5c; ½ oz., 10c; oz., 20c; 2 oz., 35c; ¼ lb., 50c; 1 lb., \$1.50 99—EARLY DRUMHEAD (90 days)—Produces large, firm, broad, flat heads, fine grained and sweet. Heads weighing from 15 to 25 pounds. It is ready for marketing two or three weeks earlier than the Late Drum-

Pkt., 5c; ½ oz., 10c; oz., 20c; 2 oz., 35c; ¼ lb., 50c; 1 lb., \$1.15 101-EARLY DWARF FLAT DUTCH (71 days)-Splendid for home and market garden. Plants small and compact; stem short. Heads almost ball-shaped; commonly 7-8 in. diameter, 6 in. deep and weigh 41/2-5 lbs.; firm and of high quality.

Pkt., 5c; ½ oz., 10c; oz., 20c; 2 oz., 35c; ¼ lb., 50c; 1 lb., \$1.10 85-ALL SEASONS (90 days)-Splendid general purpose cabbage; good winter keeper; widely used for kraut; remarkably thrifty in hot dry weather. Heads large; commonly 10-11 in. across, 8 in. deep and weigh 9-10 lbs.; of splendid quality.

Pkt., 5c; ½ oz., 10c; oz., 15c; 2 oz., 25c; ¼ lb., 40c; 1 lb., \$1.00 91—SUCCESSION (84 days)—Very dependable for late summer and fall use; good keeper. Plants large but compact; stem short. Heads large

and flat but deep; 10-11 in. across, 7-8 in. deep and weigh 8-9 lbs.

Pkt., 5c; ½ oz., 10c; oz., 15c; 2 oz., 25c; ¼ lb., 50c; 1 lb., \$1.10 83—CELERY CABBAGE (70 days)—Chinese or Chihli. A wonderful salad plant, growing 15 to 16 inches high, somewhat resembling cos lettuce or probably more like Swiss chard. It yields an unusual amount of most excellent salad. Cut up like cabbage and served with mayonnaise or French dressing, it makes a splendid cole-slaw. Sow early in the spring and again in July and August, transplanting 18 inches apart in 2½-foot rows. Time your spring planting so it will head before hot weather; it heads in 80 to 90 days. Pkt., 5c; $\frac{1}{2}$ oz., 15c; oz., 25c; 2 oz., 35c; $\frac{1}{4}$ lb., 50c; 1 lb., \$1.00

LATE OR WINTER VARIETIES

All Prices on This Page Post Paid. All 10c Pkts., 3 for 25c Quantity Prices-Not Prepaid-See Yellow Price List Enclosed

97—SUREHEAD (95 days)—All head and always sure to head. This is an exceptionally fine late cabbage of the Flat Dutch type, but with the outer leaves of more upright growth. Heads are large, round and


flattened, very hard and fine-grained. A splendid keeper. Pkt., 5c; ½ oz., 10c; 1 oz., 20c; 2 ozs., 35c; ¼ lb., 50c; ½ lb., 75c; 1 lb., \$1.10 93-LATE FLAT DUTCH (105 days)-The best very large, late cabbage; popular for home and market garden and for fall shipment; a good keeper. Heads very large and flat, but deep; become 12-14 in. across, 7 in. deep and weigh 12 to 14 lbs. or more; firm and of good

Pkt., 5c; ½ oz., 10c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 45c; ½ lb., 60c; 1 lb., \$1.00 92-LARGE LATE DRUMHEAD (110 days)-This is a very hardy and desirable fall and winter cabbage. Heads large, flat and solid. A good keeper and shipper.

Pkt., 5c; ½ oz., 10c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 45c; ½ lb., 60c; 1 lb., \$1.00 100-DRUMHEAD SAVOY (90 days)-This is undoubtedly the finest type of Winter Cabbage. After having been frosted it boils like marrow, and is not surpassed even by the cauliflower in its best condition. Pkt., 5c; ½ oz., 15c; 1 oz., 25c; 2 ozs., 40c; ¼ lb., 60c; ½ lb., 75c; 1 lb., \$1.25 96—AUTUMN KING SAVOY (105 days)—A very fine, sure heading strain, making a large deep green head with not too many outer leaves and is medium early. It is a great improvement over the standard Drumhead Savoy, having a more attractive color and far superior in heading qualities. This is a winter cabbage and should not be planted until July or August, as it will not head up hard during hot weather. No other winter cabbage can compare with it in flavor.

Pkt., 10c; ½ oz., 20c; 1 oz., 35c; 2 ozs., 50c; ¼ lb., 75c; ½ lb., 85c; 1 lb., \$1.45 88—MAMMOTH RED ROCK (110 days)—This is the largest variety of Red Cabbage and produces heads which are remarkably solid. The heads are round, with spreading outer leaves and matures at a late season. Pkt., 5c; ½ oz., 15c; 1 oz., 25c; 2 ozs., 40c; ¼ lb., 60c; ½ lb., 85c; 1 lb., \$1.50

POP CORN FOR SEED



Dynamite or South American

Popcorn was known and grown by the Indians of North and South America before the coming of the white man—as an article of commerce popcorn has developed very rapidly since about 1880. The use of popcorn in confections and the rapid increase in popcorn concessions in connection with amusement parks, moving picture theaters, etc., has greatly increased the demand for a reliable bulk product and has made a profitable outlet for those who desire to grow popcorn on a commercial scale. Popcorn requires the same kinds of soil, climate and general methods of cultivation as field corn. You can get more complete information on growing, harvesting and marketing popcorn by writing the Department of Agriculture, Washington, D. C., for Farmers Bulletin No. 1679. CULTURE—For field planting popcorn is usually check rowed in order to provide better cultivation; hills should be 38 to 40 inches apart, a 10c package will plant a nice row in the garden; a pound will plant a good patch; 5 to 6 pounds will plant an acre drilled in check rows 40 inches apart. There are about 3000 grains in a pound our seed stock.

34—DYNAMITE (120 days)—The new South American or Australian Popcorn was known and grown by the Indians of North and South America

34-DYNAMITE (120 days)-The new South American or Australian giant variety. A vigorous grower, 6 to 8 feet tall, producing 2 and often 3 ears, 8 to 9 inches long, with deep orange kernels, smooth and round, which pop double the size of others. Rich creamy yellow, crisp, tender, deliciously flavored and no hard centers. Outsells all other sorts at the popcorn stands. This variety is used more than all others for commercial planting and has been very profitable in the South for three years, owing to the drouths in the West where most of the popcorn is grown. It is usually unwise, especially for the amateur popcorn grower, to plant a large acreage following a year of high prices like the 1936 crop

Pkt., 10c; ¼ lb., 15c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., 90c 31—POPCORN (Japanese Hull-less)—Very small, white full ears. Not as heavy bearing, but some popcorn men prefer it at a higher cost than all others for popping.

Pkt., 10c; 1/4 lb., 15c; 1/2 lb., 20c; 1 lb., 35c; 2 lbs., 45c; 5 lbs., 85c 32-POPCORN (White Rice)—Has white, large pointed grains that pop Pkt., 10c; ¼ lb., 15c; ½ lb., 20c; 1 lb., 35c; 2 lbs., 45c; 5 lbs., 85c Popcorn for Popping—See Yellow Price List Enclosed nicely.



Autumn King Savoy

SOUTHERN COLLARDS

CULTURE—One ounce will produce about 1,500 plants, or 150 feet of row. In the South, seed may be sown from January to May and from August to October.


127—GEORGIA WHITE CABBAGE (48 days)—Whiter and

more tender than the Blue Stem. Introduced 15 years ago. Three-fourths of them bunch or head up in winter, weighing 10 pounds or more. Plants grow 30 to 40 inches high and as much across.

Pkt., 5c; 1 ez., 10c; 2 ozs., 15c; 1/4 lb., 25c; 1/2 lb., 35c; 1 lb., 50c -SOUTHERN OR BLUE STEM (50 days)—This variety is the old-time favorite.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; 1/4 lb., 25c; 1/2 lb., 35c; 1 lb., 50c

GARDEN CORN



Golden Bantam

GARDEN AND SWEET CORN

CULTURE-The grains of sweet corn are shriveled and rather CULTURE—The grains of sweet corn are shriveled and rather tender and cannot be planted quite as early as field varieties. Leaves on trees should be well out and the ground warm before planting. Make hills 2½ to 3 feet apart each way, dropping 5 or 6 grains in each hill, thinning out afterward to 2 or 3 stalks to the hill. A continuous supply can be kept up by planting early, medium and late varieties at one time, or by making several plantings at intervals of 15 days. Seed required: One pound to 200 hills; about 14 pounds (1 peck) per acre.

EXTRA EARLY VARIETIES

135—EXTRA EARLY ADAMS (Sweet) (65 days)—Owing to its extreme earliness it is used for a first early table corn in the South. The stalks are about 4 feet high, with small tassel, very few leaves, and without suckers. The ears are short, very full, 12 to 14-rowed, often nearly as thick as they are long and well covered with coarse husks.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c;

5 lbs., 75c; 10 lbs., \$1.40 134—GOLDEN BANTAM (Sugar) (70 days)—The sweetest and most delicious extra early corn for the home garden. Extremely early and very productive. The stalks grow only 5 feet in height and, where space is limited, the hills can be as close as $2\frac{1}{2}$ feet apart. Each stalk bears 2 or 3 well-filled ears, 6 to 7 inches in length. The kernels are of a beautiful yellow color, very milky, tender and sweet.

Pkt., 10c; ½ lb., 20c; 1 lb., 35c; 2 lbs., 50c; 5 lbs., \$1.00; 10 lbs., \$1.90

SEE NEXT PAGE FOR OTHER GARDEN CORN


CULTURE

Corn prefers a rich, warm, well - manured soil. Plant the early varieties the last of March or early in April: Sweet Corns are tender and should not be planted till the ground is thoroughly warm.

GARDEN, SWEET AND SUGAR CORNS

All Prices on This Page Post Paid. All 10c Pkts. 3 for 25c Quantity Prices—Not Prepaid—See Yellow Price List Enclosed

Medium Early Varieties Adams Early Sweet Corn



SEMESAN JR.

New Improved Semesan Jr. usually will improve the stand and increase the yield of field and sweet corn. The average increase in yield depends upon many factors, such as the quality of your seed, its freedom from disease, and the soil conditions at planting time. See page 65.

136-ADAMS EARLY LARGE (Sweet) (70 days)-One of our leading varieties. Matures about 2 weeks later than the Extra Early Adams but ears are larger and handsomer. The stalks are vigorous, averaging 7 feet in height, and well bladed. This and the Adams Extra Early are very hardy and can be planted earlier than sugar corns.

Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 35c; 5 lbs., 80c; 10 lbs., \$1.60 137—TRUCKER'S FAVORITE (Sweet) (75 days)—For a second early, to follow Early Adams, this is unquestionably one of the best; or for planting late to mature quickly it is equally valuable. It is a white corn, with good depth of grain, tender and sweet, and a most desirable size for roasting ears. Besides being a fine garden corn, it is a splendid field corn to follow potatoes and other early crops. The ears are large and well filled.

Pkt., 10c; ½ lb., 15c; 1 lb., 25c: 2 lbs., 35c; 5 lbs., 80c; 10 lbs., \$1.50

-GOLDEN SUNSHINE (Sugar) (76 days)—Also an early variety of the Golden Bantam type, growing from 5 to 5½ feet high and producing ears 7 to 8 inches long, with sweet, luscious yellow grains; matures 3 to 4 days later than Golden Bantam. Pkt., 10c; ½ lb., 20c; 1 lb., 35c; 2 lbs., 50c; 5 lbs., \$1.00; 10 lbs., \$1.90

132-WHIPPELL'S EARLY YELLOW (Sugar) (84 days)-An extra early yellow Sugar Corn. Larger and earlier than Golden Bantam. Stalks grow 5 to 6 feet, and many produce two large ears. Kernels bright yellow, tender, sweet, and finest quality. Whippell's Early Yellow Sugar Corn is ready for the table in about 7 weeks.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., \$1.00; 10 lbs., \$1.90

Main Crop Varieties


131—HONEY JUNE (87 days)—Originated by the Texas Experiment Station. It is a cross between White June and Country Gentleman, developed over a period beginning 1927. Stalks are tall and vigorous, somewhat later in maturing than other sweet corns, averaging 87 days from planting to roasting ear stage. Ears are medium in size and have 14 to 16 rows. Grains are long, slender and white. Has one to two ears per stalk. Develops a heavy shuck which provides protection against ear worm damage. It is fine for forage as well as a good roasting ear variety. Pkt., 15c; ½ lb., 25c; 1 lb., 35c; 2 lbs., 55c; 5 lbs., \$1.50; 10 lbs., \$2.90.

138—STOWELL'S EVERGREEN (Sugar) (85 days)—The standard main crop variety, much used for the home garden, market, and canning. It is hardy and productive, very tender and sugary, remaining a long time in condition suitable for boiling. The ears are about 10 to 12 inches long, 14 to 20-rowed, with very white grain. The stalks are about 7½ feet high. Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., \$1.00; 10 lbs., \$1.90.


140—COUNTRY GENTLEMAN (Sugar) (83 days)— One of the best known of the mid-season varieties. It is the old shoe-peg type of kernel, pure white, very sweet and tender. It is a good yielder, producing 2 to 3 good-sized ears to the stalk. Pkt., 10c; $\frac{1}{2}$ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., \$1.00; 10 lbs., \$1.90.

141—EARLY SURPRISE (75 days)—A wonderful roasting ear corn, especially bred for market gardeners' use; when planted at the same time as Large Adams it is ready for use just when the Large Adams is giving out; it is the best corn to use for succession plantings all through the season. In eating, this corn is slightly sweet, resembling sugar corn in taste. Average height of stalk about 6 feet; the ear is thick, well grained to the end of the cob; rows of grain straight and uniform. When cut green for market the ears average from 12 to 14 inches in length. It is very productive, producing two and often three good ears to the stalk. Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 35c; 5 lbs., 75c; 10 lbs., \$1.35.

EARLY SURPRISE IS OUR BEST SELLING CORN



Early Surprise



Trucker's Favorite

CUCUMBER SEEDS

CULTURE—One ounce will plant 50 hills; 1 to 2 pounds will plant 1 acre. Cucumbers succeed best in warm, rich, sandy loam, and should not be planted in open air until there is a prospect of settled warm weather. Plant in hills about 4 feet apart each way, and when all danger of insects is past, thin out the plants, leaving 3 or 4 of the strongest to each hill.

All Prices This Page Post Paid; 5c Pkts., 6 for 25c Quantity Prices—Not Prepaid—See Yellow List

158—STRAIGHT 8 (Gold Medal)—All-American Selections, 1935—This outstanding variety which we are offering for the first time this year produces symmetrical, cylindrical fruits about 8 inches in length and about 1½ inches in diameter. The fruits are well rounded at the end and when in condition for use are deep green and free from objectionable striping or tipping. Although its characteristics make it an ideal shipping variety, it is also equally desirable for the home or market garden.

Pkt., 5c; oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 65c; lb., \$1.00 160—CHICAGO PICKLE (59 days)—Since introduced this pickle has been a success. The fine shape, right size and excellent quality in this splendid pickle are matters of great pride with us. When ripe the fruit is medium size, blunt at both ends, has prominent black spines.

Pkt., 5c; cz., 15c; 2 ozs., 25c; ½ lb., 40c; ½ lb., 60c; lb., 90c 161—CUMBERLAND PICKLE (Large) (59 days)—The best pickling cucumber in cultivation. For productiveness it is unequaled, and the quality is the very best

Pkt., 5c; oz., 15c; 2 ozs., 25c; ½ lb., 40c; ½ lb., 60c; lb., 90c 162—DAVIS PERFECT (65 days)—Fine length, slimness, beautiful dark green color, transparent-like flesh with deliciously cool, refreshing flavor, and enjoyable crispness, are distinguishing features and qualities of this popular Long White Spine variety. Its extremely vigorous growth makes it the best blight resister of the long sorts.

Pkt., 5c; oz., 20c; 2 ozs., 35c; ¼ lb., 40c; ½ lb., 60c; lb., \$1.00 163—EARLY GREEN CLUSTER (55 days)—Very early variety, bearing in clusters of two and three. If kept gathered from the vines it will continue to set fruit through a long season; a splendid variety for pickling. Pkt., 5c; oz., 15c; 2 ozs., 25c; ¼ lb., 35c; ½ lb., 55c; lb., 90c 164—EARLY FORTUNE (64 days)—An especially fine, medium length White Spine Cucumber much planted in the South for shipment to the Northern markets. It has a fine, dark green color which it holds for a long time after picking.

Pkt., 5c; oz., 15c; 2 ozs., 30c; ¼ lb., 40c; ½ lb., 60c; lb., 90c 165—IMPROVED WHITE SPINE (60 days)—Medium size, straight, always fine yielder; light green.

Pkt., 5c; oz., 15c; 2 ozs., 25c; ½ lb., 35c; ½ lb., 55c; lb., 90c 166—IMPROVED LONG GREEN (70 days)—The vines are vigorous, and productive; the fruit (12 inches long) is formed almost as early as on the short sorts. The flesh is very firm and crisp and has a distinctive flavor; they make excellent pickles, and when yellow and ripe the best sweet pickles. The best of the "black spine" varieties.

Pkt., 5c; oz., 15c; 2 ozs., 25c; 1/4 lb., 40c; 1/2 lb., 60c; lb., \$1.60

KALE OR BORECOLE

CULTURE—One ounce to 200 feet of row; 4 pounds to the acre. Kale is extensively grown in the South during the fall, winter and spring. Seed may be sown any time from August to October, and again during February and March, broadcast or in drills, 18 inches apart.

187—DWARF CURLED SIBERIAN (65 days)—Very

187—DWARF CURLED SIBERIAN (65 days)—Very hardy and vigorous growing variety of spreading habit, its foliage having a distinct bluish tinge. This is the most popular variety grown, especially in the South. Pkt., 5c; oz., 10c; 2 ozs., 15c; ¼ lb., 20c; ½ lb., 35c; lb., 45c 188—DWARF CURLED SCOTCH (55 days)—This variety is extensively grown in the South for shipment north. Leaves finely curled, long and attractive. Pkt., 5c; oz., 10c; 2 ozs., 15c; ¼ lb., 20c; ½ lb., 35c; lb., 45c 189—TALL GREEN CURLED SCOTCH (60 days)—The plant of this variety grows 3 to 4 feet high, bearing long plume-like light green leaves, which are deeply cut. Pkt., 5c; oz., 10c; 2 ozs., 15c; ¼ lb., 25c; ½ lb., 35c; lb., 50c

167—GHERKIN (60 days)—A very small oval, prickly sort, distinct from all others. It is grown for pickles only and must be used when young.

Pkt., 5c; oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; lb., \$1.00 168—JAPANESE CLIMBING (60 days)—This is a distinct variety, having a heavy vine and large leaves and being quite resistant to disease and insects. It is a black spine cucumber and may be used for pickling or slicing; good quality and of a dark green color when young, turning to a russet-yellow when ripe.

Pkt., 5c; oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; lb., \$1.00 169—MIXED CUCUMBERS (50 to 65 days)—A mixture of all varieties, to give you both eating and pickling cucumbers with one planting.

Pkt., 5c; oz., 15c; 2 ozs., 25c; ¼ lb., 35c; ½ lb., 50c; lb., 85c 170—EVERBEARING (55 days) — A productive, main crop variety quite similar in appearance to Early Frame, though fruit is not thick; a fair pickler. Pkt., 5c; oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; lb., 90c 159—STAYS GREEN — A handsome, early, medium sized, prolific variety used extensively in the South for shipping to Northern markets. Fruits weigh 1¼ to 1½ pounds, symmetrical, nearly square ended. Very dark green, holds color and firmness well when shipped long distances.

Pkt., 5c; oz., 15c; 2 ozs., 25c; 1/4 lb., 40c; 1/2 lb., 65c; lb., \$1.00



Cumberland Pickle





DUTOX

Will Control Striped and
Spotted Beetle and
Pickle Worm on
Cucumbers

Use from 2 to 6 pounds of Dutox per acre for dusting cucumbers. For control of striped and spotted beetles, dusting should be begun as soon as plants are up and applied every 10 days as long as the insects continue to come. For control of the pickle worm, which bores into the cucumber, begin dusting when the first cucumbers form and apply Dutox every 10 days until most of the crop is harvested. In all cases dust the plant thoroughly and evenly, especially the under side of the leaves. See page 71.



Dwarf Curled Siberian Kale

R.B.BUCHANAN SEED CO. MEMPHIS, TENNESSEE, BUCK BRAND TESTED SEEDS

LETTUCE SEED



Wonderful Lettuce

196—BIG BOSTON (H) (76 days)—This marked variety is very popular for outdoor culture and is also in demand as a compact, large heading, forcing sort for cold frame. The plants are large, very hardy and vigorous. The leaves are broad, comparatively smooth but wavy at the edge, thin, very hard and crisp.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; 1 lb., 90c
205—WONDERFUL (H) (80 days)—Immense heads, solid as a cabbage; blanches beautifully; crisp, tender and free from bitterness. It produces immense heads, often 15 and 16 inches across. The interior is beautifully blanched, creamy-white, crisp, tender and delicious, being absolutely free from any trace of bitterness, rooting deeply, resisting hot, dry weather. Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 45c; ½ lb., 65c; 1 lb., \$1.10

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ½ lb., 45c; ½ lb., 65c; 1 lb., \$1.10

198—EARLY WHITE CABBAGE (H) (70 days)—A desirable variety for summer or fall, forming large, compact and beautiful heads. Color, light green; stands heat and drouth remarkably well. The heads will frequently weigh from 2 to 3 pounds each.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; 1 lb., 90c 195—WAYAHEAD LETTUCE (H) (63 days)—Shows a remarkable combination of earliness, firm heading character, a handsome and fine quality. Both in cold frames early in spring and in the open ground in spring, summer and early fall months it has proven to be the very earliest, surest heading of all early lettuces.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; 1 lb., 90c 204—EARLY CURLED SIMPSON (L. L.) (60 days)—A leading early, loose-heading variety of fairly large size; leaves broad, crumpled and well frilled at the edges; color light green.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; 1 lb., 90c 207—ICEBERG (H) (84 days)—A large, late, crisp cabbage-heading variety; heads very firm, hard and well blanched; leaves unusually broad and quite blistered and crumpled.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; 1 lb., 90c 208—MIGNONETTE (H) (67 days)—A small, early, crisp and curled cabbage-heading variety; plant compact, forming a hard, globular, well-blanched head; leaves broad, crumpled and twisted; color, medium dark brown, dark greenish tinge.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 65c; 1 lb., \$1.00 202—GRAND RAPIDS (L. L.) (45 days)—This is probably the best of the loose-leaved varieties. It forms no head, but produces an abundant crop of pale green leaves, slightly but closely crumpled, which, even when old, retain their characteristic sweetness and brittle character.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; 1 lb., 90c 203—PARIS WHITE COS (L. L.) (55 days)—Has long, smooth, narrow, upright leaves, and blanches nicely when tied up; color, medium green; quality fine.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; 1 lb., 90c 197—CALIFORNIA CREAM BUTTER (H) (75 days) — Plant compact, heads large, globular and very firm; leaves broad, blistered and crumpled and very thick.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 60c; 1 lb., 90c 201—CHICKEN LETTUCE (55 days) — Unlike any you have ever grown, plant grown for greens. Three to four feet high, loaded with leaves that may be pulled like kale. After cutting it keeps on growing.

Pkt., 5c; 1 oz., 10c; 2 ozs., 20c; 1/4 lb., 35c; 1/2 lb., 55c; 1 lb., 85c

CULTURE—One ounce will produce 3,000 plants. For early use, sow under glass in January or early February, and transplant as soon as the ground can be nicely worked. Sowing may be made in the open ground from April to the middle of August, every 2 or 3 weeks for succession. Those marked (L. L.) are loose leaf varieties, and those marked (H) are heading varieties.

All Prices on this Page Post Paid. All 5c Pkts. 6 for 25c Quantity Prices—Not Prepaid—See Yellow Price List Enclosed

MUSTARD SEED

CULTURE—One ounce will sow about 80 feet of drill. For early salad, sow in February, and for general crop, at intervals through the spring and fall, in rows 6 inches apart, and rather thick in rows.

243-A—SOUTHERN GIANT CURLED MUSTARD (Long Standing) (30 days)—First Gold Medal winner; from a single plant selection and continued selection to the long standing quality more curled, of a brighter, softer color than the original variety; not new; introduced in Holland in 1927. Planted in spring, it will not bolt to seed as quickly as the original, holding its own against hot weather for 15 to 20 days longer than the original before going to seed. Best for Southern market gardens.

Pkt., 5c; oz., 10c; 2 ozs., 15c; ¼ lb., 20c; ½ lb., 30c; lb., 50c; 5 lbs., \$2.00

243—SOUTHERN GIANT CURLED (35 days)—Plant vigorous and hardy, of upright, spreading growth; leaves large, light green-tinged, much crumpled and frilled at the edges. The popular market variety in the South.

Pkt., 5c; oz., 10c; 2 ozs., 15c; 1/4 lb., 20c; 1/2 lb., 25c; lb., 40c; 5 lbs., \$1.45

244—ELEPHANT EAR (Smooth Leaf) (40 days) — This is a splendid variety for market gardeners and amateurs, and will surely give satisfaction wherever planted. The leaves are smooth, very large, and tender and succulent. Makes a large plant.

Pkt., 5c; oz., 10c; 2 ozs., 15c; 1/4 lb., 20c; 1/2 lb., 25c; lb., 40c; 5 lbs., \$1.45

245—NEW CHINESE (40 days)—A very vigorous sort; leaves light green, much crumpled, about twice the size of White. Pkt., 5c; oz., 10c; 2 ozs., 15c; ¼ lb., 20c; ½ lb., 25c; lb., 40c; 5 lbs., \$1.45

245-A—FLORIDA BROADLEAF (40 days)—Large, tall, upright growing plant with exceptionally large, thick, bright green leaves. Fast growing, very productive and long standing.

Pkt., 5c; oz., 10c; 2 ozs., 15c; ½ lb., 20c; ½ lb., 30c; lb., 45c; 5 lbs., \$1.50 246—WHITE MUSTARD (45 days)—Will stand the winter and

246—WHITE MUSTARD (45 days)—Will stand the winter and adapted for fall planting; used for salad.

Pkt., 5c; oz., 10c; 2 ozs., 15c; 1/4 lb., 20c; 1/2 lb., 25c; lb., 40c; 5 lbs., \$1.40

265—MUSTARD-SPINACH (25 days)—Also known as Tendergreen, Evergreen and Lice Resisting. This splendid "greens" plant is rapidly gaining in popularity throughout the South. It is largely used instead of Spinach in Japan and the Orient because it grows on and stays tender even in dry weather. Is a plant used for "greens" only, about half between Spinach and Mustard, and preferred by many to either. It is becoming popular in markets and is fine for both home garden and market growers.

Pkt., 5c; oz., 10c; 2 ozs., 15c; 1/4 lb., 20c; 1/2 lb., 25c; lb., 40c; 5 lbs., \$1.45



Buchanan's Mustard-Spinach

BUCHANAN'S CANTALOUPES

CULTURE—Melons thrive best in light, rich soil. Plant just as soon as the ground is warm, in hills 4 to 6 feet apart, according to the variety; in each hill apply a shovelful of well-rotted manure, or a handful of commercial fertilizer, well mixed with the soil. Plant about 12 seeds to each hill, covering with about 1 inch of fine soil firmly pressed down. When the plants are pretty well developed, keep the hoe and cultivator going. Gradually thin out to two plants to the hill. When the vines begin to run freely, stop cultivation, except after a heavy rain. A few hills for early use may be had by sowing in the dirt bands in the hotbeds, and when warm enough, transplant to open grounds. Melon vines are subject to the same destructive insects and fungus foes as are cucumber and squash vines. See pages 70, 71 and 72 for our assortment of insecticides. Use a packet to about 15 hills; 1 ounce to 60 hills; 2 to 3 pounds to the acre.

All Prices on This Page Post Paid. All 10c Pkts. 3 for 25c Quantity Prices-Not Prepaid-See Yellow Price List Enclosed

209-BUCHANAN'S NEW ROCKY FORD (Salmon-Fleshed) (75 days)—It is more rounded, the rib less prominent and the outer surface of the fruit more densely covered with delicate lace-like netting than the green-fleshed variety. The flesh is salmon (often called pink meat), very small seed cavity (see cut at right), beautiful in appearance, and fine flavor. This melon has become a favorite with both my market gardeners and home gardeners. They sell readily at higher prices than the green-fleshed variety.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; 1/4 lb., 40c; 1/2 lb., 60c; 1 lb., 95c; 5 lbs., \$4.00 226-HONEY DEW MELON (100 days) - This new melon is unlike the ordinary muskmelon or cantaloupe, both in appearance and flavor, the outer skin being smooth, hard and nearly white. The melons are large, round to oval in shape, extremely thick-meated and have a very small seed cavity; flesh is light green, very solid and of a rich honey-like flavor, luscious and juicy, much more so than any variety of muskmelons.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; 1/4 lb., 40c; 1/2 lb., 65c; 1 lb., \$1.10; 5 lbs., \$4.50 212—BUCHANAN'S MAMMOTH ROCKY FORD (Extra Select) (94 days)—The general type of this melon is similar to the regular Rocky Ford, but they grow somewhat larger in size, making them a splendid variety for market.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; 1/4 lb., 40c; 1/2 lb., 60c; 1 lb., 95c; 5 lbs., \$4.00 220—"SUPERFECTO" (92 days)—This variety is recognized as the highest development in cantaloupes and is especially recommended for planting where melons are inclined to rust, as it is more rust resistant than most sorts. Well grown, practically all these melons pack 12 to the Jumbo flat crate. The netting is well developed and closely laced, covering the entire melon "solid net." The interstices between the netting are small and bright green, changing to orange-green when full ripe. The flesh, a rich orange-salmon, is very deep and the color shows through the rind where the melon touches the ground a day or two before the melon will ship, enabling the careful picker to pick very closely and accurately. (See cut at right.)

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 40c; ½ lb., 50c; 1 lb., 80c; 5 lbs., \$3.50 211—LAKE CHAMPLAIN (60 days)—The flesh is a rich golden color, free from stringi-

ness, fine-grained, melting, juicy, sweet, delicious flavor clear to the rind.

Pkt., 5c; 1 oz., 10c; 2 ozs., 20c; ¼ lb., 35c; ½ lb., 50c; 1 lb., 80c; 5 lbs., \$3.50 220-A—HALE'S BEST (75 days)—Of the thousands of acres of cantaloupes grown in the Imperial Valley of California each year more than 90% are Hale's Best, producing melons of uniform standard size, 90% of which are completely covered with beautiful gray, lace-like netting which, with the small seed cavity, are the most essential points in carrying and keeping qualities of the contaloupe. The flesh is salmon orange. The seed cavity is the smallest of any strain in Rocky Ford. The flesh is firm but not tough or stringy, and has a sweet, luscious, melting and superb flavor.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 35c; ½ lb., 50c; 1 lb., 85c; 5 lbs., \$3.75 222—BUCK BRAND (Surprise) (85 days)—The nearest thing to the old-fashioned muskmelon that you can get. Fruit round, slightly oblong, with a very thin, nearly smooth, gray-green skin; flesh thick and of deep salmon color. For flavor and size combined this is the king of all melons. Too large to be profitable for market—they often weigh 15 to 20 pounds—they are ideal for home use; one melon is enough for a family. Continues bearing till cold weather and holds its splendid quality up to the very last.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; 1/4 lb., 40c; 1/2 lb., 60c; 1 lb., 95c; 5 lbs., \$4.00 218—HEARTS OF GOLD (Imp. Hoodoo) (95 days)—A splendid small, mid-season variety, developed from the Hoodoo, being larger and more uniform; fruit round with a tendency to heart-shape; distinctly ribbed and covered with a fine gray netting; flesh very thick, deep salmon color, and of high quality; a good shipping melon.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 35c; ½ lb., 50c; 1 lb., 85c; 5 lbs., \$3.75 219—ROCKY FORD (92 days)—We have an especially fine, improved strain of this popular melon as now grown at Rocky Ford. The fruit is small, almost round, smooth, showing no ribs, and densely covered with a heavy gray netting; flesh thick and deep green, showing a faint lining of pink or gold at the center.

Pkt., 5c; 1 oz., 15c; 2 ozs., 25c; 1/4 lb., 35c; 1/2 lb., 50c; 1 lb., 85c; 5 lbs., \$3.75 214—BANANA (100 days)—Shaped somewhat as name indicates; grows about 2½ feet long; flesh deep salmon colored and of only fair quality.


Pkt., 5c; 1 oz., 10c; 2 ozs., 20c; 1/4 lb., 35c; 1/2 lb., 50c; 1 lb., 80c; 5 lbs., \$3.50

227—MIXED—Several varieties (early and late—all colors).


Pkt., 5c; 1 oz., 10c; 2 ozs., 20c; 1/4 lb., 30c; 1/2 lb., 45c; 1 lb., 80c; 5 lbs., \$3.50




Buck Brand Surprise




Hale's Best



Hearts of Gold



Superfecto



Rockvford


DUTOX WILL CONTROL STRIPED AND SPOTTED CUCUMBER BEETLE AND PICKLE WORM ON CANTALOUPES

Use from 2 to 6 pounds of Dutox per acre for dusting Cantaloupes. For control of striped and spotted beetles, dusting should be begun as soon as plants are up, and applied every 10 days as long as the insects continue to come. For control of the pickle worm, which bores into the cantaloupe, begin dusting when the first melons form and apply Dutox every 10 days until most of the crop is harvested. In all cases dust the plant thoroughly and evenly, especially the under side of leaves, with Dutox. The 665 Major Duster shown on page 70 will properly apply the dust. Light, frequent applications are generally more effective than heavy, infrequent applications. Dutox is Priced on Page 71.

R.B.BUCHANAN SEED CO. MEMPHIS, TENNESSEE. BUCK BRAND TESTED SEEDS



Stone Mountain Melon





BUCHANAN'S WATERMELON SEEDS

HOW TO GROW MELONS.—Rich, sandy loam soils are considered best for Watermelons, but good crops are grown on any type of well-drained, fertile soil. The adding of well-rotted manure to soil will give the plants a good start, and to commercial growers we recommend an application of 600 to 800 pounds of commercial fertilizer (analyzing about 5 per cent ammonia, 7 per cent phosphoric acid, and 3 per cent potash) to the acre. The best yields are procured when the hills are spaced at least 10 feet apart. This method will give about 360 hills to the acre. When the soil has become warm, drop 6 to 8 seeds in each hill and cover about 1 inch deep. Later thin to 2 to 3 of the largest plants. Earlier crops may be obtained by protecting the young plants with Hotkaps (see page 82). Give shallow cultivation every 10 days. One ounce will plant 25 hills: 1½ to 2 pounds per acre.

All Prices on this Page Post Paid. All 10c Pkts. 3 for 25c Quantity Prices—See Yellow Price List Enclosed

255—NEW STONE MOUNTAIN (90 days)—One of the finest, sweetest, largest and earliest Watermelons. Under favorable conditions, fruits weigh from 60 to 80 pounds, and ripen in 85 to 90 days. The fruit is almost round or square-shaped with rich, dark green, medium thick rind, and dazzling scarlet flesh of luscious sweetness. It has few seeds, is firm and solid, almost all heart, and truly an unsurpassed table delicacy. The rind is sufficiently tough to stand considerable handling, making it an excellent shipper. It is very prolific, withstands drouth, and will produce a fine crop of good melons when other varieties fail. It is the best round-type Watermelon for the home garden or market.

Pkt., 5c; 1 oz., 10c; 2 ozs., 20c; ¼ lb., 30c; ½ lb., 45c; 1 lb., 80c; 5 lbs., \$3.50 241-A—EARLY KANSAS (85 days)—The Early Kansas has finest texture, sweet flavor and melting, bright red meat, solid to the rind, which is about one-half inch thick. Nearly round in form, light green with broad bands of wavy stripes, growing 30 to 60 pound melons, with some specimens up to 80 pounds, seed red when green, but dry buff color, and very few to each melon. It is a very robust grower, heavy deep-rooting vines assure a heavy cropper; the productiveness is equal to or better than any other melon; under normal conditions 800 to 1,000 melons per acre, weighing 30 pounds each, is not unusual, and every melon a good one, no white or stringy hearts, and a wonderful shipper.

Pkt., 10c; 1 oz., 20c; 2 ozs., 40c; ¼ lb., 75c; ½ lb., \$1.25; 1 lb., \$2.00; 5 lbs., \$8.75 255-A—DIXIE QUEEN (80 days)—A new, sensational Watermelon. Almost round or square-shaped fruits, light green, veined with darker green; medium but tough, thin rind; richest scarlet flesh. Average weight 35 pounds, although under favorable conditions many will attain a weight of 60 pounds. Its convenient size and shape will outsell any other melon, more especially in certain markets that are now demanding smaller Watermelons. It has the finest and sweetest flavor. The small white seeds are very few. A splendid shipper and unbeatable for the home melon patch.

Pkt., 5c; 1 oz., 10c; 2 ozs., 20c; ¼ lb., 35c; ½ lb., 60c; 1 lb., 95c; 5 lbs., \$3.75 236—COLE'S EARLY (80 days)—It is almost round, with black seed, while the rind is dark green, irregularly striped with a lighter shade. The flesh is very firm and delicious eating; it is not adapted for shipping, being a home market kind. The Cole's Early is a standard melon and will mature very early, so it is more widely used in sections with a shorter growing season than others. The melons weigh about 20 pounds. Edible in 80 days. Size, 12 x 11 inches.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¼ lb., 25c; ½ lb., 40c; 1 lb., 65c; 5 lbs., \$2.75 237—GEORGIA RATTLESNAKE (92 days)—A long, fairly large melon with a light green color, irregularly mottled with dark green stripes. An excellent shipping kind with unexcelled eating qualities, the Rattlesnake is a standard variety. The seed are white with dark tips, and the weight is 30 pounds. Its appearance is so striking because of the contrast between the light and dark mottlings that it is always remembered; perhaps this has helped its popularity. Size 18 x 12 inches.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; 1/4 lb., 25c; 1/2 lb., 40c; 1 lb., 60c; 5 lbs., \$2.50

STANDARD VARIETIES

231—BLACK DIAMOND (90 days)—Round, red flesh; size, 10 x 12 inches. 242—GOLDEN HEART (90 days)—Yellow flesh; size, 14 x 12 inches. 230—ALABAMA SWEET (90 days)—Red flesh; size, 16 x 10 inches. 234—SWEETHEART (88 days)—Red flesh; size, 13 x 10 inches. 232—FLORIDA FAVORITE (87 days)—Red flesh; size, 16 x 10 inches. 238—TOM WATSON (92 days)—Red flesh; size, 20 x 12 inches. 247—THURMOND GRAY (90 days)—Red flesh; size, 20 x 10 inches. Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¼ lb., 20c; ½ lb., 35c; 1 lb., 60c; 5 lbs., \$2.50



Read What One Grower Says:

"I have been growing watermelons for 40 years and have used Vigoro ever since it has been manufactured and find it to be the best thing I ever used for watermelons." (Signed) J. W. TUTTLE.
Malden, Mo.

Watermelons Produce One of the Earliest Money Crops. See Yellow List Enclosed for Wholesale Prices.

BUCHANAN'S WATERMELON SEEDS

240—BUCHANAN'S IMPROVED CUT RED TOM WATSON WATERMELON (90 days) The Watson has rightfully been the most largely planted melon in the South for shipping purposes. It's a splendid melon for shipping, for nearby markets and home use.

There has been much complaint about the Watson "running out," and this is absolutely true of most of the Tom Watson seed on the market. It is seed saved from the tail end of the shipping crop, seed from malformed, rotten-ended runts and culls,

seeds from white-hearted or centered melons. You can't afford to plant such seeds. In eating quality the Watson is good, and its tough, medium thick, elastic rind makes it the finest shipper. Medium early, cylindrical shape, averaging 10 by 20 inches. Its dark green color and generally handsome appearance make it a seller at top of the market prices.

Pkt., 10c; 1 oz., 15c; 2 ozs., 25c; 1/4 lb., 35c; 1/2 lb., 55c; 1 lb., 95c; 5 lbs., \$4.25 233-IMPROVED KLECKLEY'S SWEET (87 days)-The seed are snow white, with no trace of color, and are slightly larger than the regular Kleckley Sweet. The melons are very dark green with faint creases or ridges running lengthwise. The edible qualities are splendid. The rind perhaps is harder than Kleckley Sweet, making it a shipper for moderate distances. Edible in 87 days. Size, 22 x 10 inches.

Pkt., 10c; 1 oz., 15c; 2 ozs., 25c; ¼ lb., 35c; ½ lb., 55c; 1 lb., 95c; 5 lbs., \$4.25 252—RIBAULT (95 days)—Is a new Watermelon, long and thick in shape, measuring from 24 to 30 inches long by 14 to 18 inches in diameter. The rind is dark green, indistinctly striped with mingled lighter green. The meat is red and sweet, free from hard centers, grows remarkably large, and is very prolific. Ripens in 95 days.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ½ lb., 25c; ½ lb., 45c; 1 lb., 80c; 5 lbs., \$3.50

235—HALBERT HONEY (85 days)—Enjoys wide use and is second only to Kleckley's Sweet in popularity for home gardens and nearby markets. The seed are white with black tips; the shape is long and cylindrical, and the rind is a deep green with fine veins. The melons weigh 35 pounds. Quite similar to Kleckley's Sweet, the Halbert Honey is as handsome a melon as could be desired. Edible in 87 days. Size, 20 x 12 inches.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ½ lb., 25c; ½ lb., 40c; 1 lb., 65c; 5 lbs., \$2.75

239-IRISH GRAY (90 days)-A long melon, rather large in size and is becoming more popular as a shipping kind. The rind is light green in color; the seed are white, and its eating qualities very fine. The average weight is 35 pounds, and it is a light seeding variety. We especially recommend the Irish Gray for shipping, as the flesh is not stringy or coarse, and its ability to stand shipping is fully equal to the Watson. Edible in 90 days. Size, 18 x 11 inches.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¼ lb., 25c; ½ lb., 40c; 1 lb., 65c; 5 lbs., \$2.75 253—KLECKLEY'S SWEET (87 days)—The skin is a dark green, the flesh is bright red, very tender and melting. It is medium early in maturity; the seed are white and it is not adapted for shipping long distances. Edible in 87 days. Size, 20 x 10 inches.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¼ lb., 25c; ½ lb., 35c; 1 lb., 60c; 5 lbs., \$2.50 254—WONDERMELON (85 days)—Is comparatively a new variety, but has become one of the new favorites. No watermelon has received more praise in the short time of its existence, and justly so, for it is one of the finest flavored melons raised. It is also very productive, grows great quantities of big, fine, dark glossy green melons. The rind is rather thin, but reasonably tough to insure good carrying for short hauls, and any market that receives this melon will sell to good advantage. Grows long and thick, seeds white and broad, flesh deep red, juicy and sweet. Time for ripening, 85 days. Six melons produce a pound of seed.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; 1/4 lb., 25c; 1/2 lb., 40c; 1 lb., 65c; 5 lbs., \$2.75 241—PERFECTION (87 days)—A new variety, or comparatively so, of unusual merit. The seed are white with a dark rim and edge. The rind is very hard and an intense dark green, the shape is long, the fruits being thicker at the stem than at the blossom end-in other words, the fruit tapers toward the blossom end. It is certainly handsome in appearance, both the exterior and when cut. Edible in 87 days. Size, 22 x 10 inches. Weight, 35 pounds.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; 1/4 lb., 25c; 1/2 lb., 45c; 1 lb., 80c; 5 lbs., \$3.50

"I have used Vigoro for watermelon fertilizer for the past two years, and am well pleased with the results. I have noticed that where some of my neighbors used stable manure, they were about three weeks later in marketing their melons than I was; this alone is well worth the price that Vigoro cost me. I will gladly recommend the use of Vigoro to any one that raises watermelons or cantaloupes."

Malden, Mo. (Signed) C. C. NAPPER.



Buchanan's Georgia Rattlesnake




Cut Red Tom Watson



Buchanan's Halbert Honey

R.B.BUCHANAN SEED CO. MEMPHIS, TENNESSEE. BUCK BRAND TESTED SEEDS



Four
Large
Packets

Garden Peas
Your Selection
25c
Post Paid



Telephone

BUCHANAN'S GARDEN PEAS

CULTURE—The pea is hardy and endures cold well, either in or above the ground. It is best to sow the earliest varieties as soon as possible (February), in warm, light soil, prepared the previous autumn or winter. The main crop may be sown about two weeks later. Sow peas in drills about 2 to 3 inches deep, in rows $2\frac{1}{2}$ to $3\frac{1}{2}$ feet apart. One quart will sow 100 feet of drill. All wrinkled varieties are marked (*). These should not be planted until March.

All Prices on This Page Post Paid. All 10c Pkts., 3 for 25c Quantity Prices—See Yellow Price List Enclosed

DWARF VARIETIES

284—ALASKA (50 days; height 28 inches)—Pods 2½ inches, small, blunt, light green, plump, single; seed smooth, green, used for first planting for home or shipping. Of excellent flavor, fair vielder and a favorite in the South.

Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; 5 lbs., 85c; 10 lbs., \$1.50 283—LAXTONIAN* (55 days; height 18 inches)—Pods 4 inches, dark green, large, pointed slightly, curved toward tip. Seed wrinkled, large, green. A fair yielder of large peas for early use. Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., 90c; 10 lbs., \$1.70

285—PREMIUM GEM* (56 days; height 16 inches)—Pods 2½ inches. A dwarf extra early, wrinkled variety for home gardens. Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., 95c; 10 lbs., \$1.75

297—LAXTON'S PROGRESS* (55 days; height 15 inches)—Pods 4½ inches, dark green, large, pointed. Seeds wrinkled, large, green; yield good. One of the best early market peas for shipping. Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., 90c; 10 lbs., \$1.70



Thomas Laxton

SECOND EARLY

295—THOMAS LAXTON* (55 days; height 2½ feet)—Pods 3¼ inches, light green, blunt, easily shelled. Seeds wrinkled, cream color. Yield good, ready for market few days later than Alaska. Desirable for early market or home use, good flavor and quality. Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 40c; 5 lbs., 90c; 10 lbs., \$1.70 286—FIRST AND BEST (58 days; height 22 inches)—Pods 2¼ inches, single podded, straight, round, light green, blunt. Seeds round, yellow, fair yielder. Known in some sections as Morning Star or Extra Early.

Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; 5 lbs., 90c; 10 lbs., \$1.70 287—AMERICAN WONDER* (58 days; height 12 inches)—Pods 2½ inches, blunt, medium green. Seeds wrinkled, pale green, medium size, packed tightly in pods; fair yielder. Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., \$1.00; 10 lbs., \$1.85 291—GRADUS OR PROSPERITY* (56 days; height 30 inches)—Pods 3¾ inches, well shaped and pointed. Seeds wrinkled, vine strong and hardy. Quality good; fair yielder. Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., 95c; 10 lbs., \$1.75 288—AMEER OR LARGE ALASKA (55 days; height 30 inches)—Pods 2¾ inches, light green, straight and blunt. Seeds smooth, green and good yielder. This is a large podded type of the Alaska pea for early planting in market-gardening sections of the South; also good early type for home market.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., 90c; 10 lbs., \$1.70

MAIN CROP

289—ALDERMAN* (75 days; height 70 inches)—Pods 5½ inches, dark green, very large, slightly curved. Seeds wrinkled, large, light green; yield fair. Fine market garden type. Hold their shape for long shipments. Good main crop for home garden, vines grow rank; must be trained by staking or trained on trellis.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., 95c; 10 lbs., \$1.75 292—CHAMPION OF ENGLAND* (73 days; height 48 inches)—Pods 3½ inches, light green, curved, blunt. Vine vigorous, foliage heavy, dark green. Seeds large, wrinkled, bluish green. A standard type introduced more than forty years ago; very similar to Alderman.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., 95c; 10 lbs., \$1.75 293—TELEPHONE* (70 days; height 55 inches)—Pods 5½ inches long, broad, straight, pointed, containing 6 to 8 peas. Vines very productive, bearing 25 to 30 large pods to each vine. Rank growing, must be staked. One of the best main crop peas for both home and market gardens.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., 95c; 10 lbs., \$1.75 294—LARGE WHITE MARROWFAT (80 days; height 55 inches)—Pods 2½ inches, large, light green, blunt. Seeds very large, smooth, cream color. Not as sweet as the wrinkled varieties, but the most productive of all garden peas. Will outyield all others on poor ground.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 45c; 5 lbs., 90c; 10 lbs., \$1.70 298—BLISS EVERBEARING* (70 days; height 28 inches)—Pods 3 inches long, dark green, broad, curved and blunt. Seed wrinkled, large green.

Pkt., 10c; ½ lb., 20c; 1 lb., 30c; 2 lbs., 50c; 5 lbs., 95c; 10 lbs., \$1.75

Inoculate
Garden Peas
with
Legume-Aid
See Page 65




BUCHANAN'S COWPEAS—TABLE PEAS

The prices on Cowpeas, Field Beans and Edible Cowpeas are constantly changing, and it is impossible to quote prices on quantities when this catalogue is printed, but in season we will quote prices promptly upon receipt of your inquiry asking for same.

PEAS—For field planting it requires 1 to 2 gallons drilled to the acre; broadcast, 1 to 2 bushels per acre—60 pounds to bushel.

Prices
on
Peas
Post Paid
Through
Third
Zone



of Peas Very

Short

1936

Crop

BUCHANAN'S CREAM OR SUGAR CROWDER PEAS

Prices on This Page Post Paid Through Third Zone.
All 10c Pkts., 3 for 25c

Quantity Prices—See Yellow Price List Enclosed

TABLE PEAS

1241—CREAM CROWDER—A strictly Southern-grown table pea, has been known to a few many years, growing in popularity very rapidly, both for gardens and for planting on a large scale with corn. It is white or cream in color, very sweet, and gets the name Crowder from the fact that they fit the hull very closely. (See cut.) This is a bunch pea and very prolific on any fertilized garden, and should be planted as you would any other bunch garden pea. They thrive on clay or sandy loam land and respond readily to corn fertilizer. Planted with corn, one row of corn and one row of peas (one peck to acre), you will get usual amount of corn and from 10 to 20 bushels of peas to the acre, depending on the fertility of the land. They sell well on any Southern market, both as a green shelled pea and as a dry shelled pea for winter use.

Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; gal., \$1.00; peck, \$1.90 1248—BROWN CROWDER—Produce green peas in 85 to 90 days, and dried peas in 100 to 110 days. One of our best flavored table peas, of large size and becoming exceedingly popular throughout the South. Very prolific, yielding from 10 to 12

bushels of dried peas per acre.

Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; gal., \$1.00; pk., \$1.90 1242—RICE, OR CREAM—A favorite Southern variety. One of the earliest to mature, and yields enormously of shelled peas, which are valuable for use as dried peas during the winter. They are superior in flavor to Blackeye Peas, and somewhat similar in appearance to the Gallavant, or Lady Pea, but are larger in size. Both these and the Gallavant Peas are very popular wherever grown, and they are usually readily salable at higher prices than Blackeye Peas.

Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; gal., \$1.00; pk., \$1.90 1243—EXTRA EARLY BLACKEYE—These are ten days to two weeks earlier than the Large Blackeye, and a most valuable variety. They do not run as much as the Large Blackeye Pea, but grow more in bush shape and hold the peas up well off the

ground, and the pods are very thick-set on the vine.

Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; gal., \$1.00; pk., \$1.90 1246—GALLAVANT, OR LADY—This is an old-fashioned pea, which is very popular in sections where it is known. The peas are small in size, of very fine flavor; superior in table qualities to the Blackeye Pea. It is very prolific, and a desirable variety to grow. It is known in some sections as "The Lady Pea."

Pkt., 10c; ½ lb., 15c; 1 lb., 20c; 2 lbs., 35c; gal., 95c; pk., \$1.80 1245—LARGE BLACKEYE—The Large Blackeye Peas are more prolific, better flavored, and bring a higher price than the ordinary Blackeye, and farmers will find it more profitable to plant these than the ordinary Blackeye; they make a more profitable crop to grow for picking the dry peas for sale in our markets during the winter.

Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 35c; gal., \$1.00; pk., \$1.90 1244—WHITE BROWN-EYED (Purple Hull)—A very desirable table pea and very much like our old-fashioned white blackeved peas

Pkt., 10c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; gal., \$1.00; pk., \$1.90

FIELD PEAS

1235—WHIPPOORWILL—A favorite early, upright-growing variety, more largely used and sold than any other kind. Has brown speckled seed, which are easily gathered. Makes a good growth of vines, which can be easily cut and cured as dry forage. We recommend this where an early variety of good growth and height is desired.

Pkt., 5c; ½ lb., 15c; 1 lb., 20c; 2 lbs., 35c; gal., 60c; pk., \$1.15 1238—NEW ERA—An early maturing variety which has proved very popular and satisfactory. Upright growing, quick to mature, and is remarkably prolific of peas. Rather small vine, which cures easily, making splendid dry forage. The seed are smaller in size than the ordinary Cowpeas, so that it does not require as many to seed an acre—from 3/4 to 1 bushel per acre will give ample seeding.

Pkt., 5c; ½ lb., 15c; 1 lb., 20c; 2 lbs., 35c; gal., 60c; pk., \$1.15 1239—BLACK—This is the standard variety, and the one most largely grown in this immediate section. It is very prolific, makes a fine growth, both of vine and leaves, and a good yield of peas. It is a splendid land-improver, and most valuable as a forage crop, and makes an enormous yield of rich, nutritious feed.

Pkt., 5c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; gal., 65c; pk., \$1.25 1236—THE CLAY—It is the most popular vining pea in the South. The plants are vigorous, usually seeding sparingly. Tall, erect, large green leaves. Pods are large and yellowish; seeds kidney shaped, medium size, cream color; medium to late.

Pkt., 5c; ½ lb., 15c; 1 lb., 20c; 2 lbs., 35c; gal., 65c; pk., \$1.25 1240—RED RIPPER—Red-seeded; a most desirable and productive variety. Makes long running vines and a fair yield of peas. One of the medium late varieties. Very popular in sections where it is known.

Pkt., 5c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; gal., 65c; pk., \$1.25 1237—MIXED COWPEAS AND SOYBEANS—The principal varieties in the Mixed Cowpeas we offer are the Clay, Black, Whippoorwill and other Southern varieties. A great many farmers prefer to sow Cowpeas in mixture, as they grow thicker, producing a better crop of vines and forage than sowing single varieties alone. When the crop is desired for soil-improving it is really an advantage to sow these mixed peas. The beans, being of upright growth, support the long pea vines, and not only make the harvesting easier, but the combination of cowpeas and soy beans makes a better hay than either when grown alone, and they are easier to cure.

Pkt., 5c; ½ lb., 10c; 1 lb., 15c; 2 lbs., 25c; gal., 60c; pk., \$1.15

PEAS SHOULD BE INOCULATED

All Southern Table Peas are legume plants and should be inoculated when planted. Being legume plants, they produce three crops from one planting, one crop of peas to be used as green shelled or as dried shelled for winter use or to sell on the market; one crop of fertilizer in the form of nitrogen which they gather from the air; also one crop of vines to be turned under, furnishing humus or organic matter to loosen and improve our tight clay soils. See page 65.

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE. K BRAND TE



300-CALIFORNIA WONDER PEPPER (120 days)-Almost as large as Chinese Giant, short, blocky and square ended, splendid for stuffing, baking or serving with salad filling.


Pkt., 5c; ½ oz., 25c; 1 oz., 40c; 2 ozs., 70c; 1/4 lb., \$1.10; 1/2 lb., \$1.95; 1 lb., \$3.75

301-ROYAL KING (Sweet) (120 days)-It grows to a large size, is very mild, and when ripe is of a bright scarlet color. The flesh is thick, meaty and fine flavored. Plants grow 2 to 21/2 feet high. Pkt., 5c; ½ oz., 20c; 1 oz., 30c; 2 ozs., 50c;

1/4 lb., 90c; 1/2 lb., \$1.45; 1 lb., \$2.75 303—CHINESE GIANT (Sweet) (110 days)—The plant is about two feet high, of strong, vigorous growth, stocky and erect in habit, very productive. Very prolific, setting 3 to 4 extra fruits at the base quite early. Pkt., 5c; ½ oz., 20c; 1 oz., 35c; 2 ozs., 65c; ¼ lb., \$1.10; ½ lb., \$1.85; 1 lb., \$3.50 307—HARRIS EARLY GIANT (Sweet) (85 days) — An early

maturing large size sweet pepper, similar in shape to Chinese Giant, but much longer, and flesh thicker. It is three lobe, mild and very prolific. Pkt., 5c; ½ oz., 20c; 1 oz., 30c; 2 ozs., 50c; 1/4 lb., 90c; 1/2 lb., \$1.45; 1 lb., \$2.75





SWEET AND HOT PEPPERS

CULTURE—One ounce will produce about 1,000 plants. For early plants, sow in hotbeds the latter part of January, and transplant to open after all danger of frost is over, in rows 3 feet apart, 15 to 18 inches apart in the rows.

All Prices on This Page Post Paid. All 5c Pkts., 6 for 25c Quantity Prices—See Yellow Price List Enclosed

302-BELL OR BULL NOSE (Sweet) (120 days)-Do not confuse this with the Chinese Giant. It is similar in shape but scarcely more than half as large. It is much more prolific and a very desirable variety for the home garden.

Pkt., 5c; ½ oz., 15c; 1 oz., 25c; 2 ozs., 40c; 1/4 lb., 65c; 1/2 lb., \$1.15; 1 lb., \$2.00 305—RUBY KING (Sweet) (110 days)—Fruits frequently run

4½ inches in length, having usually three lobes. A deep rich green color when young, ripening to a bright rich crimson at maturity. Pkt., 5c; ½ oz., 15c; 1 oz., 25c; 2 ozs., 40c;

 $\frac{1}{4}$ lb., 65c; $\frac{1}{2}$ lb., \$1.15; 1 lb., \$2.00 304—LONG RED CAYENNE (125 days) — A well-known hot pepper; larger than Red Chili but just as hot and pungent. It is medium early sort having a slender, twisted and pointed pod about four inches long. A bright red color when ripe. Pkt., 5c; ½ oz., 15c; 1 oz., 25c; 2 ozs., 45c;

1/4 lb., 75c; 1/2 lb., \$1.25; 1 lb., \$2.25 312—PIMENTO (Sweet) (110 days)—The mildest flavored of all peppers. A very productive sort, being an entirely different type than the other well-known peppers. Its thickness of flesh permits removing of skin, an essential of great value not easily accomplished with other sorts.

Pkt., 5c; ½ oz., 15c; 1 oz., 25c; 2 ozs., 45c;

308—RED CHILI PEPPER (82 days) — A very hot, pungent, bright red pepper used for flavoring. Dwarf growing, with slender, pointed fruits about one inch long.

Pkt., 5c; ½ oz., 20c; 1 oz., 30c; 2 ozs., 50c;

¹/₄ lb., 90c; ¹/₂ lb., \$1.45; 1 lb., \$2.75 306—TABASCO (Hot) (115 days)—Very pungent and strong. Pkt., 5c; ½ oz., 20c; 1 oz., 35c; 2 ozs., 65c;

¹/₄ lb., 90c; ¹/₂ lb., \$1.85; 1 lb., \$3.50 309-MIXED RED HOT (93 days)-A mixture of all varieties

of Hot Pepper.

Pkt., 5c; ½ oz., 15c; 1 oz., 25c; 2 ozs., 45c; ¼ lb., 75c; ½ lb., \$1.25; 1 lb., \$2.25

310—MIXED SWEET MANGOES (120 days)—Mixed varieties of Pkt., 5c; ½ oz., 15c; 1 oz., 25c; 2 ozs., 45c; ¼ lb., 75c; ½ lb., \$1.25; 1 lb., \$2.25 Sweet Peppers.

BUCHANAN'S State Certified POTATOES

Certified potatoes must pass through field inspection by the Department of Agriculture and must be true to variety, type and free from wart, powdery scab and late blight. It pays to plant Certified Seed Potatoes.

They should also be treated with Semesan Bel before planting. Treat Your Potatoes With Semesan Bel Before Planting

The modern superior way of disinfecting seed potatoes is with Semesan Bel, the instantaneous dip, easily used without expensive equipment. It does away with long-time soaking of the seed and effectively coats them with a disinfectant which commonly remains on the seed piece throughout the season. Write for Semesan Bel Potato Booklet. See also page 65.

EARLY POTATOES

Red Bliss Triumph (75 days)—Pink skin, white flesh, nearly round, peels without waste. Very early and good yielder. Irish Cobbler (85 days)—Round to oval in shape, slightly flattened at ends, flesh is pure white and cooks dry and mealy.

LATE CROP POTATOES

Lookout Mountain (90 days)—For second crop, makes during hot, dry weather; good size, oval in shape, with white skin. Green Mountain (90 days)—Large, oval-shaped with white skin; very few small potatoes; Northern grown.

STATE CERTIFIED SEED SWEET POTATOES

One bushel produces about 3,000 slips

Nancy Hall (90 days)—Color, yellow; early maturing, fine for cooking; does not keep as well as Porto Rica.

Porto Rica (100 days)-Color, golden red; good keeper, late maturing. Best sweet potato grown.

Sweet Potato Slips—See page 6 See Prices on Potatoes on Yellow Price List Enclosed All Prices on This Page Post Paid
All 10c Pkts., 3 for 25c
Quantity Prices—See Yellow Price List Enclosed



Mammoth Yellow Prizetaker Onion

ONION SI	ets		
Prices Post Paid 267—White Silverskin	1 Qt.	4 Qts. \$.85	Pk. \$1.25
268-Red Weathersfield		.85	1.25
266—Yellow Danvers	.30	.75	1.40
272—Winter Top Shallot	.25	.75	1.40
270—White Multiplier	.40	1.00	1.75
White Shallot	.25	.70	1.25

ONION SEED

CULTURE-Sow in rich, sandy soil, in drills 1 foot apart, as soon as the ground can be worked in spring— at the rate of 4 to 5 pounds to the acre. Thin to 3 or 4 inches, using the rake and hoe frequently to keep down

-LARGE WHITE PORTUGAL-The standard large flat sort. Pkt., 5c; $\frac{1}{2}$ oz., 10c; 1 oz., 20c; 2 ozs., 35c; $\frac{1}{4}$ lb., 50c; $\frac{1}{2}$ lb., 95c; 1 lb., \$1.65.

257—LARGE WHITE GLOBE (Southport Strain) —One of the best. Pkt., 5c; ½ oz., 15c; 1 oz., 25c; 2 ozs., 40c; ¼ lb., 70c; ½ lb., \$1.25; 1 lb., \$2.25.

258-YELLOW GLOBE DANVERS - A well known standard variety. Pkt., 5c; ½ oz., 10c; 1 oz., 20c; 2 ozs., 30c; ¼ lb., 50c; ½ lb., 95c; 1 lb., \$1.75.

259—IMPROVED RED BERMUDA — A large quick-growing red variety. Pkt., 5c; ½ oz., 15c; 1 oz., 25c; 2 ozs., 40c; ¼ lb., 70c; ½ lb., \$1.25: 1 lb., \$2.25.

260—LARGE RED WEATHERSFIELD—It is of a beautiful form, skin deep purplish-red; flesh purplish-white and of a very fine grain. Pkt., 5c; ½ oz., 10c; 1 oz., 20c; 2 ozs., 30c; ¼ lb., 50c; ½ lb., 95c; 1 lb., \$1.75. 261—LARGE RED GLOBE — The finest large


red sort. Pkt., 5c; ½ oz., 10c; 1 oz., 15c; 2 ozs., 25c; 1/4 lb., 45c; 1/2 lb., 85c; 1 lb., \$1.65.

263-PRIZETAKER-A very handsome late or main crop onion of the largest size. Pkt., 5c; ½ oz., 10c; 1 oz., 20c; 2 ozs., 30c; ¼ lb., 50c; ½ lb., 95c; 1 lb., \$1.75.

262-WHITE BERMUDA WAX-The most attractive onion in the world. It is an absolutely pure white Bermuda Onion with a most beautiful waxy appearance that makes it sell on sight in the retail market. Pkt., 5c; ½ oz., 20c; 1 oz., 30c; 2 ozs., 45c; ¼ lb., 70c; ½ lb., \$1.25; 1 lb., \$2.25. 278—YELLOW BERMUDA—The variety that sweet. Pkt., 5c; ½ oz., 10c; 1 oz., 20c; 2 ozs., 35c; ¼ lb., 65c; ½ lb., \$1.10; 1 lb., \$2.00.

has made Texas a successful onion-producing state. Bulbs are a light straw-yellow color, medium sized, flat. Flesh is extremely mild and


273—EBENEZER (Japanese)—The onions are large, somewhat flattened, have attractive yellow



Bunching Onion

264-BUCHANAN'S LONG WHITE BUNCHING ONION-Very hardy, mild and tender; a product of the Orient, the most satisfactory onion for bunching for local markets or shipping. (See cut.)

Pkt., 5c; ½ oz., 10c; 1 oz., 20c; 2 ozs., 35c; 1/4 lb., 50c; ½ lb., 85c; 1 lb., \$1.60.



skin and firm white flesh of delicate flavor. Matures in 90 days and keeps better than any other good quality onion. Pkt., 5c; ½ oz., 10c; 1 oz., 20c; 2 ozs., 30c; ¼ lb., 50c; ½ lb., 90c; 1 lb., \$1.70.

Hollow Crown Parsnip

PARSNIPS

CULTURE—Sow early in rows 1½ to 2 feet apart; cover with ½ inch of soil. When well up, thin to 6 inches apart. Seed germinates slowly. Keep ground moist. One ounce will sow 100 feet of row; 3 to 5 pounds, an acre.

280—SUGAR OR HOLLOW CROWN — The best for table use; a vegetable of merit, easily raised and of great productiveness.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; 1/4 lb., 20c; 1 lb., 60c

PARSLEY

CULTURE—As the seed is slow to germinate, soak in water a few hours before planting. Sow in rows 12 inches apart, covering not more than ½ inch with fine soil firmly pressed down. When well up, 12 inches apart, covering not more than ½ inch with fine soil firmly pressed down. When well up, thin to 4 to 6 inches apart in the rows. One ounce will sow 150 feet of row; 5 to 6 pounds, an acre.

274—CHAMPION MOSS CURLED—A choice selected strain with beautiful crimped and curled bright green leaves.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; 1/4 lb., 20c; 1/2 lb., 35c; 1 lb., 60c.

OKRA OR GUMBO

CULTURE—Plant thinly in rows 2½ feet apart, and cover seed about 1 inch deep. When established, thin plants to 12 to 15 inches apart, and cultivate thoroughly. Should be gathered every other day, otherwise the pods become too hard and the young plants discontinue bearing. One ounce will sow 50 feet of row.

249-WHITE VELVET - Bears round, white, smooth pods. The market gardeners' favorite.

250—EARLY DWARF GREEN - Of dwarf growth, but immensely productive.

248-TALL OR LONG GREEN-Pods long, slender, dark green, and ridged; very tender.

251—PERKINS' MAMMOTH LONG POD-This variety is about 3 feet high, very early and productive.

All Okra: Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¹/₄ lb., 20c; ¹/₂ lb., 30c; 1 lb., 40c; 5 lbs., \$1.50



White Velvet Okra

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE.

BUCK BRAND TESTED SEEDS



Kentucky Yellow Field Pumpkin

316—KING OF THE MAMMOTH OR POTIRON (115 days)—The fruits produced are the largest of any pumpkin or squash. It is used largely for stock feeding and for exhibition purposes; we occasionally have fruits weighing 100 pounds, but the average is considerably under this. They are a bright lemon in color, mottled with orange color; the fruits are round, with a trace of ribbing. The flesh is very hard, firm and while a little coarse in texture, is of good quality. Very often the fruits are netted or covered with a network of veins. Size, 24 x 18 inches. Weight, 60 to 90 pounds.

Pkt., 5c; 1 oz., 15c; 1/4 lb., 35c; 1/2 lb., 50c; 1 lb., 90c; 5 lbs., \$3.50



DUTOX SPRAYING DIRECTIONS

Use from 2 to 3 pounds of Dutox to 100 gallons of water, or 2 level teaspoonfuls to one gallon of water, to control many beetles, weevils, and leaf-eating insects, which attack Pumpkins and Squash vines.

See Page 71 for Prices



Early White Bush Squash

PUMPKIN SEED

CULTURE—One pound will plant 40 to 50 hills; 5 pounds will plant 1 acre. Plant in hills 8 to 10 feet apart each way; 4 seed to the hill. For a good crop the soil should be rich. Cultivate same as cucumbers or melons. Pumpkins should not be planted in the garden, as they will readily mix with squash, much to the detriment of same. Many pumpkins are raised between corn hills, where they should be planted about 15 feet apart.

All Prices on this Page Post Paid. All 5c Pkts., 6 for 25c Quantity Prices—Not Prepaid—See Yellow Price List Enclosed

314—KENTUCKY FIELD (95 days)—Is used very largely for canning and for feeding stock. The fruits are flat, and the seeds are small and rough. It is a very hardy, late variety. The fruits often are dull orange in color and are not uniform in shape, many being long or round. Size, 12 x 7 inches. Weight, 10 pounds. Pkt., 5c; 1 oz., 10c; ½ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.35 315—CUSHAW (Green Striped) (110 days)—The fruits are crooknecked, with the seed in the blossom end; the rind is white, mottled with irregular green stripes. The average weight is about 12 pounds. It is the most popular of the cushaw types; it is early and very prolific. Size, 16 x 10 inches.

Pkt., 5c; 1 oz., 15c; ½ lb., 35c; ½ lb., 50c; 1 lb., 85c; 5 lbs., \$3.75 317—TENNESSEE SWEET POTATO (110 days)—The fruits are pear or bell shaped, of medium size and with a white skin, slightly mottled with green stripes of a light shade. The seeds are large and highly enameled; the fruits average about 15 pounds in weight. An early type of pumpkin. Size, 12 x 9 inches. Pkt., 5c; 1 oz., 15c; ¼ lb., 35c; ½ lb., 50c; 1 lb., 85c; 5 lbs., \$3.50 325—CORN FIELD PUMPKINS (For Feeding Stock) (110 days)—Usually planted in corn fields on bottom land.

Pkt., 5c; 1 oz., 10c; $\frac{1}{4}$ lb., 20c; $\frac{1}{2}$ lb., 30c; 1 lb., 35c; 5 lbs., \$1.35 313—SMALL SUGAR (100 days)—It is also called Boston Pie and Sugar Pie. The fruits are round and flat on the ends. Size, 8×10 inches. Weight, 6 to 7 pounds.

Pkt., 5c; 1 oz., 15c; ¼ lb., 35c; ½ lb., 50c; 1 lb., 85c; 5 lbs., \$3.50 318—JAPANESE PIE (110 days)—Its shape is similar to the Cushaw Pumpkins, crook-necked, but the skin is dark green, often showing a trace of lighter green stripes.

Pkt., 5c; 1 oz., 15c; ¼ lb., 35c; ½ lb., 50c; 1 lb., 85c; 5 lbs., \$3.50 319—QUAKER PIE (90 days)—The fruits are medium sized and pointed at both ends.

Pkt., 5c; 1 oz., 15c; ¼ lb., 35c; ½ lb., 50c; 1 lb., 85c; 5 lbs., \$3.50

SQUASH SEED Summer Squash—1 oz. plants 25 hills; 3 to 4 pounds an acre.

Winter Squash—1 oz. plants 10 hills; 3 to 4 pounds an acre. 363—GIANT SUMMER STRAIGHTNECK (65 days)—The plants

are bushy in type, vigorous growing and productive. Our stock

of this variety will produce a maximum of straightneck fruits. Pkt., 5c; 1 oz., 15c; $\frac{1}{4}$ lb., 30c; $\frac{1}{2}$ lb., 50c; 1 lb., 85c; 5 lbs., \$3.75 368—EARLY WHITE BUSH (60 Days)—The well known White Scalloped Squash. One of the earliest to mature; very productive: skin and flesh a light cream color. Similar to Mammoth White Bush, except finer grained and not so large. Pkt., 5c; 1 oz., 15c; ¼ lb., 30c; ½ lb., 50c; 1 lb., 75c; 5 lbs., \$3.50 369—MAMMOTH WHITE BUSH (65 days) — Similar to Early White Bush. They are larger and more uniform in shape. Pkt., 5c; 1 oz., 15c; ¼ lb., 30c; ½ lb., 50c; 1 lb., 85c; 5 lbs., \$3.75 370—COCOZELLE OR ITALIAN MARROW (65 days)—A bush variety that produces squashes a foot long that are prepared for the table like egg plant. Use when about 8 inches long. Pkt., 5c; 1 oz., 15c; ¼ lb., 35c; ½ lb., 60c; 1 lb., \$1.00; 5 lbs., \$4.25 371—GOLDEN SUMMER CROOKNECK (60, Days)—Bush variety, early and prolific; surface deep yellow, densely warted. Pkt., 5c; 1 oz., 15c; ¼ lb., 30c; ½ lb., 50c; 1 lb., 75c; 5 lbs., \$3.50 372—GIANT YELLOW CROOKNECK (65 Days)—The best summer variety; fruit is large, bright yellow, and covered with warts. Pkt., 5c; 1 oz., 15c; ¼ lb., 30c; ½ lb., 50c; 1 lb., 75c; 5 lbs., \$3.50 367—GOLDEN CUSTARD (60 Days)—A flattened, scalloped bush squash of the largest size. Flesh is pale yellow and of very fine flavor.

Pkt., 5c; 1 oz., 15c; ¼ lb., 30c; ½ lb., 50c; 1 lb., 75c; 5 lbs., \$3.50 373—DELICIOUS (105 Days)—A fall or winter sort, of medium size; top-shaped in form, dark green in color. The flesh is dark orange. very sweet, dry and delicious. An excellent keeper. Pkt., 5c; 1 oz., 15c; ¼ lb., 35c; ½ lb., 60c; 1 lb., 90c; 5 lbs., \$4.00 374—HUBBARD (100 Days)—One of the best winter squashes; flesh bright orange-yellow, fine-grained, very dry and sweet. Pkt., 5c; 1 oz., 15c; ¼ lb., 35c; ½ lb., 60c; 1 lb., 90c; 5 lbs., \$4.00

BUCHANAN'S RADISH SEEDS

CULTURE—Sow in open ground, in spring, as soon as the soil can be worked. Sow in rich, sandy loam, in drills 18 inches apart; thin plants to prevent crowding. Keep the soil loose and apply a little nitrate of soda. Successive plantings should be made every 10 days or 2 weeks to keep up a continuous supply of crisp and tender radishes. For early use plant the round or button radishes and olive shaped. For later use plant the long and half-long varieties. Sow one ounce of seed to 100 feet of row.

FOR FIELD PLANTING—Plant in rows 15 inches apart, plants 3 inches apart, 8 to 10 lbs. to acre; matures in 24 to 40 days. The white tipped is best for all markets.

All Prices on this Page Post Paid. All 10c Pkts. 3 for 25c Quantity Prices—Not Prepaid—See Yellow Price List Enclosed

ROUND AND TURNIP-SHAPED VARIETIES

340—BUCHANAN'S EPICURE RADISH (26 days) (White Tipped)—One of the best early radishes for the home garden and a great favorite in large markets for early planting outdoors. The color is very bright, deep rose-carmine scarlet with a distinctly white tip. The flesh is white and of the best quality. The scarlet is unusually deep and affords a distinct contrast with the large, clear white tip.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; 1/4 lb., 20c; 1/2 lb., 30c; 1 lb., 50c; 5 lbs., \$1.90 339—EARLY SCARLET TURNIP (26 days) (White Tipped)—One of the best early radishes for the home garden and a great favorite in large markets for early planting outdoors. The roots are nearly round, slightly flattened on the underside. The color is very bright, deep rose-carmine scarlet with a distinctly white tip. The flesh is white and of the best quality. The stock we offer is exceptionally attractive in its splendid coloring. The scarlet is unusually deep and affords a distinct contrast with the large, clear white tip.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¼ lb., 20c; ½ lb., 30c; 1 lb., 50c; 5 lbs., \$1.90 351—BUCHANAN'S SCARLET GLOBE (24 days)—One of the earliest and best for forcing; color a very handsome shade of scarlet, mild flavor, crisp and juicy, stands a great amount of heat without becoming pithy. This variety does equally well for forcing and outdoor planting.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ½ lb., 20c; ½ lb., 30c; 1 lb., 50c; 5 lbs., \$1.90 338-EARLY SCARLET TURNIP (26 days) - A round, red turnip-shaped radish with small tops and of very quick growth, deserving general cultivation on account of its rich, scarlet-red color, almost crimson, and its white, crisp, and tender flesh. The roots often grow 1 inch long and 11/8 inches in diameter before becoming pithy. This is a splendid variety for early outdoor planting for the home garden and market.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¼ lb., 20c; ½ lb., 30c; 1 lb., 50c; 5 lbs., \$1.90 347—CRIMSON GIANT (29 days)—Suitable both for forcing and early planting out of doors. A remarkable feature is that it will grow double the size of other round red forcing radishes and still remain solid, not showing the least sign of becoming hollow. In shape it is round to oval and very attractive. The flesh is mild and tender.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ½ lb., 25c; ½ lb., 35c; 1 lb., 50c; 5 lbs., \$1.90


344—BUCHANAN'S NEW PERFECTION (25 days) (White Tipped) — This type of radish, having red skin with a white tip, has long been a great favorite, and with this variety the white portion extends much farther up than is the case with ordinary Scarlet Turnip White Tip Radish. The general contour is turnip-shape, and size medium, very uniform, with flesh crisp, tender, and sparkling. The rapidity of its growth recommends "New Perfection" for growing in the greenhouse, but it is equally as valuable for sowing in the vegetable Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; 1/4 lb., 20c; 1/2 lb., 30c; 1 lb., 50c; 5 lbs., \$1.90



Buchanan's Perfection

350—FRENCH BREAKFAST (25 days)—A quick - growing, small, olive - shaped radish about 1½ inches long by 5% to 34 of an inch in diameter when fully grown. The color is beautiful deep rose-scarlet except a little clear white about the tip. This is an excellent variety for planting outdoors for the home garden. Its small tops and earliness make it also desirable for growing under glass.

Dirt-Proof, Washable



ALL LEATHER DURABLE **EXTRA SOFT** Easy to Wear

-for Men and Women



White Tip

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; 1/4 lb., 20c; 1/2 lb., 30c; 1 lb., 50c; 5 lbs., \$1.90 c; ½ 1b., 30c; 1 1b., 50c; 5 1bs., \$1.90 Their amazing softness and pliability are the result of a special processing of select lamb skins. Economical, too—outwear 6 pairs of ordinary fabric gloves, are washable and can be used the year round for gardening, housework, painting, furnace, garage, etc. Sizes for Women (small, medium, large), and Men (small, medium, large). Price, 75 cents a pair, post paid. (2 pair, \$1.40.)

SPECIAL SUBSCRIPTION OFFER

If you will enclose 50 cents along with your regular seed order remittance we will have your subscription to the Progressive Farmer-Southern Ruralist entered for 30 months (2½ years) and it will come to you regularly for that time, post paid to any part of the United States. (Subscriptions to foreign countries 75 cents on this offer.)

Handsome 4-color covers, latest events in pictures, good stories, editorials on subjects vital to the farm, worthwhile articles on farming and farm crops, gardening, fruit, chickens, hogs, cows, and several pages each issue for the home.

In this special offer we guarantee you full satisfaction and money back at the end of 3 months if you don't think it well worth it. Just enclose 50 cents extra with your seed order for a 30 months' subscription and the Progressive Farmer-Southern Ruralist will start coming promptly and regularly for 30 months.

R.B. BUCHANAN SEED CO. 🦟 MEMPHIS, TENNESSEE.,



White Icicle Radish



Salsify or Oyster Plant



RADISH SEEDS—LONG VARIETIES

All Prices on This Page Post Paid. All 10c Pkts., 3 for 25c Quantity Prices-See Yellow Price List Enclosed

352-CINCINNATI MARKET (28 days)-This is the finest long radish to plant for shipment to Northern markets. It is the standard market radish in a number of Southern trucking centers, and is without a doubt the most profitable long variety in cultivation. The skin is scarlet colored, and very thin; the flesh is crisp, brittle, and of delightful flavor. The roots are slender and before becoming pithy are often 6 to 8 inches long by about % of an inch in diameter at the shoulder.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¼ lb., 20c; ½ lb., 30c; 1 lb., 50c; 5 lbs., \$1.90 346—WHITE ICICLE (27 days)—A very attractive, pure white radish, the earliest of the long, white summer sorts and of most excellent quality. The roots are somewhat shorter, with smaller tops than Long White Vienna and mature a little earlier. The roots when mature are 5 to 6 inches long by about ½ to % of an inch in diameter.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¼ lb., 20c; ½ lb., 30c; 1 lb., 50c; 5 lbs., \$1.90 343—LONG SCARLET SHORT TOP (27 days)—The best of the long red radishes. It is very early, of good size, fine quality; most largely planted of all long red radishes.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¼ lb., 20c; ½ lb., 30c; 1 lb., 50c; 5 lbs., \$1.90 RADISHES—STANDARD VARIETIES

341—HALF LONG SHORT TOP (27 days)—Deep red color, flesh white, crisp, tender. 345—WHITE VIENNA (29 days)—White, slender and smooth, roots 6 to 7 inches long. 353-MIXED RADISHES (26 to 30 days)-Assorted, giving a succession of crisp, tender radishes.

355—CALIFORNIA WHITE (50 days)—Grows very large, used in winter. 349-LONG BLACK SPANISH (50 days)-Large, firm, good quality, very firm. 348—CHINA ROSE WINTER (50 days)—Best winter sort; flesh white and crisp.

Pkt., 5c; 1 oz., 10c; 2 ozs., 15c; ¼ lb., 25c; ½ lb., 35c; 1 lb., 60c; 5 lbs., \$2.25 SALSIFY—The Vegetable Oyster

Salsify is one of the most desirable and nutritious winter vegetables. The roots when cooked are delicious and may be served in many ways. The flavor is very much like oysters, and especially where it is difficult to get fresh oysters, Salsify is very popular. Let them grow until frost, and stay in the ground until needed. They are greatly improved by remaining in the

frost, and stay in the ground until needed. They are greatly improved by remaining in the ground during freezing weather.

CULTURE—Salsify succeeds best on a rich, light, deep soil. Avoid fresh manure, as it makes badly shaped and uneven roots. Sow seed early in spring in rows 18 to 24 inches apart, and thin plants to 3 inches apart. Cover seed ½ inch. Cultivate frequently and let grow all summer. Dig when needed through the fall and winter, but all should be dug before growth begins in the spring. Store in a pit or cool cellar and they will keep nicely until ready for use. Sow 1 ounce to 100 feet of row; use 7 to 8 pounds per acre.

364—MAMMOTH SANDWICH ISLAND SALSIFY—Easily the best variety. It is a longer and strong grower with long smooth white tapering roots excellent in qual-

large and strong grower with long, smooth, white tapering roots, excellent in quality and less likely to branch than other sorts. Equally desirable for home and market gardeners. Salsify should be widely planted in home gardens and there is a good demand for it on some markets. Try it this year.

Pkt., 5c; 1 oz., 15c; 2 ozs., 30c; ¼ lb., 50c; ½ lb., 80c; 1 lb., \$1.50; 2 lbs., \$2.75; 5 lbs., \$6.00

TOBACCO CULTURE—The seed should be sown as soon as possible after danger of frost is over. In the spring it is customary to burn a quantity of brush and rubbish on the ground intended for the seed-bed; then dig and pulverize the earth, mixing in the ashes. After this preparation the seed may be sown, covering very lightly. When the plants are 6 inches high, transplant into rows 4 feet apart each way. Cultivate thoroughly with plow and hoe.

365—WHITE BURLEY—A favorite for plug fillers and wrappers. Light colored

leaves of fine flavor and aroma. 366-HAVANA-The leaf is very thin and of fine texture. This variety is much Price, either variety—Pkt., 10c; 1 oz., 40c; 1/4 lb., \$1.40 used for cigar wrappers.

PREMIER SWEDISH PEAT MOSS

WHAT IS PEAT MOSS AND WHAT ARE ITS PRINCIPAL USES?

Peat is a vegetable matter which because of peculiar natural condition, has been preserved in a partially decomposed state for many years. Peat moss is a particular kind of peat. It might have been more correctly called "moss peat" rather than peat moss; because it is a type of peat which was formed from various mosses. It is principally used as an absorbing and deodorizing material—as a sanitary bedding for horses, cattle, poultry and other livestock-and for improving the physical condition of mineral soils.

How Can I Know It Is Good to Use Peat Moss for All Its Advertised Uses?

Read the U.S. Government's Dept. of Agriculture bulletins. Especially bulletins Nos. 167 and 290. They strongly and soundly endorse its use for many purposes.

SPRING-Lawns: New ones, add Peat Moss generously to soil and work in well, 4 in. deep when fitting. Old ones, top-dress in early Spring. It provides deep, lasting seed bed; adds humus without bringing in weeds.

Preparing Garden Soil: Spread on freshly plowed or dug soil 3 to 4 in. deep and work in to depth of 3 to 5 in. It lightens heavy soil; gives body and water holding power to light soil; provides humus.

Roses: When planting, spread 4 in. Peat Moss over previously spaded soil and work in

thoroughly. Makes soil porous, friable, and conserves plant food.

SUMMER—Mulch: Around and between all kinds of plants. Avoid smothering small plants and perennials; otherwise use Peat Moss generously, 2 to 4 in. deep; loosen up occasionally. Checks loss of moisture by evaporation; keeps down weeds; keeps roots cool; improves appearance of beds and garden.

New Seed Beds: Mix 50-50 with soil and work in well. Insures a soil medium that will

Postpaid—10 lbs., \$1.00; 25 lbs., \$1.95. At Store—10 lbs., 70c; 1/4 Bale (about 5 Bu.), \$1.35; ½ Bale, \$2.00; 1 Bale (about 20 Bu.), \$2.95.

SPINACH SEED

All Prices on this Page Post Paid. All 10c Pkts. 3 for 25c Quantity Prices—Not Prepaid—See Yellow Price List Enclosed

CULTURE—One ounce to 60 feet of drill. For an early summer crop, sow early in the spring, in drills, 1 foot apart, and thin out to 2 inches in the row. For winter and early spring crop, sow either broadcast or in drills about the first of September to December 15. FOR FIELDS—Sow broadcast, 15 to 20 pounds to acre, ready in 8 weeks, produces enormously and is becoming one of the South's best quick money crops. Write for prices in quantities.

359—DARK GREEN BLOOMSDALE (Savoy Leaved) (50 Days)—An improvement over Reselected Bloomsdale in that it is darker green, more crumpled and blistered, and is almost as early as the Reselected Bloomsdale, maturing only about 2 or 3 days later. Due to the reduced proportion of early bolting male plants, it is slower in running to seed than Reselected Bloomsdale.

Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.25 354—RESELECTED BLOOMSDALE OR SAVOY LEAVED (45 Days)—Leaves well rounded, much crumpled and blistered, glossy, and of a deep green color. Matures early, but bolts to seed rather quickly. Recommended for planting in the fall for early spring use. It is used extensively by both market and

home gardeners, and is of high quality.

Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 25c: 1 lb., 40c; 5 lbs., \$1.25 358—LONG STANDING BLOOMSDALE (Savoy Leaved) (50 Days)—Very longstanding. Leaves are intensely crumpled and blistered, glossy, of a dark green color, and well rounded. Reaches marketable size a little later than the Reselected and the Dark Green Bloomsdale, but will remain in good condition from 8 to 12 days longer, due to the almost total absence of early shooting male plants. Developed from a single plant selection by Zwaan and Van Der Molen of Holland.


Pkt., 5c; 1 oz., 10c; ½ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.25 356—BLIGHT RESISTANT BLOOMSDALE (45 Days) — The true Virginia Savoy strain, very resistant to the Mosaic disease, popularly known as "yellows" or "blight." Matures earlier than any other Savoy Leaved Spinach, is well crumpled, and runs very uniform. Color, dark green. Bolts to seed very early and is, on this account, decidedly not a "hot weather" spinach. Should not be planted until after the middle of August in the vicinity of Memphis, although in some sections very good results are obtained with very early spring sowings.

sults are obtained with very early spring sowings. Pkt., 5c; 1 oz., 10c; ½ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.25 361—NEW ZEALAND (55 Days)—Grows 1½ feet high and, if transplanted, 2 or 3 feet; will produce an abundant crop in the hot weather, when the ordinary spinach cannot be had.

Pkt., 5c; 1 oz., 10c; ¼ lb., 25c; ½ lb., 35c; 1 lb., 60c; 5 lbs., \$2.50 357—GIANT THICK LEAVED (NOBEL) (Round Seeded) (43 Days)—Decidedly the best of the round seeded thick leaved group. Because of the enormous yield, long standing character, and the deep green color and smooth character of the leaves, this is highly recommended for canning as well as for home and market garden. Leaves very large, thick, broad arrow-shaped with rounded tip.

Pkt., 5c; 1 oz., 10c; 1/4 lb., 20c; 1/2 lb., 25c; 1 lb., 40c; 5 lbs., \$1.25





HOTKAPS

protect growing plants—increase yield 10 to 25 per cent—mature crops 2 to 3 weeks earlier—bring premium prices on the market.



HOTKAPS

PROTECT PLANTS
FROM FROST,
WIND, RAIN,
AND
INSECTS

Each HOTKAP is a small hothouse, to speed development as well as protect. HOTKAPS mean stronger, healthier plants, with larger and earlier yields—and premium prices result! Crops protected with HOT-KAPS get to market 2 to 3 weeks earlier, sometimes more. Their slight cost is returned many times in higher prices.

HOTKAPS are patented wax paper cones, placed over the seed or plant. They maintain perfect mulch around each plant, by preventing drying and crusting of the ground. They are easy to set out.

HOTKAPS ARE INEXPENSIVE

Germaco HOTKAPS come in rolls of 1,000 each, and in smaller special trial or garden packages. For field use, use the steel HOTKAP setter.

Prices on Germaco HOTKAPS

At Store	Post Paid		At Store
25 \$.50	\$.65		
1,000 or more\$9.75 per M	10.20	10,000 or more	\$9.55 per M
5,000 or more 9.65 per M	10.10	25,000 or more	
Steel HOTKAP setter and t			
Garden setter (heavy paper),	each		st paid .60
Steel tamper, each			st paid .35
Special 100 package (contai garden setter and tampe	ns 100 HC	OTKAPS, 2.40; pos	st paid 2.60
Special 250 package (contai garden setter and tampe	r)	3.65; pos	st paid 3.90
Special 500 package (contain no setter and tamper, ea	ns 500) HO	OTKAPS, 5.25; pos	st paid 5.75

Buck Brand Display Case for Merchants


This case contains 225 Five Cent packages of popular varieties of vegetable seed—also 25 Ten Cent packets of Zinnia seed. It is shipped to you packed flat—the package containing both display case and seed; it is a very simple matter to unpack and set up. Price Post Paid, to Merchants Only........................\$4.00

The price is only for seed, postage and packing—the box is free. I had this display case made small, as it would display seeds just as well as a large box, it will fit in a show window, in a show case and on top of a counter—keep it where your customers will see it—it will not only sell packet seed, it will remind your customers that you handle seeds and help sell field seeds. You can order the packets of vegetable or flower seeds to refill this box as often as you need them, keeping your stock fresh—keep one of our catalogs with the display case; it will help you answer questions about seeds and guide you in ordering seeds to refill the case.

Lithographed Packets Garden and Flower Seeds

All packets filled with the same high grade seed as sold our market gardener trade; we do not put seeds out on commission or consignment.

All vegetable seeds are packed in 5c packets; all beans, peas and garden corn and flower seed in 10c packets.



Marglobe

381—PONDEROSA (88 days)—Fruits are very large, purplish crimson in color, solid, meaty, and very sweet. Our selected strain of Ponderosa, while not nearly so fine a Tomato as Buchanan Brimmer, is less rough and ribbed than the ordinary Ponderosa and is quite popular. It makes fine slices and is suited only to home use and local market.

Pkt., 10c; ½ oz., 25c; 1 oz., 40c; ¼ lb., \$1.00; ½ lb., \$1.75; 1 lb., \$3.25 387—BREAK O'DAY (Deep Scarlet) (70 days)—An early type of Marglobe. Almost as early as Earliana, but a finer tomato, closely resembling Marglobe in shape, depth of fruit, thickness of wall and color, both inside and outside. The fruits are of medium size, deep, solid and almost seedless. Break O'Day is the development of Dr. Pritchard, of the U. S. Department of Agriculture. It is an important introduction, for which a wonderful future is predicted.

which a wonderful future is predicted. Pkt., 5c; ½ oz., 20c; 1 oz., 30c; ¼ lb., 75c; ½ lb., \$1.25; 1 lb., \$2.25 390—PRITCHARD (Scarlet Topper) (73 days)—Wilt resistant, of the type of plant known as self-topping or self-pruning. A little earlier than Marglobe, fruits globe-shaped, deep scarlet, smooth and solid. A good home and market variety and

very popular for shipping and canning. Pkt., 5c; ½ oz., 20c; 1 oz., 30c; ¼ lb., 75c; ½ lb., \$1.25; 1 lb., \$2.25 387-A—OXHEART (90 days)—This extraordinary new pinkish fruited, main crop Tomato has really large, bulg-ing fruits which taper almost to a point. The cell structure is broken so fruits are heavy and very solid; setting in clusters of 3 to 7. Vine growth is open and spreading; yield is quite heavy. There are comparatively few seeds in this solid and beautifully shaped variety. It commands a premium on most retail markets. Pkt., 10c; ½ oz., 25c; 1 oz., 40c; ¼ lb., \$1.45; ½ lb., \$2.25; 1 lb., \$4.35 388—LIVINGSTON GLOBE (Purplish Pink) (84 days) — A tomato of outstanding merit that ripens just after the very early kinds. Always smooth, firm fleshed, and has but few seeds. Very productive; the plants have many short joints at which clusters of fruits are formed; they are borne freely all over the vine. The globe shape allows more slices from each fruit than other varieties. A remarkably good keeper, and even when picked quite green, it ships well and colors up handsomely.

Pkt., 5c; ½ oz., 15c; 1 oz., 25c; ¼ lb., 80c; ½ lb., \$1.45; 1 lb., \$2.75 389—EARLY DETROIT (Purple) (81 days) — This splendid variety is the largest and best of the early purplish pink tomatoes. The fruits are very smooth, uniform in size, nearly globe-shaped.

Pkt., 5c; ½ oz., 15c; 1 oz., 25c; ¼ lb., 75c; ½ lb., \$1.35; 1 lb., \$2.50 397—BUCHANAN'S BRIMMER TOMATO (90 days)—The largest of all tomatoes. Single tomatoes weighing 3 pounds and 18 inches around have been grown by training to a single stem. It must be staked. The Brimmer has no core, very few seeds, is solid and nearly all meat.

Pkt., 10c; ½ oz., 25c; 1 oz., 40c; ¼ lb., \$1.00; ½ lb., \$2.00; 1 lb., \$3.75 382—NEW STONE (Deep Red) (86 days)—The standard and general favorite with truckers and canners; always dependable, very vigorous and productive; fruits round, large, solid, smooth and deep red in color.

Pkt., 5c; ½ oz., 15c; 1 oz., 25c; ¼ lb., 50c; ½ lb., 75c; 1 lb., \$1.40 380—YELLOW PONDEROSA (89 days) — Very handsome and the best large smooth yellow tomato. Meaty, solid and sweet, with bright golden yellow color.

Pkt., 10c; ½ oz., 25c; 1 oz., 45c; ¼ lb., \$1.10; ½ lb., \$2.10; 1 lb., \$3.95

BUCHANAN'S TOMATO SEEDS

CULTURE—Six or eight weeks before frost is over, sow ¼ inch deep in hot-beds, in pots or shallow boxes in the house, and when they have made 4 leaves, transplant to boxes or pots to promote root growth. Expose as much as possible to harden them so that, when set out in the open ground, they will be strong and stocky, but do not allow the growth to be checked. Transplant 3 to 4 feet apart in a light, warm soil, and shade them a few days until they are well rooted. One ounce makes about 1,500 plants; 4 ounces will make plants for an acre. FOR FIELD PLANTING—Set plants 3 feet apart in rows 4 feet apart, require 3,600 plants to acre.

require 3,600 plants to acre.

Maturity estimated from time plants set in field.

All Prices on This Page Post Paid. All 10c Pkts. 3 for 25c. Quantity Prices—See Yellow Price List Enclosed

STATE CERTIFIED TOMATO SEED

We offer State Certified Marglobe, Break-O-Day, Scarlet Topper, and Greater Baltimore Tomato seed. Grown for us under the supervision and officially sealed in one pound bags by the New Jersey Department of Agriculture. These are certified as to excellency of stock, trueness to type and freedom from disease. Try some of these Certified seed and note their vigor, uniformity of type and heavy yields. We offer State Certified Seed of the above mentioned varieties only until sold out. See complete descriptions of these varieties on this page.

Pkt., 10c; ½ oz., 25c; 1 oz., 45c; ¼ lb., \$1.25; 1 lb., \$3.50

393-MARGLOBE (Wilt Resistant) (79 days)-Main crop, scarletfruited variety, originated by the U.S. Dept. of Agriculture for wilt resistance. It is claimed to be also resistant to "nailhead rust" which attacks tomato fruits. Fruits are of medium size, smooth, solid and deep from stem to blossom ends. They are set in clusters of 5 to 7 on vines with medium to heavy growth. Cell structure is irregular. It is a cross between Marvel and Globe and really has retained the best characteristics of each. It is a valuable addition for wilt resistance, the Popular Globe shape, scarlet color, a good cropper, marketer and shipper. Marglobe simply leaped into popularity for the main tomato in wilt territories—the best all-round variety. Pkt., 5c; ½ oz., 15c; 1 oz., 25c; ¼ lb., 60c; ½ lb., 85c; 1 lb., \$1.50 394—GULF STATE MARKET WILT-RESISTANT (82 days)—We believe the Gulf State Market to be the chief purplish-pink fruited market variety grown in the Gulf States. Gulf State Market was developed out of the Early Detroit. The vines are very vigorous and withstand blight exceptionally well. The fruits are large, round or globe shaped, show but little depression about the stem and are smooth and free from cracks. Color, deep purplish-pink, ripening well about the stem. The skin is firm and the flesh is solid.

Pkt., 5c; ½ oz., 20c; 1 oz., 30c; ¼ lb., 85c; ½ lb., \$1.50; 1 lb., \$2.75 377—BUCHANAN'S BEEFSTEAK (Pink) (90 days) — Is without doubt the largest, meatiest and finest flavored tomato in cultivation, and is less acid than most varieties. The plants are healthy and luxuriant, quite blight-resistant and continuous and abundant bearers. They are so vigorous that even in dry seasons we have grown tomatoes of unusual size. The fruits are practically all meat.

Pkt., 10c; ½ oz., 25c; 1 oz., 40c; ¼ lb., \$1.00; ½ lb., \$1.60; 1 lb., \$3.00 375—EARLY ACME (Purplish-pink) (82 days)—The vines are large, hardy and productive, ripening their first fruits early, although not an extra early variety. The fruits are purplish-pink, round, smooth and of medium size, free from cracks and stand shipment very well. Acme is also used for the home garden.

Pkt., 5c; ½ oz., 15c; 1 oz., 25c; ¼ lb., 75c; ½ lb., \$1.35; 1 lb., \$2.50 378—SPARKS' EARLIANA (Pink) (66 Days)—Medium size, very early, of purplish-pink color, very prolific, fruits forming almost in clusters. Very handsome in shape, quite solid, and of fine quality.

Pkt., 5c; ½ oz., 15c; 1 oz., 25c; ¼ lb., 65c; ½ lb., \$1.10; 1 lb., \$2.00

Standard Varieties

Standard varieties				
	1/2		1/4	
Pkt.	oz.	oz.	lb.	lb.
385—NORTON WILT-RESISTANT (Red) 5c				
391—BUCK BRAND WILT-RESISTANT 5c	15c	25c	75c	\$1.95
379—CHALK'S JEWEL (Bright Scarlet) . 5c	15c	25c	75c	\$1.95
383—RED ROCK (Red) 5c	15c	25c	75c	\$1.95
392—JUNE PINK TOMATO (Pink) 5c	15c	25c	75c	\$1.95

BUCHANAN'S TURNIP SEEDS

CULTURE—One ounce will sow 200 feet in drill; 2 to 3 pounds for an acre. For early use, sow seed of flat varieties in open ground in spring, in drills 1 foot or more apart, using seed sparingly. Thin to 3 or 4 inches apart. For succession sow every two weeks until May. For fall and winter, sow in August and until December. A good crop may often be grown by scattering seed thinly in the corn field and cotton field at the last cultivation.

All Prices on This Page Post Paid
Prices Not Prepaid—See Yellow Sheet Enclosed

408—JAPANESE SHOGOIN (Louse-Resistant)—A new foliage turnip from Japan that has proved itself superior to most other varieties. It is the best combination variety for both bulbous roots and tops for "greens" that we have yet seen. Furthermore, it is louse-resistant and it holds its heavy crop of leaves up off the ground. Resists heat, sun, dry weather, and insect attacks. Quickly produces an enormous yield of upright-growing, succulent foliage, usually 2 feet tall, which is crisp, tender, and of superb mild flavor. The "greens" are ready for use in 25 days. Roots are large, pure white, semi-globular, and of a most excellent quality for table use. It's the greatest dual-purpose turnip ever introduced. See cut at bottom of page.

ever introduced. See cut at bottom of page.

Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.50

402—BUCHANAN'S AMERICAN RED TOP WHITE GLOBE—Handsome appearance and extra fine quality accounts for the extreme popularity of our special bred strain. Globe shaped, the upper part reddish purple, lower part snow-white. Flesh pure white, sweet and tender. For the home garden and for market it has no superior.

Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 30c; 1 lb., 50c; 5 lbs., \$1.75 401—PURPLE TOP WHITE GLOBE — An all-purpose variety, extensively used for home and market gardens and for shipping. Our purebred strain is noted for its uniformity and productivity. Tops dark green, large, erect. Roots large, globe shaped, very smooth; upper part purple, white below; flesh white, sweet, crisp and tender.

Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.50 395—LARGE WHITE GLOBE—Of perfect globe shape; skin white and smooth.

Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.50 399—RED OR PURPLE TOP FLAT STRAP LEAF—An early flat sort; flesh white.

Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.50 400—SEVEN TOP—Used extensively for greens; will grow all winter.

Pkt., 5c; 1 oz., 10c; ¼ lb., 15c; ½ lb., 25c; 1 lb., 35c; 5 lbs., \$1.25 403—EARLY WHITE FLAT DUTCH STRAP LEAF—A very early flat, strap leaved white turnip of medium size and fine quality. Probably forming marketable tops earlier than any other variety of turnip.

Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.50 404—SOUTHERN PRIZE—Valued highly for greens; also a nice root. Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.50 405—BUCHANAN'S MIXED TURNIP—Varieties mixed to last from fall to spring.

Pkt., 5c; 1 oz., 10c; ¼ lb., 15c; ½ lb., 25c; 1 lb., 35c; 5 lbs., \$1.25 406—EXTRA EARLY WHITE EGG—A very early, tender and crisp turnip. Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.50 411—PURPLE TOP YELLOW ABERDEEN—A yellow-fleshed late maturing turnip.

Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.50 413—AMBER GLOBE—A large green-crowned yellow variety.

Pkt., 5c; 1 oz., 10c; ½ lb., 20c; ½ lb., 25c; 1 lb., 40c; 5 lbs., \$1.50 418—RUTABAGA—IMPROVED PURPLE TOP YELLOW—Grows the same shape and size as Purple Top Globe Turnips. Color of skin, yellow with purple crown. Flesh deep yellow, fine grain and of excellent quality. It is an excellent keeper. The top is much shorter than most rutabagas; it has absolutely no neck and is a rapid grower.

Pkt., 5c; 1 oz., 10c; 1/4 lb., 20c; 1/2 lb., 25c; 1 lb., 40c; 5 lbs., \$1.50




Purple Top Globe


415—Buchanan's Big 7-Turnip Collection, 35c

The most popular of all turnip collections. This gives every family in the South a full supply of early, medium and late turnips. No other house offers you such a bargain in turnip seed as this. For 35 cents we will send you post paid one ounce each of Extra Early White Egg, Purple or Red Top Strap Leaf, Early White Flat Dutch, Purple or Red Top Globe, Yellow or Amber Globe, Improved American Rutabaga, and Seven Top—7 ounces of turnips, all different, for 35 cents, delivered at your post office. No other varieties will be sold at this price, and no changes will be allowed in this collection. If you do not want to plant all this seed this fall, what you hold over is perfectly good for your next spring planting.

7 ounces, 7 varieties, 35 cents, post paid



Purple Top Strap Leaf



Japanese Shogoin Turnip—Best Turnip Known for Early Spring Greens

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE,

BUCK BRAND TESTED SEEDS



Sweet Peas

Antirrhinum (Snapdragon)



Aquilegia (Columbine)

BUCHANAN'S FLOWER SEEDS

CULTURAL DIRECTIONS are printed on the packets. By following them almost any person will have fair success in the culture of flowers. While some seeds need special treatment, the following general rules will apply to all: Make the surface of the soil as fine, smooth and level as possible; do not plant when the ground is wet; cover each lot of seeds to a uniform depth, which should not be more than four or six times the diameter of the seed; press the soil firmly over the seed; plant in rows so that the starting plants can be seen easily, thin out the young plants to prevent crowding and keep entirely free from weeds. Never allow the seedlings to suffer from drouth.

All Prices on this Page Post Paid

All 10c Pkts. 3 for 25c-7 for 50c

Dt 07 14 1

BUCHANAN'S CALIFORNIA GROWN SPENCER SWEET PEAS

	Pk.	0z.	Ľb.	Lb.
850 KING WHITE. Pure white. Free flowering, very larg	ge . 10	. 20	. 65	$\frac{-}{2.00}$
851 PINKIE. Large rose pink	. 10	. 20	.65	2.00
852 WEDGEWOOD. Azure blue. Beautifully waved 853 FIERY CROSS. Brilliant orange cerise	10	$\frac{1.20}{20}$.65	$\frac{2.00}{2.00}$
854 ASTA OHN. Rich lavender with sheen of rose pink	10	.20	. 65	2.00
855 WARRIOR. Rich red maroon flushed with bronze				2.00
856 DEBUTANTE. Salmon shaded coral	10	20	. 65	$\frac{2.00}{2.00}$
858 POWERSCOURT. Large lavender	. . 10	.20	. 65	2.00
859 RUBICUND. Crimson scarlet	1.10	$\frac{1.20}{20}$. 65	$\frac{2.00}{2.00}$
861 PRINCE OF ORANGE. Deep orange	. 10	20	.65	$\frac{2.00}{2.00}$
 861 PRINCE OF ORANGE. Deep orange 876 UNRIVALLED MIXTURE. Beautiful blend of a above varieties 	.11	15	50	1 50
	1.10	. 10	.50	1.00
EARLY FLOWERING SPENCER SWEET PEAS 825 IMPROVED SNOWSTORM. Finest white winter flower	r-			
ing variety	15	. 45	1.25	4.00
826 GRENADIER. Dazzling poppy scarlet	1.15	60	1.75	6.00
829 ZVOLANEK'S ROSE. Bright rose pink, very floriferor	1.15	1.45	$1.25 \\ 1.25$	$\frac{4.00}{4.00}$
830 BLUEBIRD. Violet blue	. .15	. 45	1.25	4.00
831 GLITTERS. Brilliant, sparkling cerise	1.15	25	$\frac{1.25}{75}$	$\frac{4.00}{2.50}$
827 HARMONY. Clear lavender, very free flowering				
500 ADONIS (Pheasant's Eye). Pretty little plant with fresh green foliage, dotted with innumerable small blood-r	feath	ery,	Pkt	Oz.
AGERATUM. One of the best summer-blooming plant	s. 7	Chey	. 10	.50
are rapid growers and constant bloomers. During the	hot,	dry		
summer months their bright flowers are produced in the profusion of charming blue or white flowers.	e grea	itest		
501 LITTLE GEM (Blue). Dwarf six inches, azure blue			.10	
502 MIXED. Charming selection, all colors 500A ABRONIA (Sand Verbena). A charming trailing p	lont	 with	.10	. 50
verbena-like heads of fragrant flowers of bright rose w	ith w	$v_{ m hite}$		
center. It delights in a dry, poor soil and sunny location	ns	T	.10	.50
500B ARCTOTIS (Blue-eyed African Daisy). (2 to 3 feet h daisy-like flowers are pearly white with a gold band surr				
delicate mauve center. Foliage gray green. Especially	good	cut		
flower	ving l	 arge	.10	.70
flowers. Very fragrant. Splendid for edging			.10	. 50
505 SWEET ALYSSUM. Flowers white and honey scented bloomer and continues until frost	, an e	arly	.10	.25
503 SAXATILE COMPACTUM. (Hardy Alyssum). Eig	ht inc	ches.		
dwarf, cream or straw color	Tacful		.10	. 65
bedding	serul		. 10	.50
bedding	of g	gaily		
colored flowers. They are one of the best cut flowers be grown from seed, while for beds or borders they are a	oneas	can sure.		
being in flowers all the time if placed in a sunny location		· · · · ,		1/4
TALL FLOWERING. 24 to 36 inches. 510 BUTTERFLY (Striped) 511 GOLDEN KING (Y	e110w	·)	.10	Oz 40
512 VENUS (Pink and White) 513 ROSE QUEEN (Ros	e Pir) ik).	10	
514 FIREFLY (Scarlet)			.10	.40
515 TALL MIXED 516 DWARF MIXED			.10	
517 DELUXE RUST PROOF MIXTURE. Comprises a ful	l rang	ge of		
popular shades and is over 75% rust resistant. Awarded of Honor, 1935 All-America Selections	certifi	cate	.15	.50
AQUILEGIA (Columbine). Graceful plants which bloom	om e	arly		
in the season. Many have star-shaped rings of outer prounding their central tubes. The plants will thrive	etals	sur-		
every situation, preferring partial shade and considerable	moist	ure.		
520 SINGLE (Longspurred Mixed). Finest Columbines in	exist	ence	.15	
521 DOUBLE (Finest Mixed)	• • • •	• • • •	.10	.25
· IT	TI A TO			

R.B. BUCK BRAND TESTED SEEDS

A11 P	rices on this Page Post Paid. All 10c Pkts. 3 for 25c-7 for 50c	Pkt	
533	ASTER GIANTS OF CALIFORNIA. (Mixed Colors).		
	Magnificent, giant-flowered Aster with very large, elegant		
	flowers composed of broad, loosely arranged petals gracefully		
	curved and interlaced. The blooms are carried on stems 18 to 24 inches long. A rather late bloomer. Mixed	1 5	.75
527	GIANT COMET ASTER. Flowers of immense size, often 6	1.10	. / 0
341	inches across. Long wavy, twisted petals, gracefully formed into		
	dense globe, resembling Chrysanthemums. Mixed	10	.50
519	EARLY EXPRESS. Earliest blooming of all the Asters.		•••
	Flowers large and full. Finest mixed	1.10	.75
	ASTER. American branching wilt resistant. Highly		
	resistant to fusarium wilt for which there is no remedy. Full		
522	petaled, extra large flowers of fine form.	, ,	4 20
522 525	PURPLE 523 PINK 524 RED	1.10	$\frac{1.45}{40}$
528	MIXED ASTER (Peony Flowered). Large and double mixed	1.10	.40
	ASTER. NEW GIANT CALIFORNIA SUNSHINE. Fasci-	1. 19	.50
32 01	nating new type rightly called the most beautiful in the world.		
	Flowers are composed of a single row of loosely placed outer		
	petals which contrast the unique yellow quill-like center	. 20	.85
530	petals which contrast the unique yellow quill-like center ASTER. CREGO WILT Resistant. Largest of the Ostrich		,
	Plume type. Long curled petals. Very double. Mixed	1.101	. 40
534	BACHELOR'S BUTTON. This very easily grown flower is		
	always included in old-fashioned gardens and usually reseeds		
	itself every year. It blooms all summer and should be in every		
	Southern garden. Selected Double Flowering. All colors mixed DOUBLE BALSAM (Touch-Me-Not). 1½ to 2 feet. An	. 10	. 15
	old and favorite garden flower, producing the double flowers		
	clustered in the axils of the leaves on very short stems.		
537		10	. 15
	BALSAM. Double Salmon Pink	10	.15
538	BALSAM APPLE 539 BALSAM (Pear)	. 10	. 15
540	BEGONIA. Wax flower. Everblooming plant of sturdy,		
	compact growth with glassy foliage and a profusion of blooms.		
544	Dwarf mixed	.25	
541	BELLIS (English Daisy). It blooms from early spring to well on in the summer. Easily raised from seed, which may be sown		
	any time from spring till August. For best results new plants		
	should be raised from seed each year. Double mixed	10	. 50
544	BRACHYCOME (Swan River Daisy). Dwarf annuals, which	. 10	.00
	bloom nearly all summer. Mixed colors	.10	.30
543	CALENDULA CHRYSANTHA. Gold medal winner. A		
	distinct type which is outstanding among all varieties. The		
	large double flowers are an exquisite shade of clear buttercup	1	
	yellow and the loosely arranged petals give the appearance of		
EAE	a chrysanthemum	. 10	. 20
545			
	mer and thrive anywhere. Flowers exhibit every shade of yellow from ivory to deep orange. Well adapted for cutting, being borne		
	upon long stems. Mixed. All the double sorts	10	. 15
545A	CALENDULA RADIO. The flowers are medium size, good	. 10	. 10
	depth and clear orange in color. The petals are beautifully		
	quilled which has an extraordinary effect on the appearance of the		
	flower	. 10	.15
545B	CALENDULA LEMON QUEEN. A reliable variety supplying		
	large blossoms of clear lemon yellow. It has long been a standard		
=	Calendula	.10	.15
545C	CALENDULA CAMPFIRE. A notable Calendula of recent		
	introduction. It is a vigorous grower with enormous, double	7.01	40
	flat brilliant orange flowers, with a crimson or scarlet sheen	.15	. 40



Try to keep insects from getting a start. They are easier to kill when young. Spray


flowers and vegetables early with "Black Leaf 40." Kills insects both by contact and by fumes, and is quick-acting. No waiting for results with "Black Leaf 40." Concentrated—a little makes a lot of spray. HAS MANY USES. "Black Leaf 40" is versatile. When sprayed on the

lower branches of shrubs and evergreens, it keeps dogs away. Kills insects on both plants and animals. Controls poultry lice and feather mites. Directions on labels tell how to kill various insects with "Black Leaf 40."

Full directions on each package. See page 72 for prices.









Calendula (Pot Marigold)

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE, BUCK BRAND TESTED SEEDS



Cornflower





Canterbury Bell



Centaurea (Sweet Sultan)

		All Prices on this Page Post Paid All 10c Pkts. 3 for 25c—7 for 50c	Pkt.	√4 Oz.
		CALENDULA ORANGE SHAGGY. A distinct new type.		
		The petals are long and deeply fringed. Row after row overlap and build up a bloom of the shaggy appearance of some Chry-		
		santhemums. The color is a deep orange shading to a lighter tone. Plants are about eighteen inches high		. 20
	546	CALLIOPSIS. Showy, beautiful, free-blooming plants, pro-		. 40
		ducing large, bright flowers of rich and charming colors throughout the entire summer. Mainly hardy annuals; 1 to		
	F40	2 feet high	.10	.15
	548	CANDYTUFT. A dwarf annual of easiest culture; free-blooming, showy, and useful for beds, borders and edgings.		
		Sow seeds where plants are to bloom, in rows 6 or 8 inches apart, thinning out to afford plenty of room, as they branch		
	-404	quite freely. Height 1 ft. Finest mixed	.10	.15
	548A	CANDYTUFT (Giant Hyacinth Flowered White). This distinct type is a very handsome border plant. Several		
		large bold floral spikes, each resembling a well formed		0.
	550	Hyacinth, are grouped upright about a stout stem		. 25
		stately growth, rich color and profuse bloom. Has large bell-shaped flowers, are effective in various colors. Height		
		2 to 4 feet. Mixed	.10	. 18
	551	CARDINAL CLIMBER. A new and brilliant colored annual climber. Flowers glowing scarlet. 1½ inches in dia-		
		meter, the tube being 1½ inches in length. Vines attaining		. 40
		a height of from 20 to 30 feet	1.10	.41
		flowering in a few weeks from time of sowing. They are especially adapted for outdoor culture.		
	552	Marguerite—Giant Mixed. Immense double flowers	.10	.30
	552A	Giant Cardinal Red	3	. 90
		in light soil. Fine border plants, in bloom from mid-summer until frost. When grown as large specimens they are		
		of unrivaled beauty. For filling flower beds and borders		
	555	these plants are now largely used during summer in city parks. Tall, Mixed 556 Dwarf, Mixed	.10	.40
	557	CENTAUREA MOSEHATA. Sweet Sultan. Produces	3	
		long stemmed blossoms $2\frac{1}{2}$ in. across and very fragrant. Colors range through white, pink, red, blue, lilac and royal		
	559	purple, finest mixed	. 10	.1
	007	very decorative foilage plants with attractive fern-like frosty		
		white leaves. Highly recommended for edging beds of bright colored flowers	1.15	.3
		CHRYSANTHEMUM. Very showy and easily grown, producing single and double flowers of various colors.		
	560	Single Mixed. Fine for cutting and makes a pretty display		
	561	in the garden	1.10	. 13
	562	rose	1.10	.1
١	302	er of rapid growth; valuable for covering trellises, arbors	,	
	563	trunks of trees, etc.; large. Finest mixed	. 10	. 20
l		green, crimson, yellow, etc. For groups on lawns, and rib-	-	
1		boning, they are indispensable, and also valuable for pot culture. Choice mixed	$\begin{bmatrix} 1 \\ 15 \end{bmatrix}$	1.3
		CONVOLVULUS (Morning Glory). Thrives anywhere Showy flowers in a variety of colors. Sow where plants are		
l	.	to bloom.		
	564	Heavenly Blue. A deep, intense blue, shading lighter toward the center. Flowers are large and freely produced	1 15	.2
	566 569	Major (Rose) 568 Major (Mixed)	.10	.1
	309	flowers measuring from 4 to 5 inches across; great variety o	f	
		colors	. 10	1.1
		blooms freely throughout the entire summer and usually	7	
		re-seeds itself. They will grow in most any soil, and are if great demand as cut flowers.	1	
	572	Double Blue 573 Double Mixed 573A Double Pink COREOPSIS. Hardy, easily grown perennial, 2 ft. high		1.1
	E C A	Producing large bright yellow flowers in great profusion.		
	574 5 70	Choice Mixed	•	$ \cdot ^2$
		Retains the beauty of coloring of the single flower while augmenting its effect of brilliance through the doubling of	e	
		notals	1.5	5





880 Buchanan's Collection of Buck Brand Spencer Sweet Peas, full size 10c packets of 10 separate colors, post paid......



Early Klondyke (Orange Flare)



Double Crested Cosmos



Shasta Daisy

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE.

BUCK BRAND TESTED SEEDS



Foxglove (Digitalis)



Gerbera





Gaillardia (The Dazzler)

	TESTED SEEDS	A Surposition	
	All Prices on this Page Post Paid All 10c Pkts. 3 for 25c—7 for 50c	Pkt.	0 ₂
613	FOXGLOVE (Digitalis). Grows to the height of 3 or 4 feet,		
	with dense spikes of brilliantly colored flowers which are terminal and half as long as height of plant. Much of the quaint		
	charm of an old fashioned garden is created by stately spires		
	of Foxglove. Their long spikes are crowded with large thimble- shaped blossoms beautifully spotted on the exposed interior		
	surfaces. They are ornamental subjects for naturalizing among		
615	shrubs or in the background of a hardy border. Mixed GAILLARDIA (Blanket Flower)—Remarkable for the	. 10	. 4
	profusion, size and brilliancy of their flowers. Continuing in bloom from early summer till November; excellent for beds,		
	borders or for cutting; should be sown where they are to bloom:		
615 A	1½ feet. Fine colors, mixed	.10	. 2
0101	is a reselected strain of giant perennial Gaillardia. Very		
	largest dark, rich red with bright orange petal tips, extra long strong stems and very attractive for cut flowers. By far the		
	largest and most attractive Giant Red on the market today	. 10	. 4
616	GERBERA (Transvaal Daisy). 24 in. The most perfectly formed daisy-like blossoms, 2 to 4 inches across, being borne		
	on long stems, are unsurpassed as cut flowers. For garden		
	culture in cold climates the plants are wintered over in cold frames. They are easily grown from seed and will commence		
	flowering the first year. The colors include a wilderness of		
	tints, from dove white through amber, pale yellow, orange, salmon, rose, cerise and ruby-red to violet. It has made quite		
(10	a "hit" when exhibited at recent flower shows. Pkt., 25 seeds 25c		
618	GERANIUM. Grows 1 to 2 ft. high. These grow readily from seed the first year and produce blooming plants the first		
617	summer. Choice mixed	. 20	.9
017	GODETIA. Sow in the open ground in the early spring. They are profuse and constant bloomers, and their delicate tints of		
	crimson, rose-pink and white make them very attractive when in full bloom. Half dwarf varieties mixed	. 10	1
619	GILIA (Blue Thimble Flower). Beautiful bushy plant of	. 10	. 1
	erect habit with fine feathery foliage covered all summer with rich lavender blue flowers. Choice mixed	. 10	. 1
620	GOMPHRENA (Globe Amaranth). A desirable everlasting,	. 10	••
	valued for its handsome globular heads of flowers which can be dried and used in winter bouquets. Choice mixed	. 10	. 1
621	GOMPHRENA. Dark red	. 10	
628	GOURDS. A tribe of climbers with curiously shaped and colored fruit. Being of rapid growth they are fine to cover old		
	fences, trellises, stumps, etc. Mixed	.10	.1
629	GOURDS HERCULES CLUB. Long club shaped	.10	. 1
	fairy-like growth. Much in demand for cutting and combin-	i	
630	ing with other flowers for bouquets and vases. Elegans Grandiflora Alba, Annual White	.10	. 1
630A	Paniculata, Perennial White	.10	. 1
631 631 <i>A</i>	Elegans Mixed, Annual Elegans Rosea, Annual Soft Pink	.10	.1
	HELIANTHUS (Sunflower)—3 to 6 feet. The state flower of Kansas. Of easiest culture. Suitable for backgrounds,	1	
	screens and to plant among shrubbery. In bloom from June		
634	until frost. 632 Dwarf Mixed10 .15 633 Tall Mixed Stella (Miniature Sunflower). Plants grow 3 feet high with	. 10	. 1
002	many spreading branches. Their large single golden-yellow	7.0	4
	flowers with black centers are excellent for cutting	.10	. 1
	mer blooming annual, of free growth, producing in abundance		
635	large double red, white, yellow flowers Mixed 635A Canary Yellow 635B Violet Oueen.	. 10	. 1
635C	Mixed 635A Canary Yellow 635B Violet Queen Fireball, Bright Scarlet 635D Rose Queen	. 10	. 1
636	HELIOTROPE. Always popular on account of its delightful fragrance. The seed is rather slow in starting and had best be		
	sown in boxes or in a hotbed. While it is a perennial, it will not		
	stand any frost and is therefore started afresh each year, unless one cares to remove the plants to the house before frost		
	comes. Can be started from cuttings. Mixed colors HOLLYHOCK. Grand summer and autumn flowering	.10	. 1
	plants, bearing long spikes of double flowers, 3 to 4 inches across.		
	They are old inhabitants of our gardens, but are now so improved in doubleness and enlarged in size, under our special		
	culture and hybridization, as to be revelations of gorgeous		
637	beauty to those who have not seen these improved sorts. Single Mixed10 .25 638 Double Mixed	.10	. 4
639	Double, Yellow 640 Double, Red 641 Double, White	. 10	. 4
642 643	Newport, Pink, Double Buchanan's Collection of Double Hollyhocks. One packet	.15	. 5
0.73	each of four separate colors		



MEMPHIS, TENNESSEE.





EEZY WEAR GARDEN GLOVES—Permit almost bare-hand freedom, yet provide all-leather protection; lurable and washable. Four sizes: small and medium for women, medium and large for men. Specify size wanted. 75c per pair, post paid.





Larkspur




Marigold



Buck Brand Fringed Petunia (Page 37)



Double Gleam Hybrid Nasturtium



Single Poppies (Page 37)

ND TESTED SEEDS TO		2
All Prices on this Page Post Paid All 10c Pkts. 3 for 25c—7 for 50c	Pkt.	1/4 Oz.
668A Guinea Gold. Produces a neat, compact plant, about 2½ feet high, literally covered with blossoms. The flowers, about 2½ inches across, are semi-double in character, and loosely ruffled. The color is a brilliant golden orange or California	10	40
gold, the color so much in demand by florists	.10	
lemon yellow	.10	
flowers, well adapted for bedding and cutting	.10	.20
covered with an abundance of large, pure white, fragrant flowers 673 BONA NOX. Throats deep red shading to lavender 673A Heavenly Blue. The flowers measure from 3½-4 in. across,	.10 .10	
sky-blue with white throat	.10	.25
annuals with deliciously scented tubular white flowers, growing	.10	.15
in a great variety of colors	.10	. 15
Sow the seed where it is to remain late in the spring and after danger of frost is over. Nasturtiums prefer dry, rather rocky soil, such as we usually call "poor" soil.		
675A DWARF DOUBLE GEM MIXTURE. A compact growing strain of the semi-double, sweet-scented Gleam Nasturtiums, ideal for border and edging. The plants are		
truly dwarf and compact and the color range excellent		
676B DOUBLE GLEAM HYBRIDS. Beautiful new colors, ranging from pale primrose (almost white) through yellow, orange, salmon and gold, salmon-pink, rose, rare art shades, cerise, scarlet, crimson, blood-red, deep maroon and mahogany. There are flowers of solid colors, uniform throughout, and others with showy markings of contrasting colors. The flowers are quite dazzling in their scintillating brilliance. All are sweetly perfumed and measure		. 50
A fiery orange scarlet and profusely free blooming. Even	.25	
12 to 16 inches high, which is a mass of bloom all summer. 05	.10	.35
676 TALL OR CLIMBING (Mixed). Of quick growth, covering a wall, hedge, or trellis in a short time. The brilliant blossoms almost cover the plant from top to bottom	.10	.30
677 NIGELLA (Love-in-the-Mist). A compact, free-flowering F plant with finely cut foliage, curious looking seed pods; of easy	Pkt.	1/4 02.
678 Miss Jekyll. A lovely variety, bearing on long stems, large semi-double flowers of a lovely tender blue, nextling in fine		.15
679 OENOTHERA (Evening Scented Primrose). These open their flowers in the evening and one can enjoy a thrill in the garden if they will sit for 15 minutes at twilight and watch		.15
	. 10	.15
	.15	.75
rich, deep coloring. Finest mixed	.25	1.25
form and substance, usually ruffled and beautifully veined and blotched	. 10	.50

READ PAGE FOUR
You will find a most complete planting flower seed table; showing name, height, shape, color, best use, months to plant, where to plant and blooming months; also number seed to an ounce and number days required for seed to germinate.

BUCHANAN'S PETUNIAS

Sow the small seeds in a warm, sunny, open place outdoors, thinning to 15 inche apart, or in frames for transplanting. Scatter seeds thinly, barely cover and firm soil; water seedlings with a fine spray to prevent drying out.

Petunia seed is very fine and very expensive, therefore very few seeds in each packet. The

AII Pi	ices on this Page Post Paid. All 10c Pkts. 3 for 25c—7 for 50c	Pkt.	1/40
694	Fancy Double Large Flowering. Choice fringed, a fancy mixture which produces a large percentage of Doubles; no better strain offered		
686	Giants of California. A large-flowering strain with fringed and ruffled flowers of rich, velvety colors and deep yellow throats. This mixture is the first picking from the choicest		
684	plants		
686 <i>A</i>	for its marvelous color range	. 25	
682	FLAMING VELVET. A sensation because of the uniform excellence of its velvety, rich, blood-red flower. Plants are		1 5
683	NONA COMPACTA. Pink Gem—First of a charming new race of miniature Petunias, it forms a neat, compact plant 6 in. high and 8 in. in diameter and is covered with a profusion of	.15	1.4
685	exquisite pink blooms 2 in. in diameter	.15	
595	desirable red and dark shades richly marked and veined. This is one of the fanciest types of petunias Pkt. 300 Seeds 25c DAINTY LADY. New Yellow Petunia. Granted awards of merit in both Europe and America. The flowers are of medium size and daintily fringed, delicate light yellow deepening to		
87	golden yellow at the throat	. 25	
589 590	in a wide range of brilliant colors. A fine bedder Balcony Rose 691 Balcony Purple Balcony Scarlet 692 Balcony Mixed DWARF BORDER PETUNIAS. Excellent material for	.10 .15 .15	1.2
593	edging and low ribbon borders. Compact low bushes of very free flowering habit. Rosy Morn. Compact in habit of plant but producing throughout the summer an abundance of clear rosy pink flowers with white throat. An excellent sort for borders, bedding or porch boxes	.10	5
	Rose of Heaven. Rich brilliant rose, with inconspicuous white throat, darker than Rosy Morn	.10	. 7
	ful new light blue	. 15 . 25	6.5
88	completely covered with snow white flowers	.15	
700	of all Annuals. Drummondi—Mixed	. 10	
01 03 04	Snowball. Pure white 702 Fireball. Blood-red Star Mixed Decussata (Perennial Mixed)	.10 .10 .15	.5
05	PHYSALIS (Chinese Lantern Plant). Grows 1½ feet. Flowers yellow with dark center. Produces balloon-like husks the second year from seed, which turn bright red when ripe and	.10	
	resemble Chinese Lanterns	.10	.8
06A 06B	DOUBLE ANNUAL FLOWERING POPPIES Eldorado. Double Shirley, new fine range of colors Deep Pink—Shirley. Double satiny flowers of deep pink,	.10	. 1
07	the most popular of the new poppies	.10	
10	sized flowers with fringed petals of all shades, many striped Peony Flowered Mixture. Double ball-shaped flowers with plain edges of gigantic size	.10	
08	plain edges of gigantic size	.10	
709 706	Oriental Mixed. The royal members of the poppy family. Shirley Mixed. Beautiful colors of rose, apricot, salmon pink.	.10	.4
712	American Legion. A dazzling orange scarlet of enormous size borne on long stout stems	.10	. 1



Dwarf Petunia






Shirley Double Poppy

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE.



Pyrethrum Roseum (Painted Daisy)



Scabiosa



Verbena

747 BEAUTY OF OXFORD HYBRIDS—A striking rose-red similar to its parent Beauty of Oxford, but with a softening touch of salmon-pink. It is the finest and brightest rose colored Verbena ever produced from seed. Pkt. 15c. 1/4 oz. 75.

		CATOM	
	All Prices on this Page Post Paid All 10c Pkts. 3 for 25c—7 for 50c	Pkt.	Oz.
713	PHYSOSTEGIA—False Dragon Head. One of the prettiest hardy perennials producing tall, decorative spikes of a delicate shade of orchid. Blooms freely all summer	. 10	.7
715 718	covered with bright colored flowers. Single, Mixed 10c—25c 716 Double, Mixed RICINUS (Castor Oil Beans). Garden annual of luxuriant growth with large palm-like leaves; very attractive on account of their semi-tropical effect. The colors of the foliage are very		. 50
71 7	rich, ranging from green to deep bronze. Mixed PYRETHRUM ROSEUM. (Painted Daisy). Lacy, fern like foliage, 2 ft. plant with 1-2 ft. spread. Wiry stems with slender petalled daisies 3 in. across, produced in shades of white and	.10	. 14
720	pink to deep rose and crimson. Finest mixed	. 15	. 50
	the season large flowers of many beautiful colors	.10	. 2
721 722	Splendens. The old favorite bedding variety, producing during the summer and fall dazzling scarlet flowers in profusion Bonfire. A new dwarf scarlet sage of dense, compact growth	. 10 . 10	. 60
723 725	Farinacea. Lavender blue flowers	.10	
726	SCABIOSA (Mourning Bride). A very beautiful plant and a great favorite with gardeners, splendidly adapted for beds, borders and cutting. The flowers are full, fluffy and exqui-		
726A 726C 728	sitely colored and borne on long graceful stems. Mixed Ageratum Blue 726B Black Prince (Purple) 726D Rose 726E Yellow SCHIZANTHUS (Butterfly Flower). One of our finest annuals, bearing a profusion of pretty butterfly-like flowers of	.10	. 18
	various colors, closely resembling some species of orchids STOCKS (Gilliflower). Stocks are hardy annuals, indispensable in every garden. For either bedding or pot culture they are desirable. Average height of plants 1½ feet.	. 10	. 18
731 732 734	Dwarf Ten Weeks—Mixed	.10 .10	
701	like, richest blue with contrasting yellow lip and throat SWEET WILLIAM. An old favorite hardy garden plant thriving in any good garden soil and lasting for years. Grows about 1 foot high.	.15	. 98
736 738	Single, Mixed 10c—15c 737 Double, Mixed TEXAS BLUEBONNET (Lupin's). This is the Texas State flower. Grows wild all over the prairies of Texas		
739	THUNBERGIA (Black-eyed Susan). Beautiful, rapid-growing annual climbers, preferring a warm, sunny situation; used extensively for hanging baskets, vases, low fences, etc.		
733	Very pretty flowers in buff, white, orange, etc., with dark eyes TITHONIA (Mexican Sunflower). Orange vermillion, resembling single African Merigolds, foliage and habit of growth		
740	like Dahlias		
741	splendid cut flowers		
741 743 745 748	Mammoth Purple 742 Mammoth Scarlet Mammoth White 744 Mammoth Pink Mammoth Yellow 746 Mammoth Mixed Buchanan's Collection of Mammoth Verbenas. One packet each of five separate colors35c		. 30
749	VENIDIUM. Large brilliant orange flowers, 3 in. across with black-purple zone at base of ray petals and a dark center. VINCA (Periwinkle). Ornamental free blooming plants, with dark laurel-like foliage and handsome pink and white flowers.	.15	1.2
750 754	Seed should be sown early. White 752 White with Eye 751 Pink 753 Mixed Buchanan's Collection of Vinca. One packet each of three separate colors		. 3
729	VÎOLA (Tufted Pansy). A beautiful, colorful bedding plant and a profuse bloomer	.15	.78
755	WALLFLOWER. The large spikes are very conspicuous in beds and borders; very useful in making bouquets. Finest mixed.		.1


CALIFORNIA GIANT ZINNIAS

We have improved this variety to overcome the objectionable feature of the old Giant type; that is, the conical shape, and you will notice in planting these new Giants listed below, that they have smaller centers and more loosely placed petals, while the size of the flower has been notably increased. In presenting the type below, we offer a collection of striking and desirable colors, which can not be surpassed by any flower seed grower anywhere.

The seed may be sown in a hot bed or sunny window and transplanted, or sown later in the open ground. If sown in the open ground in April, thin out as soon as the plants are well up, leaving at least $1\frac{1}{2}$ feet each way, as they are robust growers and require a large amount of space to attain maximum size. The plants come into flower early in the summer and keep on blooming until hard frost.

	All Prices on this Page All 10c Pkts. 3 for 25c-	Post Paid -7 for 50c	Pkt.	0z.	Oz.
780	CRIMSON 785	PURPLE	.10	.35	1.00
780A	LAVENDER 786	ROSE	.10	.35	1.00
781	GOLDEN YELLOW 787	VIOLET		.35	1.00
782	FLESH PINK 789	SCARLET	.10	. 35	1.00
783	CANARY YELLOW 790	BURNT ORANGE		.35	1.00
784		SALMON			1.00
792	GIANTS OF CALIFORNIA M				
794	Buchanan's Collection of Gian				
	est value ever offered in Zin each of ten separate colors	nia Seed, One packet			
	DAHLIA FLOWEDED	ZINNIAC			


DAHLIA FLOWERED ZINNIAS			
nias listed on this page are the finest Zinnias grown by the most reputable grower in the world.	Pkt.	√4 Oz.	Oz.
OLDEN STATE. A very rich orange-yellow (Cad-			





.15

.50|1.50



California Giant Zinnia



Lilliput Zinnia



R.B. BUCHANAN SEED CO. 🗩 MEMPHIS, TENNESSEE.,

Sunburst



Briarcliff



Climbing American Beauty



PROTECT EVERY ROSE THAT GROWS

Fungous disease attacks should be prevented for they are very difficult to control after a foothold is once gained. Black Spot, Brown Canker and Mildew are dangerous fungous diseases of the rose-if they are to be controlled, they must be prevented. See page 72.

BUCHANAN'S EVERBLOOMING BUSH ROSES

All two-year field grown vigorous plants.

Set out roses early in the spring in a well prepared bed. The soil must be well drained and well fertilized. Apply fertilizer to the top of the soil. Plant early for the best results. Vigoro is the perfect rose fertilizer.

Prices on Bush Roses, Post Paid:

Any Variety-Each, 50c; 3 for \$1.30; 6 for \$2.40; 12 for \$4.50

PINK BUSH ROSES LOS ANGELES...... Rich, flaming pink shaded with golden yellow at base of petals.

PINK COCHET...... Coral pink with deeper shadings; very large double blooms.

Title Cooling to the point plant with respect to the first between
BRIARCLIFFBrilliant rose pink, very fragrant; finest large pointed buds.
COLUMBIAVivid silvery pink, sweetly scented and free flowering.
J. L. MOCKBright rich pink faced with carmine; gigantic buds, stiff stems.
LADY ASHTOWNSoft solid carmine pink, a most pleasing shade, pointed buds.
LA FRANCEBright pink. Curled petals show silver tints. Intensely fragrant.
MRS. CHAS. BELLShell pink, lovely buds, blooms as freely as Radiance.
PAUL NEYRONClear pink shading to rose. Immense size, very double, fragrant.
RADIANCE, PINKRose pink with silver reflections. Blooms most profusely.
MDM. BUTTERFLYLight pink, tinted gold. Of exquisite shape and richly perfumed.
WILLOWMERERich shrimp pink. Base of petals a pure gold.
PINK KILLADNEY Speakling down pink Long pointed bud immonts downer

PINK KILLARNEYSparkling dark pink. Long pointed bud, immense flowers.
RED BUSH ROSES
ETOILE DE FRANCE Bright vivid crimson, cerise centers, heavy bronze green foliage.
FRANCIS SCOTT KEY Light crimson. Very large buds, very double flowers.
CHAS. K. DOUGLAS Crimson-scarlet. Fine long pointed buds. Unfading color.
MARGARET McGREDYLarge orange-vermilion buds lightening to deep rose with gold base.
RED RADIANCE Even clear red. America's most popular rose. Constant bloomer.
AMER. BEAUTY Brilliant rose carmine. Immense flowers, delightfully fragrant.
NAT'L EMBLEM Dark crimson overlaid with vermilion. Pointed bud.
E. G. HILLMassive bloom of rich maroon.
GEN. JACQUEMINOTClear, scarlet-crimson buds. Very fragrant. Tall, strong plants.
HADLEY Deep, dark red. Flowers double with well formed buds.

YELLOW BUSH ROSES

GOLDEN OPHELIAGolden yellow blooms, shading lighter toward edges. Fragrant.
LUXEMBOURGApricot yellow shaded orange. Fragrant, exquisitely shaped.
JOANNA HILLSoft yellow with gleaming gold heart. Pointed bud.
LADY HILLINGDON Saffron yellow. Color deepens daily after being cut.
SUNBURST Deep golden yellow of intense shade. A favorite everywhere.


WHITE BUSH ROSES

FRAU KARL DRUSCHKI. Snow white, very large, truly the White American Beauty.
K. A. VICTORIA Pure white with creamy tinge at base of petals.
WHITE KILLARNEY Exquisitely perfumed double flowers. Unsurpassed white rose,
WHITE COCHET Flower pure white, delicately tinted pink. Very fragrant.

CLIMBING ROSES

Prices, Post Paid—Each, 50c; 3 for \$1.30; 6 for \$2.40 CAUTION: Be sure to specify CLIMBING in your order.

The following varieties are vigorous and rank growing. They produce a wealth of dark green, glossy foliage and bloom in greatest profusion over a rather prolonged period.



A ROSE STORY IN PICTURES

Buchanan's Quantity Price List January 25, 1937

All prices quoted in this list are present values and subject to change without notice. We do not, however, expect many changes, and our customers may rely upon receiving the very lowest prices current at the time their orders are received.

TERM'S—As the prices are NET CASH, a remittance must accompany all orders. These prices are F. O. B. Memphis, sacks included. Freight or express charges must be paid by the purchaser. Read pages 2 and 3 regarding Parcel Post Rates—it is easy to figure parcel post with our map.

PARCEL POST—When any items ordered from these prices are to be sent by parcel post, sufficient money must be added to the following prices to pay postage. If more money is sent than the amount of postage, we will return same. Parcel post is easy to figure, you will find a map on page 3, also the amount of postage figured, 1 pound to 70 pounds through the eighth zone from Memphis. Use this map, it will save you money.

NON-WARBANTY—R. B. Buchanan Seed Company, Inc., give no warranty, express or implied, as to description, quality, productiveness or any other matter, of any seeds, bulbs, plants, fertilizers, insecticides, etc., they send out and will not in any way be responsible for the crop. Purity and germination, when given, are the results of tests, but are without warranty. If the purchaser does not accept the goods on these terms, they are to be returned at once and the

BEANS, BUSH—Green Pod—Bu. 60 lbs. 7½ lbs. (Page 7)	D1-	60 lbs. Bu.	100 lbs. Sack	CARROTS—(Page 11)
39 Black Valentine\$ 0.85	\$ 1.60	\$ 5.70	\$ 8.75	103 Oxheart\$ 0.5
40 Burpee's Stringless90	1.60	6.00	9.00	105 H. L. Danvers
41 Black Valentine (Stringless)	1.70 1.60	6.35 6.00	10.00 9.00	106 Imp. Long Orange
37 Improved E. E. Red Valentine95	1.75	6.25	9.75	104 Early Scarlet Horn
38 Tennessee Green Pod	1.80 1.75	6.60 6.50	10.00 10.00	108 Chantaney
51 Bountiful	2.00	7.80	12.75	COLLARDS—(Page 13)
42 New Stringless or Tender Green90	1.60	6.00	9.50	1/4 lb. 1/4 lb.
BEANS, BUSH-Wax Pod-Bu. 60 lbs. 71/2 lbs.	15 lbs.	60 lbs.	100 lbs.	127 Georgia White Cabbage\$ 0.15 \$ 0.
(Page 7) Gal.	Pk.	Bu.	Sack	126 Southern or Blue Stem15
55 Pencil Pod Black Wax\$ 1.05 60 Round Pod Kidney Wax 1.15	\$ 1.90 2.00	\$ 7.25 7.50	\$11.00 11.75	CORN, GARDEN—(Pages 13, 14)
56 Curries Rust Proof Wax 1.00	1.75	6.60	10.50	½ Ga
57 Davis' White Kidney Wax 1.05	1.90	7.25 7.80	11.50 12.00	135 Extra Early Adams, Bu. 56 lbs\$ 0.4
58 Improved Golden Wax	2.00 1.75	6.60	10.00	134 Golden Bantam, Bu. 48 lbs
			100 lbs.	141 Early Surprise, Bu. 56 lbs
BEANS, POLE OR RUNNING— Bu. 60 lbs. (Page 8) 67 Kentucky Wonder \$ 0.85	Pk.	Bu.	Sack	140 Country Gentleman, Bu. 48 lbs
67 Kentucky Wonder \$ 0.85	\$ 1.45	\$ 5.40	\$ 8.75	138 Stowell's Evergreen, Bu. 48 lbs
68 White Creaseback	1.75	6.50	9.75 10.00	132 Whipple's Farly (Yellow), Bu. 48 lbs.
66 Scotia Striped Cornfield	1.80 1.80	6.60 6.60	10.00	133 Golden Sunshine, Bu. 48 lbs
72 White or Sou. Cornfield90	1.75	6.50	9.75	131 Honey June, Bu. 48 lbs
65 McCaslan	1.75	6.50	9.75	CUCUMBERS—(Page 15)
BEANS, POLE LIMA—Bu. 60 lbs. 7½ lbs.	15 lbs.		100 lbs.	34 lt
(Page 9) Gal. 78 Carolina or Sieva \$ 0.90	Pk. \$ 1. 80	Bu. \$ 6.25	Sack \$ 9.75	165 Improved White Spine 8 0.3
77 Buchanan's Butter	1.80	6.25	9.75	161 Cumberland Pickle
77 Buchanan's Butter .90 79 Calico Lima .1.00	2.10	7.80	11.75	160 Chicago Pickle
80 Monstrous Lima 1.15	2.20	8.60 8.60	13.50 13.50	164 Early Fortune
	2.20			163 Early Green Cluster
BEANS, BUSH LIMA—Bu. 60 lbs. (Page 9) Gal. 49 Henderson's Bush	15 lbs.		100 lbs.	162 Davis Perfect
49 Henderson's Bush	Pk. \$ 1.75	Βυ. \$ 6.30	Sack 9.50	168 Japanese Climbing
48 Fordhook Bush 1.25	2.25	8.95	14.50	167 Gherkin
46 Jackson Wonder-Bush Calico 1.00 50 McCrea's Bush Lima 2.25	1.85 4.00	6.75 13.25	10.25 21.00	159 Stays Green
We will be a bush bush bush bush bush bush bush bush	2.00	10.40	%1.00	THOUGH THE A TIME TO THE ALL TO THE
BEANS, FIELD OR SHELL— 7½ lbs.	15 lbs.		100 lbs.	EGG PLANT—Endive—(Page 11)
Bu. 60 lbs. (Page 8) Gal. 62 Great Northern	Pk. \$ 1.50	Bu. \$ 5.40	Sack 8 8.00	183 Black Beauty Egg Plant 8 0.3
70 Pinto	1.45	5.40	9.00	176 Broad Leaved Endive
63 Red Kidney 1.15	2.10	8.40	13.00	175 Large Green Curled Endive
61 White Navy	1.65	5.90	9.00	KALE—Kohl Rabi—Leek—(Pages 11, 15)
TABLE BEETS—(Page 10)				1/4 lb
1/4 lb. 1/2 lb.	1 lb.	5 lbs.	10 lbs.	187 Dwarf Green Curled Kale (Siberian) \$ 0.1
17 Market Gardener \$ 0.20 \$ 0.30 18 Early Wonder20 .30	\$ 0.50 .50	\$ 1.90 1.90	\$ 3.70 3.70	188 Kale, Dwarf Curled Scotch
21 Early Blood Turnip20 .30	.50	1.90	3.70	178 Early White Kohl Rabi
24 Crosby's Egyptian	.50	1.90	3.70	180 American Flag Leek
26 Swiss Chard20 .30 19 Crimson Globe20 .35	.50 .55	1.90 2.10	3.70 4.00	LETTUCE—(Page 16)
20 E. E. Egyptian	.50	1.90	3.70	Oz.
23 Detroit Dark Red	.50	1.90	3.70	196 Big Boston \$ 0.1
SUGAR BEETS OR MANGELS—(Page 10)				205 New York or Wonderful
½ lb.	1 lb.	5 lbs.	10 lbs.	195 Wayahead
30 Mammoth Long Red \$ 0.20	\$ 0.35	\$ 1.50	\$ 2.50	204 Early Curled Simpson
28 Giant Half Sugar Mangel20	.35	1.50	2.50	207 Iceberg
BRUSSEL SPROUTS, BROCCOLI-(Page 6) Ca	AULIFLO	WER-(Page 10)	202 Grand Rapids
Oz.	⅓ lb.	⅓ lb.	1 lb.	203 Paris White Cos
7 Broccoli (Italian)	\$ 0.65 .65	\$ 0.95 .95	\$ 1.75 1.75	197 Cal. Cream Butter
109 Cauliflower, Early Snowball90	3.25	6.50	12.00	NOT CHICKEN LOWGOOTH.
CARDIAGE (D. 10.10)				MUSKMELON OR CANTALOUPE—(Page 17
CABBAGE—(Pages 12, 13)	1/2 lb.	1 lb.	5 lbs.	209 Buchanan's New Rockyford S. F \$ 0.3
86 Early Jersey Wakefield \$ 0.50	\$ 0.90	\$ 1.50	\$ 7.25	222 B. B. Surprise Muskmelon
87 Chas. Wakefield	.75	1.40	6.75	218 Hearts of Gold
101 Early Flat Dutch	.60 .60	1.00 1.10	4.75 4.95	212 Mammoth Rockyford
93 Late Flat Dutch	.60	1.00	4.75	219 Rockyford Green Flesh
92 Late Drumhead	.60	1.00	4.75	211 Lake Champlain
84 Golden Acre	.65 .60	1.20 1.00	5.25 4.75	214 Banana
98 All Head Early	.60	1.00	4.75	220A Hale's Best
85 All Seasons	.60	1.00	4.75	
94 Copenhagen Market	.60	1.10 .90	4.95 4.00	
99 Early Drumhead	.60	1.00	4.75	MARKET GARDENE
	.75	1.35	6.25	We sell hundreds of Merchants, Market Gar
96 Autumn King Savoy	20	1.00	4.75	and those buying vegetable seed in large quan
96 Autumn King Savoy	.60			
97 Surehead	•00			
97 Surehead	t, 1000	6000	12000	Northern Markets. If you will send us a list in quantities, we will price same and return p
97 Surehead	et, 1000			Northern Markets. If you will send us a list
97 Surehead	et, 1000 h,	6000 \$ 7.50	12000 \$ 13.80	Northern Markets. If you will send us a list in quantities, we will price same and return p
97 Surehead	et, 1000 h,			Northern Markets. If you will send us a list in quantities, we will price same and return p

CARROTS—(Page 11)	- 4			
	1/4 lb.	1/2 lb.	1 lb.	5 lbs.
103 Oxheart	0.25	\$ 0.45	\$ 0.80	\$ 3.00
105 H. L. Danvers	.25	.40	.70	2.50
106 Imp. Long Orange	.25	.45	.75	3.00
107 Large Yellow Belgian	.25	.45	.70	3.00
104 Early Scarlet Horn	.25	.45		3.00
108 Chantaney	.25	.35	.60	2.15
COLLARDS—(Page 13)				
¼ lb.	⅓ lb.	1 lb.	5 lbs.	10 lbs.
127 Georgia White Cabbage\$ 0.15	0.25	\$ 0.35	\$ 1.65	\$ 3.00
126 Southern or Blue Stem15	.25	.35	1.65	3.00
CORN, GARDEN—(Pages 13, 14)				
	1/2 Gal.	Gal.	Pk.	Bu.
135 Extra Early Adams, Bu. 56 lbs		\$ 0.75	\$ 1.35	\$ 4.90
134 Golden Bantam, Bu. 48 lbs	.50	.80	1.45	5.25
136 Adam's Large Early, Bu. 56 lbs	.40	.70	1.25	4.50
141 Early Surprise, Bu. 56 lbs	.35	.60	1.00	3.75
140 Country Gentleman, Bu. 48 lbs	.65	1.25	2.20	8.00
138 Stowell's Evergreen, Bu. 48 lbs 137 Trucker's Favorite, Bu. 56 lbs	.50	.80	1.50	5.50
137 Trucker's Favorite, Bu. 56 lbs	.35	.60	1.00	3.75
132 Whipple's Farly (Yellow), Bu. 48 lbs.	.50	.80	1.40	5.25
133 Golden Sunshine, Bu. 48 lbs	.50	.80	1.40	5.25
131 Honey June, Bu. 48 lbs	.50	.80	1.50	5.50
CUCUMBERS—(Page 15)				
	1/4 lb.	½ lb.	1 lb.	5 lbs.
165 Improved White Spine	0.25	\$ 0.40	\$ 0.65	8 3.00
161 Cumberland Pickle	.30	.55	.80	3.50
166 Improved Long Green	.30	.55	.80	3.50
160 Chicago Pickle	.30	.55	.80	3.50
164 Early Fortune	.30	.55	.80	3.50
163 Early Green Cluster	.30	.55	.80	3.50
170 Everbearing	.30	.55	.80	3.50
162 Davis Perfect	.35	.60		3.75
168 Japanese Climbing	.35	.60	.90	3.75
167 Gherkin			.90	3.75
158 Straight 8	.35	.60		3.75
159 Stays Green	.35 .35	.60	.90	3.75
200 00000000000000000000000000000000000				
EGG PLANT—Endive—(Page 11)				
	02	1/2 lb	1/6 lb	1 lb.
	Oz.	3/4 lb.	½ lb.	1 lb.
183 Black Beauty Egg Plant	0.30	\$ 0.95	\$ 1.60	\$ 3.00
183 Black Beauty Egg Plant	0.30	\$ 0.95 .40	\$ 1.60 .60	\$ 3.00 1.00
183 Black Beauty Egg Plant	0.30	\$ 0.95	\$ 1.60 .60	\$ 3.00
183 Black Beauty Egg Plant	0.30	\$ 0.95 .40	\$ 1.60 .60	\$ 3.00 1.00
183 Black Beauty Egg Plant	.15 .15	\$ 0.95 .40 .40	\$ 1.60 .60 .60	\$ 3.00 1.00 1.00
183 Black Beauty Egg Plant	.15 .15	\$ 0.95 .40 .40	\$ 1.60 .60 .60	\$ 3.00 1.00 1.00
183 Black Beauty Egg Plant	.15 .15 .15	\$ 0.95 .40 .40	\$ 1.60 .60 .60	\$ 3.00 1.00 1.00 5 lbs. \$ 1.50
183 Black Beauty Egg Plant	.15 .15 .15	\$ 0.95 .40 .40	\$ 1.60 .60 .60	\$ 3.00 1.00 1.00 5 lbs. \$ 1.50 1.50
183 Black Beauty Egg Plant	34 lb. 5 0.15 .15 .15 .20	* 0.95 .40 .40 * 1b. * 0.25 .25 .30	1 lb. 1 lb. 3 0.35 .35 .45	5 lbs. 5 1.50 1.75
183 Black Beauty Egg Plant	30 .15 .15 .15 .15 .20 .50	% lb. \$ 0.25 .25 .30	1 lb. \$ 0.35 .45 1.50	5 lbs. 1.50 1.00 1.00 5 lbs. 1.50 1.75 6.50
183 Black Beauty Egg Plant	34 lb. 5 0.15 .15 .15 .20	* 0.95 .40 .40 * 1b. * 0.25 .25 .30	1 lb. 1 lb. 3 0.35 .35 .45	5 lbs. 5 1.50 1.75
183 Black Beauty Egg Plant	30 .15 .15 .15 .15 .20 .50	% lb. \$ 0.25 .25 .30	1 lb. \$ 0.35 .45 1.50	5 lbs. 1.50 1.00 1.00 5 lbs. 1.50 1.75 6.50
183 Black Beauty Egg Plant	34 lb. 5 0.15 .15 .15 .15 .15 .20 .50	\$ 0.95 .40 .40 1/2 lb. \$ 0.25 .25 .30 .85 .80	1 lb. \$ 0.35 .45 1.50 1.40	\$ 3.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25
183 Black Beauty Egg Plant	5 0.30 .15 .15 .15 0.15 .20 .50 .50	\$ 0.95 .40 .40 1/4 lb. \$ 0.25 .25 .30 .85 .80	1 lb. \$ 0.35 .45 1.50 1.40	5 lbs. 1.50 1.50 1.50 1.75 6.50 6.25
183 Black Beauty Egg Plant	34 lb. 30.15 .15 .15 .15 .15 .20 .50 .50 .50	\$ 0.95 .40 .40	1 lb. \$ 0.35 .45 1.50 1.40	\$ 3.00 1.00 1.00 5 lbs. \$ 1.50 1.50 6.50 6.25
183 Black Beauty Egg Plant	3 0.30 .15 .15 .15 .15 .0.15 .20 .50	\$ 0.95 .40 .40	1 lb. \$ 0.35 .35 .45 1.50 1.40	5 lbs. 1.50 1.50 1.50 1.75 6.50 6.25
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage.	3 0.30 .15 .15 .15 0.15 .20 .50 .50	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .85 .80	1 lb. 0.35 .35 .45 1.50 1.40	\$ 3.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25 1 lb. \$ 0.75 .80 .75
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) (188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead.	3 0.30 .15 .15 .15 0.15 .20 .50 .50	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .85 .80	1 lb. 1	\$ 3.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25 1 lb. \$ 0.75 .80 .75
183 Black Beauty Egg Plant. 176 Broad Lenved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson.	3 0.30 .15 .15 .15 0.15 .20 .50 .50 .50	\$ 0.95 .40 .40	1 lb. 0.35 .35 .45 1.50 1.40	\$ 3.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25 1 lb. \$ 0.75 .80 .75
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg.	3 0.30 .15 .15 .15 0.15 .20 .50 .50	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .85 .80	1 lb. \$ 0.35 .35 .45 1.50 1.40 1/2 lb. \$ 0.45 .50 .45 .45	5 lbs. 5 lbs. 5 1.50 1.75 6.50 6.25 1 lb. 8 0.75 .80 .75
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette.	0.30 .15 .15 .15 .15 .0.15 .20 .50 .50 .50	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .25 .30 .25 .25 .30	1 lb. \$ 0.35 .45 1.50 1.40 \$ 0.45 .45 .45 .50	5 lbs. 5 lbs. 5 lbs. 6 1.50 1.75 6.50 6.25 1 lb. 8 0.75 .80 .75 .75
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 200 Grand Rapids.	0.30 .15 .15 .15 .15 .20 .50 .50	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .85 .25 .30 .25 .25 .30	1 lb. \$ 0.35 .35 .45 1.50 1.40	5 lbs. 5 lbs. 5 lbs. 6 1.50 1.75 6.50 6.25 1 lb. 8 0.75 .80 .75 .75 .80 .80 .80
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids.	3 0.30 .15 .15 .15 .15 .20 .50 .50 .50 .10 .10 .10 .15 .15	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .85 .25 .25 .25 .30 .25 .25 .30	1 lb. \$ 0.35 .35 .45 1.50 1.40 \$ 0.45 .45 .45 .50 .50 .50	5 lbs. 5 lbs. 5 lbs. 5 1.50 1.75 6.50 6.25 1 lb. 8 0.75 .75 .75 .80 .80 .80 .80
183 Black Beauty Egg Plant. 176 Broad Lenved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos.	3 0.30 .15 .15 .15 .15 .20 .50 .50 .50 .10 .10 .10 .15 .15	\$ 0.95 .40 .40 .40 \$ 0.25 .30 .85 .80 .25 .30 .25 .30 .25 .30 .30 .30	1 lb. \$ 0.35 .35 .45 1.50 1.40 1/2 lb. \$ 0.45 .50 .45 .50 .50 .50	5 lbs. 5 lbs. 5 lbs. 6 1.50 1.75 6.50 6.25 1 lb. 8 0.75 .80 .75 .75 .80 .80 .80
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) (188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce.	3 0.30 .15 .15 .15 .15 .20 .50 .50 .50 .10 .10 .10 .15 .15 .15 .15	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .85 .80 .25 .25 .30 .25 .25 .30 .30 .30 .30	1 lb. \$ 0.35 .35 .45 1.50 1.40 \$ 0.45 .50 .50 .50 .50	5 lbs. 5 lbs. 5 lbs. 5 1.50 1.75 6.50 6.25 1 lb. 8 0.75 .75 .75 .80 .80 .80 .80
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce. MUSKMELON OR CANTALOUPE—(Pages 12)	3 0.30 .15 .15 .15 .15 .20 .50 .50 .50 .10 .10 .10 .15 .15 .15 .15	\$ 0.95 .40 .40 .40 \$ 0.25 .30 .85 .80 .25 .30 .25 .30 .30 .30 .30 .30	1 lb. \$ 0.35 .35 .45 1.50 1.40 \$ 0.45 .45 .50 .50 .50 .50 .45	5 lbs. 5 lbs. 5 lbs. 6 1.50 1.75 6.50 6.25 1 lb. 8 0.75 .75 .80 .80 .80 .80 .75
183 Black Beauty Egg Plant. 176 Broad Lenved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce. MUSKMELON OR CANTALOUPE—(Pages 12)	0.30 .15 .15 .15 .15 .0.15 .15 .20 .50 .50 .15 .10 .10 .15 .15 .15 .15 .15 .10 .15 .15 .15 .15 .15 .15 .15 .15 .15 .15	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .85 .80 .25 .25 .30 .30 .30 .30 .30 .30 .30	\$ 1.60 .60 .60 .60 .50 .35 .45 1.50 1.40 .50 .50 .50 .50 .45	5 lbs. 5 lbs. 5 lbs. 6 1.50 1.75 6.50 6.25 1 lb. 8 0.75 .80 .80 .80 .80 .75
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) (188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce. MUSKMELON OR CANTALOUPE—(Page 209 Buchanan's New Rockyford S. F	0.30 .15 .15 .15 .15 .20 .50 .50 .50 .15 .10 .10 .15 .15 .15 .15 .15 .15 .15 .15 .10 .10 .15 .15 .15 .15 .15 .15 .15 .15 .15 .15	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .30 .25 .25 .30 .30 .30 .30 .30 .30 .30 .30	\$ 1.60 .60 .60 .60 .60 .1 lb. \$ 0.35 .45 .45 .45 .50 .45 .45 .50 .50 .50 .50 .50 .45	\$ 3.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25 1 lb. \$ 0.75 .75 .75 .80 .80 .80 .80 .80 .75
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 200 Grand Rapids. 201 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce. MUSKMELON OR CANTALOUPE—(Page 209 Buchanan's New Rockyford S. F. 222 B. B. Surprise Muskmelon.	0.30 .15 .15 .15 .15 .20 .50 .50 .50 .50 .50 .15 .10 .10 .10 .15 .15 .15 .15 .15 .15 .10 .10 .10 .15 .15 .15 .15 .15 .15 .15 .15 .15 .15	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .25 .25 .25 .30 .30 .30 .30 .30 .30 .30 .30 .40	\$ 1.60 .60 .60 .60 .60 .1 lb. \$ 0.35 .45 .45 .45 .45 .45 .45 .45 .50 .50 .50 .50 .50 .50 .50	\$ 3.00 1.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25 1 lb. \$ 0.75 .75 .75 .75 .80 .80 .80 .80 .80 .80 .80 .80 .80 .80
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce. MUSKMELON OR CANTALOUPE—(Page 209 Buchanan's New Rockyford S. F. 222 B. B. Surprise Muskmelon. 218 Hearts of Gold.	0.30 .15 .15 .15 .15 .20 .50 .50 .50 .50 .15 .15 .10 .10 .10 .15 .15 .15 .15 .15 .15 .15 .30 .30	\$ 0.95 .40 .40 .40 \$ 0.25 .30 .85 .25 .30 .25 .25 .30 .30 .30 .30 .30 .30 .45 .45	\$ 1.60 .60 .60 .60 .60 .60 .1 lb. \$ 0.35 .45 .45 .45 .45 .45 .45 .45 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	\$ 3.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25 1 lb. \$ 0.75 .75 .75 .80 .80 .80 .80 .80 .80 .80 .80 .80 .80
183 Black Beauty Egg Plant. 176 Broad Lenved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce. MUSKMELON OR CANTALOUPE—(Page 209 Buchanan's New Rockyford S. F. 222 B. B. Surprise Muskmelon. 218 Hearts of Gold. 212 Mammoth Rockyford.	0.30 .15 .15 .15 .15 .15 .20 .50 .50 .50 .15 .10 .10 .15 .15 .15 .15 .15 .15 .15 .15 .15 .15	\$ 0.95 .40 .40 .40 \$ 0.25 .30 .85 .80 .25 .30 .30 .30 .30 .30 .30 .45 .45	\$ 1.60 .60 .60 .60 .60 .50 .35 .45 1.50 1.40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .75 .75	\$ 3.00 1.00 1.00 1.00 5 lbs. \$ 1.50 1.50 6.50 6.25 1 lb. \$ 0.75 .80 .80 .80 .80 .80 .75
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) (188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce. MUSKMELON OR CANTALOUPE—(Pages 20) Buchanan's New Rockyford S. F. 222 B. B. Surprise Muskmelon. 218 Hearts of Gold. 212 Mammoth Rockyford. 226 Honey Dew.	0.30 .15 .15 .15 .15 .20 .50 .50 .50 .50 .15 .10 .10 .15 .15 .15 .15 .15 .15 .15 .15 .15 .15	\$ 0.95 .40 .40 .40 \$ 0.25 .25 .30 .85 .25 .25 .25 .30 .30 .30 .30 .30 .30 .30 .30 .30 .30	\$ 1.60 .60 .60 .60 .60 .60 .1 lb. \$ 0.35 .45 .45 .45 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	\$ 3.00 1.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25 1 lb. \$ 0.75 .75 .75 .80 .80 .80 .80 .80 .80 .80 .80 .80 .80
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) (188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce. MUSKMELON OR CANTALOUPE—(Pages 20) Buchanan's New Rockyford S. F. 222 B. B. Surprise Muskmelon. 218 Hearts of Gold. 212 Mammoth Rockyford. 226 Honey Dew. 219 Rockyford Green Flesh.	0.30 .15 .15 .15 .15 .20 .50 .50 .50 .50 .15 .10 .10 .10 .15 .15 .15 .15 .15 .15 .15 .10 .10 .10 .15 .15 .15 .15 .15 .15 .15 .15 .15 .15	\$ 0.95 .40 .40 .40 .40 .80 .25 .30 .30 .25 .25 .30 .30 .30 .30 .30 .30 .30 .45 .45 .45 .45	\$ 1.60 .60 .60 .60 .60 .60 .1 lb. \$ 0.35 .45 .45 .45 .45 .45 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	\$ 3.00 1.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25 1 lb. \$ 0.75 .75 .75 .75 .80 .80 .80 .80 .80 .80 .80 3.00 3.00 3
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) 188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce. MUSKMELON OR CANTALOUPE—(Pages 20) Buchanan's New Rockyford S. F. 222 B. B. Surprise Muskmelon. 218 Hearts of Gold. 219 Mammoth Rockyford. 226 Honey Dew. 219 Rockyford Green Flesh. 211 Lake Champlain.	0.30 .15 .15 .15 .15 .20 .50 .50 .50 .50 .15 .10 .10 .10 .15 .15 .15 .15 .15 .15 .30 .30 .30 .30 .30	\$ 0.95 .40 .40 .40 .40 .8 0.25 .30 .25 .30 .30 .30 .30 .30 .30 .30 .30 .45 .45 .45	\$ 1.60 .60 .60 .60 .60 .60 .60 .35 .45 .45 .45 .45 .45 .45 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	\$ 3.00 1.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25 1 lb. \$ 0.75 .75 .75 .75 .80 .80 .80 .80 .80 .80 .80 3.00 3.00 3
183 Black Beauty Egg Plant. 176 Broad Leaved Endive. 175 Large Green Curled Endive. KALE—Kohl Rabi—Leek—(Pages 11, 15) 187 Dwarf Green Curled Kale (Siberian) (188 Kale, Dwarf Curled Scotch. 189 Tall Curled Scotch Spring. 178 Early White Kohl Rabi. 180 American Flag Leek. LETTUCE—(Page 16) 196 Big Boston. 205 New York or Wonderful. 198 Early White Cabbage. 195 Wayahead. 204 Early Curled Simpson. 207 Iceberg. 208 Mignonette. 202 Grand Rapids. 203 Paris White Cos. 197 Cal. Cream Butter. 201 Chicken Lettuce. MUSKMELON OR CANTALOUPE—(Pages 20) Buchanan's New Rockyford S. F. 222 B. B. Surprise Muskmelon. 218 Hearts of Gold. 212 Mammoth Rockyford. 226 Honey Dew. 219 Rockyford Green Flesh.	0.30 .15 .15 .15 .15 .20 .50 .50 .50 .50 .15 .10 .10 .10 .15 .15 .15 .15 .15 .15 .15 .10 .10 .10 .15 .15 .15 .15 .15 .15 .15 .15 .15 .15	\$ 0.95 .40 .40 .40 .40 .80 .25 .30 .30 .25 .25 .30 .30 .30 .30 .30 .30 .30 .45 .45 .45 .45	\$ 1.60 .60 .60 .60 .60 .60 .1 lb. \$ 0.35 .45 .45 .45 .45 .45 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	\$ 3.00 1.00 1.00 1.00 5 lbs. \$ 1.50 1.75 6.50 6.25 1 lb. \$ 0.75 .75 .75 .75 .80 .80 .80 .80 .80 .80 .80 3.00 3.00 3

ERS

30

.45

3.00

.75

rdeners, Truck Associations ntities to grow and ship to of vegetable secds wanted in quantities, we will price same and return promptly. Some items are short this year, send your list at once.

R.B.BUCHANAN SEED CO. MEMPHIS, TENNESSEE. BUCK BRAND TESTED SEEDS

TOUR TOUR TOUR TOUR TOUR TOUR TOUR TOUR	
MISCELLANEOUS SEEDS—(Pages 63, 64)	HUDSON SPRAY PUMPS—Continued Each
1063 Rape (Dwarf Essex), Bu. 50 lbs. \$ 0.95 \$ 4.00 \$ 7.00 1271 Broom Corn (Okla. Dwarf), Bu. 48 lbs. .95 4.25 8.00 1270 Broom Corn (Tall) .95 4.25 8.00 1272 Broom Corn, Scarborough 1.00 4.75 9.00 1273 Broom Corn, Black Spanish .95 4.25 8.00 1269 Buckwheat (Silver Hull), Bu. 50 lbs .65 2.50 4.50	4S Barrel Pump (No Equipment) \$ 9.50 4SA Barrel Pump (With Discharge Equipment—Spray Hose, Rod and Angle Nozzle) 11.25 133 Senior Trombone Sprayer 3.90 36S Sunshine Wheelbarrow Sprayer 12.45 34S Ideal Wheelbarrow Sprayer 19.00 35S Ideal Wheelbarrow Sprayer with Pressure Tank 29.00
1268 Sunflower (Russian), Bu. 25 lbs. .90 1.90 6.75 1234 Crotalaria, Bu. 50 lbs. 1.65 7.75 15.00	608 Hudson Crank Duster
BUCHANAN'S BIRD SEED IN BULK—(Page 82) 5 lbs. 5 lbs. 10 lbs. 25 lbs. Buchanan's Mixed Canary Seed	Hudson Spray Hose, ½ inch, (10 ft. or more), per foot
Sunflower Seed. .50 .90 1.90 Bird Hemp. .45 .75 1.60 Bird Millet. .40 .70 1.50 Bird Rape. .50 .90 1.90 Plain Canary .50 .95 2.15 Bird Thistle .90 1.35	For bunching vegetables, tying up tomatoes, grape vines and many other uses of the gardener and orchardist. Two-ply ½ pound balls, 25 lbs. or more, per lb
Bird Poppy. .90 1.35 Bird Lettuce. .90 1.35 Cuttle Fish Bone—1 lb., \$0.50 2.00 3.85	No. 119 Snap Cut Hand Pruner \$ 1.50 @\$1.40 No. 130 California Pattern Hand Shear90 @ .85 No. 22 Pruner (8 in. long)50 @ .45
DOG FEEDS —(Page 77) 10 lbs. 25 lbs. 50 lbs. 100 lbs.	No. 172 Pruner (9 in. long)
Peerless Dog Ration \$ 0.75 \$ 1.50 \$ 2.75 \$ 5.25 Peerless Dog Cake (Quads) .75 1.50 2.75 5.25	Lopping Shears No. 055 Medium Weight, 28 in. 2.00 @ 1.95 No. 56 Same as 055 (36 in. long) 2.25 @ 2.20 No. 149 H. H. Pruner (27 in. long) 3.00 @ 2.90
BUCHANAN'S FERTILIZERS—(Page 76) 100 lbs. 500 lbs. Ton	Atkins Pruning Saws No. 113 California Pattern, 12 in
Buchanan's 4-8-8 for Root Crops \$ 1.85 \$ 8.50 \$33.00 Buchanan's 6-8-6 Tip Top Trucker 1.85 9.00 35.50 Buchanan's Truck Grower—4-8-4 1.75 8.00 31.00 Buchanan's Acid Phosphate, 16% 1.25 5.75 21.25	No. 20 California Pattern, Narrow Blade, 12 in
Super Phosphate, 20 % 1.35 6.25 24.00 Buchanan's Steam Bone Meal. 2.25 10.00 36.00	5 10 15 25 50 Gals. Gals. Gals. Gals. Gals.
Nitrate of Soda 2.25 10.00 39.00 Buchanan's Sheep Manure 1.75 8.50 32.00 Buchanan's Sulphate of Ammonia 2.25 10.50 40.00 Buchanan's Muriate of Potash, 50% 2.50 12.00 46.00	Buchanan's Oil Emulsion\$ 2.25 \$ 4.00 \$ 5.45 \$ 6.50 \$10.00 Lime Sulphur Solution 2.25 4.00 5.45 6.00 8.50 Scalecide—5 Gals., \$5.50; 10 Gals., \$9.50; 15 Gals., \$13.25; 30 Gals., \$21.00; 50-Gal. Barrel, \$29.00.
Vigoro—25-lb. Bag \$1.50 , 50-lbs. \$2.50	Case 24 lbs. 48 lbs. 96 lbs.
POULTRY, PIGEON AND RABBIT FEEDS—(Page 81) 25 lbs. 50 lbs. 100 lbs.	Arsenate of Lead (Packed in 4-lb. Pkgs.)
Buchanan's Buttermilk Growing Mash	Dritomic Sulphur for Peaches (Packed in 4-lb.
Buchanau's Chick Grain .95 1.80 3.40 Buchanan's Scratch Feed .90 1.65 3.00 Buchanan's Laying Mash 1.00 1.90 3.70	Pkgs.) 2.50 4.75 8.75 Dritomic Sulphur for Apples (Packed in 4-lb. Pkgs.) 2.50 4.75 8.75 Sulforon (Packed in 4-lb. Pkgs.) 2.40 4.75 8.75
Buchanan's Laying Mash 1.00 1.90 3.70 Conkey's Buttermilk Chick Starter with Y. O. 1.25 2.40 4.75 Conkey's Buttermilk Growing Mash with Y. O. 1.15 2.25 4.40 Conkey's Hen Laying Mash (Red Seal) 1.10 2.00 3.90	Dutox (Packed in 6-lb. Pkgs.) 4.35 8.70 17.40 Lime Sulphur Powder (200-lb. Drum \$12½ lbs. 25 lbs. 50 lbs. 100 lbs. \$19.00) \$1.50 2.75 5.25 \$10.25
OYSTER SHELL—POULTRY GRIT—(Page 81) 10 lbs. 25 lbs. 50 lbs. 100 lbs.	Bug Death 2.00 3.90 7.00 11.00 10 lbs. 25 lbs. 50 lbs. 100 lbs.
Bone, Powdered for Poultry or Animals. \$ 0.50 \$ 0.95 \$ 1.60 \$ 2.95 Charcoal, Chick or Hen Size. .50 .75 1.15 2.15 Grit, Chick or Hen Size. .25 .45 .60 .90 Oyster Shell, Chick or Hen Size. .25 .40 .55 .85	Calcium Arsenate (100-lb. drum) \$ 7.50 Superfine Sulphur, 300 Mesh \$ 0.75 \$ 1.50 \$ 2.50 4.00 Dusting Sulphur, 200 Mesh .65 1.15 1.75 3.25 Casein Spreader 2.25 4.75 9.00 17.00
SEED SOWERS—(Page 58)	Blue Stone, Snow Form (Powdered) 1.00 2.50 4.25 6.75 Blue Stone, Crystals .90 2.25 4.00 6.50 Hydrated Lime for Spraying .25 .60 1.10
Cyclone (Hand Seeder) Each \$ 2.25	Slug Shot
Cahoon (Hand Seeder) 4.50 Wheelbarrow Seeder (No. 12, 14 feet) 15.00 Fertilizer and Seed Sower 3.50	Paradichlorobenzene
MISCELLANEOUS FEED	Pyrox (Insecticide and Fungicide) 3.00 5.00 7.25 12.50 Paris Green, 14-lb. can \$4.75 3.95 31.00 Atlacide Weed Killer, 200 lb. drum \$26.00 7.00 13.50
POULTRY LITTER—½ Bale\$2.00, Full Bale \$3.00 RAT AND MOUSE DESTROYERS—(Page 79)	Koppers Flotation Sulphur 1.50 6.10 12.00 Zinc Sulphate .90 1.75 3.25 5.25
Mouse Seed—Kills Mice. Box 25c Carton, 14 Boxes \$3.00 K-R-O (For Rats) Box 75c and \$1.00 Red Cross Embalmer Box 25c and .50	Ortho Dry Spreader 2.00 5.00 9.50 18.00 5 oz. 1 lb. 2 lbs. 5 lbs. 10 lbs. Black Leaf 40 (Liquid) \$ 1.00 \$ 2.25 \$ 3.25 \$ 5.85 \$ 10.60 Pt. Qt. Gal. 5 Gal.
\$1000.00 Rat Destroyer	New-Evergreen \$ 2.00 \$11.00 \$45.00 Volck \$ 0.75 2.00 6.25
FLY, ANT AND ROACH KILLERS Terro Ant Killer 1 Bottle \$ 0.25 ½ Dozen \$ 1.35 Acme Ant Killer 1 Set 60 ½ Dozen 3.00	Ethylene Chlorhydrin (See also Page 86). 1.00 2.00 4.25 20.00 Red Arrow Insect Spray. 2.50 4.00 12.00 Sheps Plant Spray. 1.35 2.25 7.50 Crewood Oil, 50-Gal. Drum \$16.00 .90 2.50
Antrol	Champion Tree Killer, 50-Gal. Drum \$55.00
Each 665 Major Duster	Kreso Dip
664 Adjutant Duster .50 202 Midget Sprayer .25 452 Misty Sprayer .40	PRICES FOR 2% CERESAN. The Dust Disinfectant for Cotton, Millet, Sorghums and Peas.
452B Misty Sprayer (Copper) .65 432 Continuous (Heavy Tin) .75 432B Continuous Copper Tank 1.00	1-lb. tin\$ 0.70 25-lb. pail \$17.75 300-lb. drum. \$145.00 Two-ounces treats a bushel.
435 Cardinal Galvanized Tank. 1.35 120G Thrifty Galv. Compressed Air Sprayer, Capacity 2½ gals. 3.25 135GF Climax—Galvanized Compressed Air Sprayer. 4.00 140G Junior Galv. Compressed Air Sprayer 4.60	NEW IMPROVED SEMESAN JR.—for Corn 4-oz. \$ 0.35 5-lb. \$ 4.75 100-lb. drum. \$83.00 1-lb. 1.00 25-lb. 21.00 Use 2 ounces per bushel of seed corn. \$83.00
140B Junior Copper Compressed Air Sprayer. 7.00 110G Perfection Galv. Compressed Air Sprayer. 6.00	NEW IMPROVED SEMESAN BEL—for Potatoes
110B Perfection Copper Compressed Air Sprayer9.50128 Mohawk Bucket Sprayer—3 feet of hose, 1 ft. rod3.75147G Du-More Galvanized Continuous High Pressure Sprayer	1-lb
(Knap Sack Type), Capacity 4 gals	SEMESAN—for Vegetables and Flowers 2-oz. \$ 0.35 5-lb. \$ 9.90 1-lb. 2.25 25-lb. 45.50
Any Mason Jar can be used for Reservoir.	1 ounce treats 15 to 30 pounds of seed.

Mr. Buchanan broadcasts Monday, Wednesday and Friday over WREC during the noon hour

BUCHANAN'S ROSE SENSATIONS

Prices Post Paid: Each, 60c; 3 for \$1.50; 6 for \$2.75

ROSLYN	. The rich golden yellow blooms of Roslyn are shaded deeper
	on reverse side of petals—almost a deep orange. Its
	fragrant flowers are very large and are produced in
	great numbers on a strong, healthy plant.
MEDG IS IN MITCH	Delaha and a line Clarker well should had some

MRS. E. P. THOM......Bright canary yellow. Slender, well-shaped buds open into full double flowers. One of the most popular yellow roses among rose fanciers.

GOLDEN DAWN......The pointed buds are bright yellow, often tinged with red, and the blooms are clear lemon yellow, a tone that does not fade, and are exceedingly fragrant.

MRS. PIERRE S. DU PONT.....Golden yellow. Bud is long pointed, rich reddish-gold, almost orange at petal base. Exceptional bloomer and disease resistant.

EDITH NELLIE PERKINS.....The outside of the petals is a bright orange-cerise, the inside overlaid with salmon pink flushed orange gold.

Buds are handsome and richly dyed with copper tones before they open. Disease resistant foliage.

PRES. HERBERT HOOVER....Of recent introduction. Large flowers, thick petals; in color a blending of pink, flame, scarlet and yellow. Holds color well and is really an outstanding variety. BETTY UPRICHARDCopper red bud, opening to large semi-double flowers.

Petals are brilliant orange carmine on outside, light salmon pink on inside. Strong growing, persistent blooming and healthy.

TALISMANA remarkable blending of gold, apricot, yellow, deep pink and old rose. Buds superbly shaped, opening into a flower of dazzling color to delight the eye. The rose of many gold medals.

AMI QUINARD.......Dark, velvety crimson. Very dark buds opening into flowers of unfading crimson-maroon. Strong, vigorous grower.

OLYMPIADOriental red. Its broad petals of flaming scarlet have an undertone of coppery gold. Buds are long and pointed and foliage is disease resistant.

PADRE

A remarkable rose with intense coloring which is a blend of copper and scarlet. Beautiful pointed buds opening into a flower of distinct character.

Long, pointed bud, flower very double. Entrancing scarlet crimson overlaid with glossy maroon. Very fragrant and an exceptional bloomer.

ETOILE DE HOLLAND

A sparkling, brilliant red. Very fragrant, healthy and free flowering. Color holds and doesn't blue, as does other reds.

CALEDONIA

One of the loveliest white roses. Both the bud and open flower are pure white, with exquisitely curved and infolded petals; slightly fragrant.

DAME EDITH HELEN

One of the largest and most perfectly shaped pink roses known. A brilliant yet soft pink. Flowers are produced singly on well-foliaged strong canes throughout the season. The most perfumed of all pink roses. A gold medal winner at several flower shows.

DAINTY BESS

Soft rose pink. Large single flowers delicately crinkled, centered with a large cluster of stamens with wine red filaments. One of the most attractive of all the single roses.

BUCHANAN'S ROSE COLLECTIONS

Get what you want by ordering early. Remember, the more popular varieties sell out first. These bargain collections allow you more Roses for your money as well as the most popular varieties.

Order Rose Collections by number only. It is not necessary to mention the varieties in the collection you order.

BUCHANAN'S SPECIAL ROSE COLLECTIONS

No. 1-RADIANCE COLLECTION OF 3. \$1.00, Post Paid.

1 Pink Radiance 1 Red Radiance 1 Mrs. Chas. Bell

No. 2—NEW VARIETY COLLECTION OF 3. \$1.35, Post Paid.

1 Sensation 1 Talisman 1 Golden Dawn

No. 3-NEW VARIETY COLLECTION OF 6. \$2.50, Post Paid.

1 Pres. Herbert Hoover 1 Sensation 1 Talisman 1 Edith Nellie Perkins 1 Golden Dawn 1 Briarcliff

No. 4—OLD RELIABLE COLLECTION OF 6. \$2.25, Post Paid.

Red Radiance Pink Radiance 1 K. A. Victoria 1 Lady Hillingdon 1 Luxembourg 1 Edith Nellie Perkins

No. 5-BUCHANAN'S SPECIAL COLLECTION OF 12. \$4.75, Post Paid.

Columbia 1 Red Radiance Talisman Mrs. E. P. Thom Etoile de Holland Luxembourg Pink Radiance Briarcliff Pres. Hoover K. A. Victoria

No. 6-COLLECTION OF 4 NEW CLIMBING ROSES. \$1.60, Post Paid.

Climbing Pres. Hoover Climbing K. A. Victoria

1 Climbing Red Radiance 1 Climbing Columbia



Golden Dawn



Mrs. Pierre S. Du Pont



Edith Nellie Perkins



R.B. BUCHANAN SEED CO. 🚓 MEMPHIS, TENNESSEE.

BUCHANAN'S GLADIOLUS BULBS

All Prices on this Page Post Paid

12

100

CULTURE—They are not only showy in the garden, but, when cut with the first flower open, will last for 10 days in the house. The newer colorings defy the choicest orchids. Plant bulbs 3 to 4 inches deep, 6 inchesapart, and stake when 2 feet high. Flowers appear from early July until late in the fall.



Minuet



Dr. F. E. Bennett

GLADIOLUS READY FOR SHIPMENT **ABOUT MARCH 1**

Gladiolus ever grown. 5 feet tall. Many flowers open at one time. Gladiolus ever grown. 5 feet tall. Many flowers open at one time. Gladiolus ever grown. 5 feet tall. Many flowers open at one time. Flowers often 6 inches across, 6 to 8 open at one time, of splendid substance, and well placed on strong, tall spikes. GLOS MRS. LEON DOUGLAS. Begonia-Rose overlaid with flame and brilliant scarlet. Said to be the largest gladiolus in existence. GLOS ANGELES. The noted "Cut and come again" variety. Bright pink shading to geranium-pink. A tall rugged growing variety. GLOS ANGELES. The noted "Cut and come again" variety. Bright pink shading to geranium-pink. A tall rugged growing variety. GLOS ANGELES. The noted "Cut and come again" variety. Bright pink shading to geranium-pink. A tall rugged growing variety. GLOS ANGELES. The noted "Cut and come again" variety. Bright pink shading to geranium-pink. A tall rugged growing variety. GLOS ANGELES. The noted "Cut and come again" variety. Bright is variety wonderful for cut-flower use. GLOS ANGELES. The noted "Cut and come again" variety. Bright is variety wonderful for cut-flower use. GLOS ANGELES. The noted "Cut and come again" variety. Bright is variety some of clear pink, overlaid with slam stance and the same pink. A tall rugged growing variety. GLOS ANGELES. The noted "Cut and come again" variety. Bright is variety some of the flowers of cear deep scarlet. One at the most purpose of the most one of the most note of the most not strong growing variety. GOZ APRICOT GLOW. A clear warm apricot. Very vigorous. Flowers open at one time. Yery distinct and beautiful variety. GLOS APRICOT GLOW. A clear warm apricot. Very vigorous. Flowers open at one time. Yery distinct and beautiful variety. GLOS APRICOT GLOW. A clear warm apricot. Very vigorous. Flowers open at one time. Yery distinct and beautiful variety. APRICOT GLOW. A clear warm apricot. Very vigorous.							_
961 BETTY NUTHALL. Magnificent, new, light salmonpink with pale orange throat and light feathering of carmine. Flowers often 6 inches across, 6 to 8 open at one time, of splendid substance, and well placed on strong, tall spikes		960	Gladiolus ever grown. 5 feet tall. Many flowers open		5.0	95 5 7	5
one time, of splendid substance, and well placed on strong, tall spikes		961	BETTY NUTHALL. Magnificent, new, light salmon- pink with pale orange throat and light feathering of	. 50	. 50	.000.7	J
with flame and brilliant scarlet. Said to be the largest gladiolus in existence			one time, of splendid substance, and well placed on	. 15	.25	.45 3.0	0
tall rugged growing variety		962	with flame and brilliant scarlet. Said to be the largest		}		
1964 W.H.PHIPPS. Enormous flowers of clear pink, overlaid with salmon-rose. Often 20 flowers open at one time, making this variety wonderful for cut-flower use. 20 35 .60 3.50		963	variety. Bright pink shading to geranium-pink. A				
MRS. P. W. SISSON. Immense, ruffled, soft pink. Many flowers open at one time		964	W. H. PHIPPS. Enormous flowers of clear pink, over- laid with salmon-rose. Often 20 flowers open at one				
one of the finest varieties. 707 DR. NELSON SHOOK. Tyrian rose. Fascinating brilliant American Beauty shade. A most distinctive variety, bearing flowers on large strong spikes. 708 PAUL PFITZER. Brilliant sparkling wine-red. Vigorous grower with immense flowers, borne on strong erect spikes. Very showy, creating a sensation in all shows. 708 PAUL PFITZER. Brilliant sparkling wine-red. Vigorous grower with immense flowers, borne on strong erect spikes. Very showy, creating a sensation in all shows. 709 SCARLET WONDER. Mammoth flowers of clear deep scarlet. One of the most outstanding red varieties. 709 DR. F. E. BENNETT. An outstanding Gladiolus. Gorgeous peach-red overlaid with flame scarlet. Throat stippled with ruby and white. Tall spike with many well placed blooms open at one time. 709 GOLDEN DREAM. The richest, clearest, pure golden yellow yet introduced. Large flowers, with gracefully recurved petals, well placed on tall, straight stems. Very distinct and beautiful variety. 709 APRICOT GLOW. A clear warm apricot. Very vigorous. Flowers open wide and well spaced. 710 Very piesers open wide and well spaced. 711 Spaced. 712 APRICOT GLOW. A clear warm apricot. Very vigorous. Flowers open wide and well spaced. 713 CARNGE QUEEN. A large flowered primulimus, very deserving of its popularity. A clear glowing orange. 714 Tall strong growing variety. 715 CHARLES DICKENS. A deep rich shade of royal purple with a deeper color in the throat. Tall vigorous growing plant. 716 AVE MARIA. Light violet blue with deeper throat. 717 PICARDY. A most sensational flower of delicate apricot-pink. Flowers extremely large, slightly ruffled and of heavy wax-like substance. 718 MRS. VAN KONYENBURG. The best blue Gladiolus to date. Tall, elegant spike. 719 COMMANDER KOEHL. Huge, wide open blooms of brilliant, dark scarlet, almost black, no markings or blotches. Heavy substance. Vigorous. 719 Som Mariant State of the process of tally describe this beauty. Very tall and stately. 720 Som Som Som Som Som Som Som Som So		965	MRS. P. W. SISSON. Immense, ruffled, soft pink.				
portion of the property of the		966	GIANT NYMPH. Extra large flowers of exquisite rose-pink with pale gold throats. Vigorous grower and				
variety, bearing flowers on large strong spikes		967	DR. NELSON SHOOK. Tyrian rose. Fascinating brilliant American Beauty shade. A most distinctive				
spikes. Very showy, creating a sensation in all shows25 .50 .85 5.25 .59 SCARLET WONDER. Mammoth flowers of clear deep scarlet. One of the most outstanding red varieties20 .35 .60 3.50 .50 DR. F. E. BENNETT. An outstanding Gladiolus. Gorgeous peach-red overlaid with flame scarlet. Throat stippled with ruby and white. Tall spike with many well placed blooms open at one time		968	variety, bearing flowers on large strong spikes PAUL PFITZER. Brilliant sparkling wine-red. Vigorous	. 20	.35	.60 3.5	0
970 DR. F. E. BENNETT. An outstanding Gladiolus. Gorgeous peach-red overlaid with flame scarlet. Throat stippled with ruby and white. Tall spike with many well placed blooms open at one time		969	spikes. Very showy, creating a sensation in all shows. SCARLET WONDER. Mammoth flowers of clear	. 25			
many well placed blooms open at one time		970	DR. F. E. BENNETT. An outstanding Gladiolus.		. 35	. 00 3.5	U
Very distinct and beautiful variety		971	many well placed blooms open at one time GOLDEN DREAM. The richest, clearest, pure golden yellow yet introduced. Large flowers, with gracefully	. 20	.35	.60 3.5	50
vigorous. Flowers open wide and well spaced		972	Very distinct and beautiful variety	. 15	. 25	.45 2.9	5
Tall strong growing variety			vigorous. Flowers open wide and well spaced ORANGE QUEEN. A large flowered primulimus, very	. 15	. 25	$\begin{vmatrix} .45 \end{vmatrix} 3.0$	00
flowers open at one time		974	Tall strong growing variety		.35	.60 3.5	60
976 AVE MARIA. Light violet blue with deeper throat. Very pleasing color and strong grower		975	flowers open at one time	.25			
977 PICARDY. A most sensational flower of delicate apricot-pink. Flowers extremely large, slightly ruffled and of heavy wax-like substance		976	AVE MARIA. Light violet blue with deeper throat.				
and of heavy wax-like substance		977	PICARDY. A most sensational flower of delicate apricot-pink. Flowers extremely large, slightly ruffled				
979 COMMANDER KOEHL. Huge, wide open blooms of brilliant, dark scarlet, almost black, no markings or blotches. Heavy substance. Vigorous		978	and of heavy wax-like substance	.25	1		
981 MOTHER MACHREE. A most beautiful blending of suffused violet, salmon pink and cream does not fully describe this beauty. Very tall and stately		979	COMMANDER KOEHL. Huge, wide open blooms of brilliant, dark scarlet, almost black, no markings or				
		981	MOTHER MACHREE. A most beautiful blending of suffused violet, salmon pink and cream does not fully				
	Ï		SPECIAL GLADIOLUS OFFER	1.30	1.50	.85 5.7	5

SPECIAL GLADIOLUS OFFER
12 Splendid Varieties for 50c Postpaid
One each of the following: Leon Douglas, Los Angeles, Betty Nuthall,
Mrs. P. W. Sisson, Giant Nymph, Golden Dream, Orange Queen, Dr. F.
E. Bennett, Scarlet Wonder, W. H. Phipps, Dr. Nelson Shook, Apricot Glow.

BUCHANAN'S RAINBOW COLLECTION
A Superb Flower Show in your own Garden
Postpaid to you for a \$1.00 Bill
This unsurpassed Gladiola collection includes one bulb of each variety in the 50c collection and also 3 bulbs of each of the following varieties, which gives you more value for your money than any Gladiola collection we have ever offered collection we have ever offered.

Picardy, Minuet, Charles Dickens, Ave Maria.



BUCHANAN'S CANNA BULBS

No other bedding plant will give the same uniform good results in our varied and trying climate. They do well in all sections of the country and stand pre-eminently at the head of the list, succeeding in any sunny position in any kind of soil, but responding quickly to liberal treatment. For best results the beds should be spaded two feet deep and a generous amount of well-decayed manure of any kind thoroughly incorporated, and at all times supplying water freely. Plant in large masses of one color, setting out tubers two feet apart.

			VO 100	apart.
	All Prices on this Page Post Paid	1	Doz.	100
950	CITY OF PORTLAND. A glowing pink, deeper in color than its parent, Mrs. Alfred F. Conard, and the flowers are borne in greater profusion; height, 3½ feet; foliage			
951	KING HUMBERT. A brilliant orange-scarlet, with bright red shadings. Large trusses of blooms, the individual flowers being six inches in diameter. Foliage a rich reddish bronze with lighter shadings. The finest red foliage			
952	YELLOW KING HUMBERT. A green-leaved sport of the popular King Humbert. It has the same habit of growth and free-flowering qualities, but the flowers are bright vellow and lightly spotted with red. This is the	. 15		
953	THE PRESIDENT. Green foliage. Color bright glistening scarlet. The individual florets often measure seven inches across when open. The flowers are borne just high enough above the foliage to show the entire head. Height	. 15	1.00	5.50
954	HUNGARIA—Rose Pink. 4 ft. Strong grower with green foliage and very large, heavy heads of large flowers borne erect on stout shafts well above foliage. Color is rich rose pink. Considered finest pink and it is the best	.15		
955	EUREKA. This variety is the result of many years of careful hybridizing, and is the best white Canna for all purposes. A strong grower, with glossy green foliage	. 15		
956	Height 4½ feet. Buchanan's Collection of Canna Bulbs. One bulb each of six named varieties. 75c	. 15	1.25	6.95
	Mammoth Caladium Bulbs			
	These are particularly fine for center of beds, giving a beautiful effect where Cannas and Scarlet Sage are planted on the outside borders. They are only the choicest and most select bulbs, producing the most massive effect with their			
	foliage.	Ea.	3	Doz.
957 958	Extra Large Bulbs		1.25	
959	Small Bulbs	.25		
	Tuberoses			
	One of the most delightfully fragrant and beautiful of the summer-flowering bulbs. By skillful management a succession of flowers may be obtained all the year round. For early flowers they can be started in February or March in the greenhouse or hotbed; and for a succession they can be planted at intervals as late as July. For flowering in the open border, plant about the middle of May, or as soon as			
980	the ground becomes warm. Armstrong's Ever-Blooming. This variety blooms	3	6	Doz.
	year after year, and has a fragrance similar to the "Jasmine"	.20	.30	.50

PREMIER SWEDEX PEAT MOSS

Premier SWEDEX is 25 times finer in texture than our regular Garden Peat which means:

1-It is more readily incorporated with the soil.

2—It is peculiarly adapted to stimulate fine, dense root systems. 3-It works it way quickly into the turf when used as a top

dressing for lawns. -It is especially desirable in pots, seed flats, hot beds, cold frames—and wherever else fine seeds are planted.

Due to special manufacturing facilities we are now able to offer full-size and half-size bales of this extremely fine, freeflowing SWEDEX at only a slight increase in price over regular Premier Garden Peat Moss. Whether you grow plants for pleasure or for profit, you have only to give the SWEDEX or GARDEN GRADE of Premier Peat Moss

a TRIAL to be amazed and delighted with the results.

Post paid—10 lbs., \$1.00; 25 lbs., \$1.95. At Store—10 lbs., 70c; ¹/₄ Bale (about 5 Bu.), \$1.35; ½ Bale, \$2.00; 1 Bale (about 20 Bu.), \$2.95.





Hyacinths

Golden Orange

POMPOM DAHLIAS

The newest "craze" in Dahlias. Miniature form of Ball or Show type. Small, round flowers, less than 2 inches across, borne in greatest profusion. Especially fine for cut flowers and garden decoration. Dwarf, compact, branching plants. Splendid for edging, bordering and bedding. 25c each; 3 for 65c; 12 for \$2.25.

1010—Catherine—Pure yellow.

1011—Sunbeam—Brilliant red.

1012—Snowclad—Glistening white.

1013—Alewine — White, suffused pale mauve.

1014—Dee Dee—Clear lilac.

1006—POMPOM DAHLIA COLLECTION

One tuber of each of the 5 separate colors listed above for only \$1.00, post paid.



City of Trenter

BUCHANAN'S GIANT DAHLIAS

Dahlias ready for shipment about March 1. Order on separate order blank.
All Prices on This Page Post Paid

CULTURE—Plant bulbs in hills 3 feet apart any time after danger of frost. Soil must be fertile or heavy fertilization is necessary. Lay bulbs flat and cover with six inches of soil. Dahlias require a great deal of moisture and clean cultivation.

VIGORO is the ideal Dahlia fertilizer.

982—JERSEY BEAUTY (Decorative)—Flowers of good size and substance on long stems. Exquisite, luminous pink. Excellent cut flower. 25c each; 3 for 65c.

983—MRS. IDE VER WARNER (Decorative)—A refined mauve-pink, beautifully formed. Large blooms carried on long, strong stems. A free, continuous bloomer. 20c each; 3 for 55c.

984—SNOWDRIFT (Decorative)—Giant pure white. Good habits. 25c each; 3 for 65c.

985—JANE COWL (Decorative)—Considered the finest Dahlia introduced to date. The huge, bold flowers are a blend of bronze buff and salmon shades. Of strong, vigorous growth. 35c each; 3 for 75c.

986—CITY OF TRENTON (Decorative)—An autumn colored Dahlia defying adequate description. The face of petals a rich, glowing tangerine; reverse, crushed strawberry red. The petals curl gracefully, giving a two-toned effect. A large exhibition bloom which can be grown to 12 inches in diameter. 60c each; 3 for \$1.50.

987—FORT MONMOUTH (Decorative)—A rich crimson maroon with a hue of bluish violet at tips of petals. The flowers are well formed, full centered and of immense size. 50c each; 3 for \$1.25.

987A—PRIDE OF CALIFORNIA (Decorative)—Mammoth, rich American Beauty red. Vigorous, tall grower. 25c each; 3 for 65c.

988—KATHLEEN NORRIS (Decorative)—A true rose-pink—a bloom of gigantic proportions, petals broad and overlapping with twisted ends; full, tight center. 50c each; 3 for \$1.25.

989—JERSEY'S BEACON (Decorative)—The color is Chinese scarlet with a paler reverse, giving a two-toned effect. Flowers are very large and globular in form. It is a prolific bloomer and vigorous grower. 30c each; 3 for 80c.

990—QUEEN OF GARDEN BEAUTIFUL (Decorative)—Large, massive flowers on strong, erect stems. The color is a rich, deep yellow of unusual appeal. 50c each; 3 for \$1.25.

990A—KING MIDAS (Decorative)—The greatest of all yellow Dahlias. The color is a wonderful, pure, golden yellow, the flowers gigantic, deep, perfectly formed, and terminate on long, stiff, straight stems. A continuous prize winner. 60c each; 3 for \$1.50.

1000—THOS. A. EDISON (Decorative)—Dark purple with the sheen of velvet. A strong, vigorous grower of medium height. Free bloomer. 65c each; 3 for \$1.75.

1001—KENTUCKY (Decorative)—A brilliant salmon-orange shading to grenadine-pink on outer petals. A thrifty grower and prolific bloomer under all weather conditions. 35c each; 3 for 75c.

1002—GENOVEVA (Cactus)—Clear, pure, exquisite yellow. 25c each; 3 for 65c. 1003—COUNTISS OF LONSDALE (Cactus)—A delicate apricot shading toward the edges of the petals to carmine pink. 25c each; 3 for 65c.

1004—MAUDE ADAMS (Show)—A pure snowy white, very effectively overlaid clear delicate pink. 25c each; 3 for 65c.

1005—GOLDEN ORANGE (Show)—An appealing variety with fine, well-rounded blooms of a beautiful rich deep golden yellow. 65c each; 3 for \$1.60.

BUCHANAN'S DAHLIAS—Un-named Varieties

991—WHITE 992—RED 993—PURPLE 994—SALMON 995—YELLOW 996—PINK 997—STRIPED 998—ORANGE

15c Each; 3 for 40c; 12 for \$1.50

1007—SPECIAL DAHLIA OFFER

One each Jersey Beauty, Ide ver Warner, Fort Monmouth, Jane Cowl, Maude Adams, Countiss of Lonsdale, for \$1.35, Post Paid.

Our imported bulbs—Hyacinths, Tulips, Peonies, Narcissus, Freesia and Crocus—reach us from Holland about September 1st each year and at that time we are ready with a price list on same. Write if interested.


for 95c, Post Paid.

999—BUCHANAN'S

DAHLIA COLLECTION

One bulb each of eight separate colors, unnamed varieties,

BUCHANAN'S FRUIT TREES, GRAPES AND BERRY PLANTS



Pruning Fruit Trees

Pruning or trimming fruit trees is Pruning or trimming fruit trees is intended to shape them for earliest and best bearing over the longest period, to improve fruit quality, and prevent disease. Wrong pruning of young trees delays bearing, and in older trees may leave the tops too dense or too open.

Pruning is done at any convenient time from December 1st until spring growth begins, except during freezing weather. Spraying in winter will be easier if the pruning has been done first.

Prevents Stripping

inches, if branches below this point are rightly distributed and have strong buds. Three to five of these branches are selected, the others pruned close to the trunk. The selected ones are cut back to two or three buds. Two-year-old nursery trees with branches starting not over three feet from the ground should not be cut below this point.

We wish an open center; hence during the winter following the first year's growth we remove new branches that run to the center. The principal side limbs chosen the first year are retained, but cut back to 24-30 inches. Suckers from the root or from the lower trunk are removed.

removed. The trees may bear a little fruit during the next summer. Study the trees to distinguish between fruit and leaf buds. Leave a dozen or more 15-18 inch shoots with fruit buds, whether they are in the center of the tree or not. Prune out large limbs running to the center. Head back to lateral shoots the principal out limbs, especially those that are greatly outgrowing the others.

By the third year peach trees will vary so much in size and condition

that directions for pruning are of little value. After trees reach heavy bearing, less pruning is needed, because they grow more slowly.

that directions for pruning are of little value. After trees reach heavy bearing, less pruning is needed, because they grow more slowly.

APPLES—Apple varieties vary greatly in shape of tree and habit of growth, and we can not adopt exactly the same plan of pruning for all of them. In contrast to the peach, however, we do not aim to work an open center, but toward a leader from which at intervals strong side branches spring. In unpruned trees this leader may run up 25 feet, but we intend to stop it at 8 or 10 feet. In order to force side branches from this leader, we prune it back a little each year, but always leave it longer than any of its competitors. Generally we wish the first side branches on an apple tree to start out around 24 to 30 inches from the ground level. Five or more may be retained in the young tree, if they are well distributed around and up and down the trunk.

For the first few years we aim to cut out crossing and rubbing limbs, keep the central leader ahead of the other shoots, correct bad crotches. Pruning of old apple trees that are healthy is chiefly a thinning out of dense growths. Care must be taken in this work that bark of large limbs is not exposed to full sunlight, as it may then be badly injured by sunburn, which kills and loosens the bark.

PEARS—Pear trees are pruned much like apples. The commonest variety, Kieffer, should not be thinned out excessively in its early years.

CHERRY—The sour cherry is handled more like the peach. They are not kept as open in the center as the peach, but it is important that they be thinned out so that sunshine reaches all parts.

PLUMS—Some plums naturally make spreading, open-centered trees. It is important to get the head started high enough that the ground can be worked under the limbs. Some varieties need some thinning, while others need heading back, but at maturity little except thinning out is required during the annual pruning.

Pruning of any kind dwarfs a tree, and in the case of young trees delays bearing. When cutting off a side branc

A good large-bladed, large-handled sharp knife, a narrow and pointed, rather fine-toothed saw and a pair of shears are the essential pruning tools. See page 75 for Pruning Tools.

TREES OR PLA	ANTS TO ACRE	DISTANCES FOR PLANTING			
Apart each way	Apart each way		Feet		
4 feet 2,729	15 feet 200 18 feet 135	Apples30 to 40 Pears20 to 30	Figs15 to 18 Currants 3 to 4		
5 feet1,742	20 feet 110	Peaches 16 to 20	Gooseberries 3 to 4		
6 feet1,200	25 feet 70	Cherries 18 to 20	Raspberries 3 to 4		
8 feet 680	30 feet 50	Plums 16 to 20	Blackberries 5 to 7		
10 feet 430		Grapes 8 to 10	Straw-		
12 feet 325	50 feet 17	Muscadine 10 to 25	berries 3½ by 1½		
			Pecans 60 by 60		

APPLE TREES

All Prices on This Page Prepaid

FIRST CLASS-3 to 4 feet: Each, 45c; 5 for \$2.00; 10 for \$3.60; 25 for \$8.30. ORCHARD SIZE-2 to 3 feet: Each, 35c; 5 for \$1.60; 10 for \$2.80; 25 for \$6.50. Early Harvest-May and June. Medium size; pale yellow; slightly acid; good quality. Ripens at a season when no other Apple is in.

Yellow Transparent—One of the best early market Apples, of medium size;

skin yellow; flesh crisp and sub-acid; almost immune to blight.

Red June—Early. Medium size; dark red; white flesh; juicy, sub-acid; ripens over a long period; bears well and is a heavy cropper.

Yellow Horse—Late summer. Large size; yellow, slightly red where exposed to sunshine. One of the best cooking Apples; fills in between seasons. Grimes Golden-Early winter. Large; golden yellow; of high quality. Tree vigorous; a heavy bearer.

Yellow Delicious—Early fall. Medium size. Splendid keeping qualities and

the excellent flavor of red Delicious. Prolific bearer.

Delicious-Late fall. Fruit large, dark red, fine grained flesh, crisp and juicy and of high quality. A splendid shipper and prolific bearer.

Stayman Winesap-Winter. Larger and more prolific than the old Winesap. Rich, dark red; firm; fine grained and juicy; adapted to a wide range of soils and climates.

Winesap-Winter. Medium size; dark red; good quality; keeps well. Tree is a hardy grower and good bearer. A popular variety and well liked.

Yates-Winter. Small; yellow with dark red stripes. Because of its sure and heavy crops, has proven one of the most desirable Southern sorts.

PEACH TREES

FIRST CLASS-3 to 4 feet: Each, 40c; 5 for \$1.70; 10 for \$3.00; 25 for \$7.00. ORCHARD SIZE—2 to 3 feet: Each, 30c; 5 for \$1.40; 10 for \$2.40; 25 for \$5.50. Early Rose (Cling)—Ripens with the earliest; is an extremely free bearer and comes into bearing young. Fruit is roundish, medium to large size.

Arp Beauty (Free)—Medium size; yellow, mottled with bright crimson; flesh is of rich yellow color and is really of very good quality for an early Peach. Carman (Free)-Large; creamy white with deep blush; fine flavor; hardy in production; a good shipper, strong grower, and early bearer.


Indian Cling or Blood Cling-An old-time favorite wherever planted, and

grows to a large size; dark red flesh; a deep red; highly flavored.

J. H. Hale (Free)—Larger than Elberta; ripens several days later; superior to Elberta in flavor; a beautiful golden yellow with deep carmine blush.

Heath Cling (White Heath, Cling)—Skin and flesh white, tinged with red; tender, juicy, and of high flavor. A wonderful Peach for canning and pickling. Hiley (Early Belle)—One of the best early shippers; large, white with bright red cheek. One of the most profitable sorts.





Belle of Georgia (Free)-Very large; white with red cheek; firm and of excellent flavor.

Early Elberta (Free)-Very large; flesh yellow. Elberta (Free)-A standard by which all other varieties are judged; very large; yellow with red cheek; flesh yellow, firm, juicy, of high quality.

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE.



Fredonia Grape **APRICOTS**

APRICOTS-3 to 4 feet: Each, 55c; 5 for \$2.40;

Early Golden — Small; pale orange - yellow; juicy and sweet; highly flavored.

Royal—A standard variety; medium to large; pale yellow, with orange cheek; very desirable and equally valuable for canning or drying.

PLUMS

PLUMS-3 to 4 feet: Each, 55c; 5 for \$2.40; 10 for \$4.40; 25 for \$10.50.


Abundance (Japanese)—Medium to large; color bright red and overlaying a yellow ground; cling. Tree strong, thrifty, an upright grower and an early and prolific bearer.

Burbank (Japanese)-Large; mottled red and yellow; good quality; cling. Tree a strong, straggling grower and immense bearer.

Red June (Japanese)—Medium to large; deep red; handsome bloom; very showy; quality good; good shipper; ripens a week earlier than Abun-

Wild Goose-One of the best known of all the Plums; large, deep red when ripe, good quality, very juicy. One of the best native varieties, ripening earlier than the Japanese sorts.

Shropshire Damson-Medium size; dark purple flesh; grown largely for preserving purposes. Probably the best preserving Plum.



Stuart Pecans

BUCHANAN'S GRAPE VINES

All Prices on This Page Are Prepaid

Fredonia-The new, outstanding early black Grape. Fredonia is the earliest good black Grape. The vine is vigorous and productive and ripens its fruit three weeks earlier than Concord. The clusters are medium in size, cylindrical and very compact; berries large, round, and hang well to the bunch; the skin is thick and tough; the flesh is juicy, solid, but tender, and the quality is very good. Fredonia stands alone as an early, heavy fruiting black Grape. Plant Fredonia this year and grow your own table grapes. We have never seen its equal. As soon as plants are more plentiful, Fredonia will be widely planted for market as it has three weeks the lead in ripening. Supply limited this season—order early. Price, Post Paid—Each, 25c; 10, \$2.00; 25, \$4.25; 50, \$7.50.

ONE-YEAR VINES—Each, 20c; 10, \$1.75; 25, \$3.25; 50, \$6.00. TWO-YEAR VINES—Each, 25c; 10, \$2.00; 25, \$4.25; 50, \$7.50.

Concord-Fruit dark purple, nearly black; extra large and very sweet. One of the best known and most popular.

Delaware—Fruit red, rather small, juicy and sweet; the best table variety. Diamond—Fruit of a greenish white color; very large, sweet, and of good quality. Vine perfectly hardy and a good bearer.

Moore's (Moore's Early)—A highly desirable early black variety; ripens about two weeks ahead of Concord.

Niagara—One of the most valuable white Grapes. Bunch and berry large; ripens with Concord. Fruit very tender, sweet, and juicy.

Lutie—A true Southern variety. Fruit large, brownish red, delicious flavor.

SCUPPERNONGS

The Scuppernong or Muscadine type Grape is distinctly Southern. The vines are not hardy very far north, but do wonderfully well all over the South. The fruit is not borne in bunches as are other Grapes, but are produced in clusters. TWO-YEAR VINES—Each, 60c; 5, \$2.65; 10, \$5.50; post paid.

Scuppernong-Very large, bronze colored fruit; flesh very sweet; grown in clusters, not in bunches.

James-Large; fruit of a delicate flavor, and is borne in large clusters. A strong growing, black Scuppernong.

Thomas-Medium size, round, dark, fine color. Highest in sugar content.

PEARS

2 to 3 feet—Each, 50c; 5, \$2.20; 10, \$4.00; 25, \$9.50. 3 to 4 feet—Each, 60c; 5, \$2.60; 10, \$4.80; 25, \$11.50.

Bartlett-Probably the most popular of all Pears. Large, juicy, yellow, sweet, and of high value for marketing or canning.

Kieffer-A money maker on account of its remarkably vigorous growth and early productiveness, its extraordinary size, splendid keeping and shipping qualities; excellent for canning and preserving.

Pineapple—Practically blight-proof; a strong, vigorous grower and remarkably productive here in the South.

Seckel-Fruit medium in size, russet-brown, with a very sweet flavor. The finest flavored of all Pears; valuable for the home orchard.

PECANS

In arranging a home orchard, we suggest that Pecan trees be planted 60 feet apart each way, with fruit trees in between. In a planting of Pecan trees alone, 40 by 40 feet, or 60 by 60 feet, depending upon the quality of the soil.

2 to 3 feet—Each, \$1.00; 5, \$4.80; 10, \$9.00. 3 to 4 feet—Each, \$1.25; 5, \$6.00; 10, \$11.00.

Schley-Thrifty, strong grower. Nut rather long, well filled; very thin shell. Frotscher-Medium to large size; nut rather long, tapering, slightly plump; rich meat. Tree very hardy and strong grower.

Stuart-Probably the best known and most valuable of all the Pecans. Extremely hardy and strong grower. Nuts of good size. We think this is the best Pecan grown; have sold these nuts for 15 years; made shipments to all parts of the world. If you have Stuart Pecans for sale, send samples.

CHERRIES

2 to 3 feet—Each, 50c; 5, \$2.20; 10, \$4.00; 25, \$9.50. 3 to 4 feet—Each, 60c; 5, \$2.70; 10, \$4.50; 25, \$10.75.

Black Tartarian (Sweet)—Of large size, heart-shaped; purplish black; flesh tender, juicy, and of fine quality. Tree an erect, beautiful grower and heavy bearer.

Governor Wood (Sweet)-Light yellow, extremely sweet, juicy, and of rich flavor. Tree vigorous and productive.

Large Montmorency (Sour)—One of the best flavored Cherries in its class; larger and finer than Early Richmond and ripens ten days later. Tree of rapid growth and a heavy bearer.

Early Richmond (Sour)—Extra early; bright red, very valuable for canning.

Tree extremely hardy and productive. The earliest pie Cherry available.

BUCHANAN'S FIG BUSHES

Should be planted on every farm and on every town lot as they do exceptionally well in every Southern State. Figs are one of the most healthful fruits.

Prices-1½ to 2 feet: Each, 45c; 5, \$2.20; 10, \$4.00. 2 to 3 feet: Each, 60c; 5, \$2.70 Brown Turkey-Fruit medium to large, pear-shaped, coppery brown skin with white or yellowish tinted flesh.

Celestial-Small, violet colored. Very prolific, sweet and of excellent quality.

BUCHANAN'S LATHAM RED RASPBERRIES

All Prices on This Page Prepaid

Set red raspberry plants 5 feet apart each way. Plant 2 or 3 inches deeper than they were in the nursery. Cut back all stems as soon as planted to within 6 or 8 inches of the ground. Cultivate well between the rows to destroy weeds at each hill. Drive a stake at each hill and tie up the canes. After fruiting, cut out old canes and burn, leaving 5 to 6 vigorous new ones to grow for fruiting the following year. In the spring, cut off the top 12 inches or possibly more of the previous season's growth to strong, well-ripened wood.

Prices—10, 75c; 25, \$1.75; 50, \$3.00; 100, \$5.00.

Prices (2 varieties below)—10, 50c; 25, \$1.10; 50, \$1.95; 100, \$3.75.

St. Regis—Sometimes called "Everbearing." Usually produces a good crop in the spring and a second crop in the fall. Berries bright crimson, large, have strong raspberry flavor; very prolific.

Kansas-The most desirable of the Black Raspberries for planting in the South. The plant is a strong grower, the fruit large, round, firm, and of handsome appearance. Stands shipping well.

BLACKBERRIES

Blackberries should be planted in rows 6 feet apart, with the plants about 3 feet apart in the row. They should be frequently cultivated during the period when they are making their growth.

Prices—10, 50c; 25, \$1.10; 50, \$1.95; 100, \$3.75 Early Harvest—Ripens 10 days to 2 weeks earlier than any other Blackberry; very productive and a good shipper. Fruit is of good size

and excellent quality. El Dorado-Berries very large, reddish black, very sweet.

DEWBERRIES

Plant in rows 6 to 8 feet apart, setting the plants 3 feet apart in the row. After crop is harvested, cut and burn old canes.

Prices-10, 50c; 25, \$1.10; 50, \$1.95; 100, \$3.75

Austin—Very large fruit, of high quality and good flavor.

Lucretia—Fruit is of unusually large size, soft and sweet. Early.



BUCHANAN'S SOUTHERN GROWN STRAWBERRY PLANTS

Set in rows 3½ feet apart, 15 inches in rows, for field culture; 15 inches each way for garden. Cultivate clean, mulch late in the fall. Remove mulch after fruiting and spade in light dressing of manure. About an acre

New Southland-In many communities of the South we believe Southland offers an opportunity not only to enjoy better strawberries than ever before at home, but to start also a profitable business supplying fancy, large, high quality berries to the markets in Southern towns and cities.

Blakemore-Early-Solid-Productive-A Great Shipping Berry. It is a recent introduction by the U.S. Department of Agriculture. A seedling of Missionary and Premier. It is primarily a long distance Southern shipping berry, but has done well as far north as Southern New Jersey and Southern Pennsylvania.

Progressive—Everbearing—best buy grown; bears all summer up to frost.

Fairfax—Berries bright red, conical shaped. It unfailingly attracts the eye. Very firm and an excellent shipping berry.

Dorsett-Vigorous plant growth, firm, rich red berries of tasty dessert quality, high yielder and

a sure cropper.

New Southland-Home Garden or home market, large, early berry, not best for shipping. Klondyke-The old standard shipping variety, set more than any other, because of its keeping quality.

Aroma-Large berry, bright red-fine for long distance shipping, attractive to the eye.

Prices-Klondyke, Aroma, Blakemore, Gandy: Prices-Progressive Everbearing, New Southland, Dorsett, Fairfax:

		Idild, 2 olbott, 1 dillion	
	Post Pai	d	Post Paid
100	. \$1.10	100	\$1.50
300	2.00	300	3.50
500	2.50	500	4.50
1,000	3.75	1,000	7.00

Strawberry Plant

FLOWERING SHRUBS

All strong 2-year plants. Each, 40c; 3 for \$1.10; 6 for \$2.00

ABELIA—Foliage small, dark green; flowers pinkish-white.
ALMOND—Rose-like flowers of pink or white.
ALTHEA—White, red, blue or purple.
JAPANESE BARBERRY—Foliage turns red and bronze in the fall.
Red berries.
REAUTY PUSH

Red berries.

BEAUTY BUSH—Flowers deep pink.

BUTTERFLY BUSH—Lilac colored flowers.

CALYCANTHUS—Chocolate colored flowers.

CREPE MYRTLE—White, red, pink or purple.

DEUTZIA, PRIDE OF ROCHESTER—Double white flowers, tinted pink.

FORSYTHIA—Golden yellow bell shaped flowers.

HONEYSUCKLE, JAPANESE BUSH—White flowers in early spring, followed by red berries.

HYDRANGEA, A. G.—Large white flowers in early spring.

HYDRANGEA, P. G.—Pure white flowers borne in large panicles.

JASMINE, NAKED FLOWERING—Bright green, yellow flowers in spring.

spring.

LILAC—Purple or white.

SNOWBALL, COMMON—Large ball-like flowers of pure white.

SPIREA, DWARF WHITE—White flowers borne in flat clusters.

SPIREA, PINK—Dwarf habit of growth, pink flowers.

SPIREA, CRIMSON—Dwarf shrub with crimson flowers.
SPIREA, BRIDAL WREATH—White flowers on graceful branches.
SPIREA, BLUE—Dwarf shrub, blue flowers in mid-summer.
SPIREA, VAN HOUTTE—Very popular. Profusion of white flowers.
SNOWBERRY—Small shrub, arching branches. White flowers followed by clusters of white berries.
WEIGELA, CANDIDA—White bell-shaped flowers in early spring.
WEIGELA, EVA RATHKE—Dwarf shrub with red flowers.
WEIGELA, ROSEA—Deep pink flowers on drooping branches.
WEIGELA, VARIEGATA—Pinkish-white flowers, foliage variegated green and white.

HARDY CLIMBING VINES

VIRGINIA	CREEPER	Each,	40c;	3 for	\$1.00
WISTERIA		Each,	40c;	3 for	\$1.00
CLEMATIS	JACKMANI—Purple	Each,	40c;	3 for	\$1.00
CLEMATIS	HENRY I-White, large	Each,	80c;	3 for	\$2.00
CLEMATIS	PANICULATA—Sweet scented	Each,	40c;	3 for	\$1.00
BOSTON I	VY	Each.	40c;	3 for	\$1.00
				~	

ORNAMENTAL AND SHADE TREES

SILVER MAPLE—3 to 4 ftEach,	80c;	3	for	\$2.20
SUGAR MAPLE—3 to 4 ft	90c;	3	for	\$2.40
LOMBARDY POPLAR—3 to 4 ft	60c;	3	for	\$1.60
FLOWERING PEACH—Red, white or pink Each,	40c:	3	for	\$1.10





Weighing Cotton for Pickers on a Southern Cotton Plantation

THE MOST PROFITABLE COTTON CROP

I have received thousands of letters during my forty years' experience as a seedsman, asking my advice as to what is the best variety of cotton to plant, and I have given this matter much study and thought, and my conclusions are that the farmer selecting a variety to plant should consider first its productive power as regards pounds of lint per acre; second, length of staple; third, quality of lint; and fourth, percentage of lint. The results obtained show that the yield of lint per acre is much more important than percentage of lint or gin turn-out.

I have always advised farmers to grow the variety or varieties of cotton that bring the biggest per-acre returns in dollars and cents. Yield of lint, percentage of lint or gin turn-out and length of staple are all important, and should be considered when selecting a variety of seed to plant. However, let us always select the variety that yields the most profit per acre, regardless of the length of staple, yield of lint per acre, or quality of lint.

I have sold HALF AND HALF cotton seed since it was first introduced more than twenty years ago, have thousands of testimonial letters on file (see page 51) testifying to its value. I have always said that this seed grown in the northern edge of the Cotton Belt will mature 10 to 20 days earlier than cotton grown further south and on medium or upland will yield more dollars and cents to an acre than any cotton grown.

R. B. BUCHANAN.

CLEANING COTTON SEED

A germination test of cotton seed is not a real test for planting seed. Every stalk of cotton bears some poor seed. No matter how prolific, some of the seed are weakling, and may possibly germinate, but will never produce fruit-bearing plants. I have before me a photographic cut showing two stalks of cotton grown four feet apart; one has 105 full sized bolls, and the other has four dwarfed bolls, the difference is due solely to seed which produced this cotton. While seed were of same variety and may have been grown on same stalk, one was fully matured, plump and heavy, while the other was light and of low vitality. Any field of cotton will demonstrate, the above is not THEORY— BUT FACT. Cleaning seed is not to supersede the plant breeder, but to perform an operation for which he has no facilities. Buy seed which have been properly cleaned and graded. If planting your home grown seed, arrange a home made cleaner and separator to take out the locks, bolls and other foreign matter which stops up your planter and causes long skips in your cotton rows -these skips cost the cotton planters of the South thousands of dollars each year. We reclean our cotton seed before shipping to take out the bolls, locks, sand, trash, light seed and wild weed seed. This operation costs us \$3.00 a ton for cleaning and loses about 10% of the seed.

PLANT LESS ACRES WITH PURE BRED SEED



Cotton Baled

Cotton Gin

Tenant Family



. Boll Weevil. 2. Cotton Plant Bug. 3. Pink Boll Worm. SEVEN COTTON INSECT PESTS

- 1. In the United States the boll weevil has in some years caused a loss in the cotton crop of more than \$200,000,000. The insect winters as an adult in sheltered places. The weevils that survive the winter emerge from hibernation over a long period, usually from about March 1 to about July 1, and attack squares and young bolls.
- 2. The cotton plant bug feeds on many kinds of cultivated plants. On cotton it punctures not only leaves and stems, but also squares and young bolls, which fall off as a result.
- 3. The pink boll worm is a destructive pest of cotton and occurs throughout practically all cotton-producing regions of the world except in the United States, where it is found only in limited parts of Texas, New Mexico and Arizona.
- 4. The leaf worm is not known to survive the winter in the United States. In some years the moths enter this country, usually through Texas, and multiply on cotton throughout the growing season, becoming more abundant with each generation, and spreading over the main Cotton Belt until they often reach the Northern States, and even Canada. This is the worm that caused so much destruction to the 1935 Cotton Crop.
- 5. The mite known as the red spider has been one of the most destructive of cotton pests. The first sign of mite attack is a blood-red spot on the upper surface of a leaf; the infested leaves turn red or rusty, dry up, and fall; bolls are shed and plants may die. This injury, often called "rust" by cotton planters, begins about the middle of June and may continue for about three months.
- 6. Wireworms (Beetle)—The worms are especially troublesome because of the fact that they may live in the soil for two and possibly three years before transforming into beetles. These wireworms bore into seeds or eat the roots of young plants, often killing the plants before they have appeared above ground. Affected plants, if not killed, are dwarfed and sickly. Commonly the injury occurs in spots in fields; often there are bare spots where all the young cotton has been killed.
- 7. Cotton Flea Hopper.—The adult hopper is about one-eighth of an inch long, pale greenish or grayish, thickly dotted above with brownish spots, and with two pairs of characteristic black marks near the tip of each wing. The nymphs are green and wingless.
- 8. We hope the above pictures and short descriptions above will help you in identifying these pests when attacking your cotton. For more information on insect pests read pages 66 through 72.

Worm. 5. Red Spider. 6. Wireworm (Beetle). 7. Flea Hopper CONTROLLING COTTON INSECT PESTS

There are more than 20 different varieties of insects that attack the cotton plant, of which the Cotton Boll Weevil, which invaded Texas in 1892, is the most destructive. Today fully 90% of the Cotton Belt of the South is infested. The Federal Bureau of Entomology, after experimenting for more than 25 years, now recommends Calcium Arsenate as being the best and most economical control for the Boll Weevil, Cotton Leaf Worm, Army Worm, and many other insects that attack cotton.

There are four methods of dusting cotton with machines: The hand duster, which is used by one man walking between two rows, who dusts about 5 acres in one night; the one-mule machine, which will dust 15 to 20 acres in one night; the cart machine, drawn by two mules, which will dust about 25 to 30 acres in a single night; and the airplane, which will dust as much in one early morning as 30 cart dusters, or about 600 to 800 acres.

The cut shown below was made from a photo of James D. (Joe) Greer dusting cotton with an airplane. Mr. Greer, a product of Love Field, Dallas, Texas, has been flying since 1921, and dusting cotton since 1927. His experience covers dusting cotton in Peru, where the cotton grows 12 feet high, it never rains, and the entire acreage is irrigated. Prior to going into the cotton dusting business, Greer did barnstorming, exhibition, instruction work, and airline flying, but considers cotton dusting the most hazardous of all civilian flying, owing to the close proximity to the ground and the great speed he must fly in order to properly distribute the poison dust, often flying 3 to 6 feet above the growing cotton.

Mr. Greer is head of the Greer Flying Service, owns five planes, make his home in Memphis, with headquarters at the Municipal Airport. The season for dusting begins very early in the Rio Grande Valley, about May 15, ending in the Northern Cotton Belt about September 16.

During this four months of dusting, these five planes will dust two to three hundred thousand acres of cotton, using many carloads of Grasselli's Calcium Arsenate, which we have been handling for about 15 years.

During the infestation of the Cotton Leaf Worm in 1935, there were three methods used for controlling this worm—Calcium Arsenate, Paris Green, and Arsenate of Lead. Either of these poisons can be used as a powder or liquid spray. The price per acre usually figures about the same; full directions come with each purchase. See pages 66 through 72.

CAUTION—Poisons that will destroy insects are dangerous to humans, pets and livestock; handle accordingly.



James D. (Joe) Greer Piloting Airplane Dusting Cotton with Calcium Arsenate. (Greer upper left.)

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE. BRAND TE



Long Staple-Usually 1 5/32 to 1 5/16 Inches

Prices Cotton Seed See **Yellow Sheet Enclosed** or Write For Prices



Medium Staple-Usually 1 1/16 to 1 5/32 Inches

1156-DELFOS No. 531-Early maturing, quite similar to Missdel No. 4. Both are developments from the original Delfos 6102. It is one of the most prolific bearers ever developed, and one of the most successful cottons under boll weevil conditions. Foliage is light, plant is medium, vigorous and spreading. Bolls 75 to 80 to the pound. Lint percentage 32 to 34. Lint length on valley land 15/32 to 17/32, and on hill land 13/32 to 15/32.

1160-MISSDEL No. 3-This variety has all the good characteristics of the Missdel No. 1. Type, semi-dwarf, light foliage; big boll, 60 to 65 per pound; lint 32% to 34%; 13/16 to 11/4 inches full. Maturity, the earliest of all staples of equal length. Storm resistance good.

1161-MISSDEL No. 4-Type, dwarf and very hardy. The boll is not so large as No. 3, about 70 to 75 to the pound, storm resistance is good, its lint percentage on delta land runs 34 to 36 (better than thirds itself). And on hill land it has run 36% to 39%. Length of staple on delta soil 11/8 to 13/16 inches and in hill land 1 inch to 1 3/32 inches. The picking qualities have been much improved over Delfos 6102 from which it was developed.

1158-ROWDEN 40-Rowden cotton has been known for 25 years, but the strain 40 is a distinct improvement developed at the Cotton Experiment Station in Arkansas. It has a very large round boll, very popular with pickers. Lint outturn averages 35%. Staple 1 1/16 inches. Early maturity, storm resistance good. A prolific yielder, and particularly desirable where cotton wilt is present, as it is highly wilt resistant.

1165-STONEVILLE No. 2-This is a more vigorous and spreading plant than No. 1, but also a very early cotton. Bolls not quite so large but still large. Picks well, and has very good storm resistance. Lint percentage 34% to 36%, and length of staple $1 \frac{1}{32}$ to $1 \frac{3}{32}$ usually.

1166—STONEVILLE No. 3—Very prolific, staple 1 1/32 to 1 1/8, lint turnout 37% to 40%, opens well, picks good, bolls around 65 to 75 to a pound, storm resistance good, open, vigorous stalk. 1162-D. P. L. No. 10-It is earlier than D. P. L. 4-8, more uniform in type, and more productive in the field. Turns out well at the gin, 36% to 38%, and we have heard of 40% turnout. It pulls 1 inch to 1 1/16 inches. Picking qualities are excellent and the storm resistance is extra good. Bolls are large, 65 to 75 to the pound. The plant is vigorous and spreading.

1164-D. P. L. No. 11-The newest strain of them all. Stands right at the top among the inch to inch and sixteenth cottons. Has everything that it takes to make a "winner"—very prolific yield in the field, extra earliness, easy picking qualities, storm resistance, uniform plant, uniform staple, unusual wilt resistance. And in addition, gin outturn averages 42%, sometimes 44% is indicated.

1163-WILSON BIG BOLL-Fruits early, with a strong, wiry staple easy to pick; staple 1 inch to 1 1/16 inches, bringing a premium for quality grade. Big five lock bolls bunched like grapes all over the plant, blooms early, bolls open early, staple in uniform gin turnout 36% to 40% lint. The Wilson Planting Company plants about 20,000 acres of this seed each year.


COTTONSEED MIXING INCREASED BY MODERN GIN EQUIPMENT

The information and cut below were copied from U.S. Department of Agriculture circular No. 205 by W. W. Ballard and C. B. Doyle. You can get one of these circulars by addressing Bureau of Plant Industry, Washington, D. C.

It is generally known that the seed is mixed when one variety of cotton follows another at the public gin, but the extent of the mixture was not appreciated until a method of testing was developed and a careful experiment made at Greenville, Texas, in 1914. The results of that test showed that cottonseed was mixed at the public gins far more than was generally realized and emphasized the necessity for co-operation between the farmers and ginners if supplies of pure seed for planting were to be maintained.

But the test of 1914 does not show the full extent of mixing, which has increased notably in recent years with the wider use of modern gin equipment. The general tendency in the construction of gin plants has been toward more and larger gin stands, in order to make more efficient use of the power and other equipment and to speed up the handling of the seed cotton. These are desirable aims, but the change results incidentally in a further increase in the mixing of seed, which is already a serious menace to the preservation of superior varieties of cotton. Since each gin machine, or "stand," has a roll box in front of its saws, the large ginning establishments increase the extent of the mixing in proportion to the number of gin stands.

This picture and above wording explain why so many of our best farmers buy pure bred cottonseed every two or three years.




Sample of Cottonseed Taken 15 Minutes After Ginning Began, Still Showing 7.4 Per Cent of Dyed Seed from the Seed Roll Left Over from Preceding Bales. From Saunders' Experiment in 1914. Read Cottonseed Mixing Above.

BUCHANAN'S HALF AND HALF COTTON SEED

1152-HALF AND HALF (Type)-So named as it produces nearly 50% lint and 50% seed; most growers claim a turnout of 42% to 48% lint. Grown by farmers along the northern edge of the Cotton Belt in Tennessee where practically all cotton grown is of the Half and Half variety. It is a short staple cotton, producing a staple of 3/4 to 1 1/32 inches, it requires 1,050 pounds to 1,350 pounds to produce a 500-pound bale. Our records show that we first sold this seed in 1913. We make no extravagant claims about breeding this cotton (as we are not seed breeders), or that it is ginned on a private gin; we do claim that after selling this seed for more than 20 years, that being grown along the northern edge of the Cotton Belt will mature 10 to 15 days earlier than cottons grown farther south. Since cotton spinners have adjusted their machinery to spin short cotton, because they can buy it for less and make more profit, we contend that it will produce more money on poor or medium upland than any cotton. The yield per acre, length of staple and the turnout at the gin of any cotton will largely depend on the season, the nature of soil, the manner of handling and ginning, and the unknown laws of nature. Read the letters below, a few of the hundreds we have received during a period of more than 20 years selling this seed.

Price—100 lbs., \$4.50; 500 lbs., \$21.00; 1,000 lbs., \$41.00; ton, \$75.00



Mr. T. D. Brantley, Eupora, Miss., writes: Planted your Half and Half cotton on light loam soil, used 1,000 pounds 4-8-4 fertilizer, began picking September 10th. Yield 400 pounds seed cotton to acre, 960 pounds seed cotton ginned 416-pound bales.

Mr. Luther Franks, Jr., Leoma, Tenn., writes: Planted your Half and Half last week in April on ridge land; used 200 pounds Royster fertilizer to acre. Began picking middle of September, produced about 700 pounds seed cotton to an acre; 1,235 pounds ginned 502-pound bale, sold for same price as other cottons raised in my neighborhood.

Mr. Charles Friddell, Big Springs, Tenn., writes: Planted your Half and Half May 10th on pasture land, used 125 pounds 16% fertilizer to acre, 2,970 pounds seed cotton ginned 1 bale 600 pounds and 1 bale 485 pounds. Sold for 12%, same as others.

Mr. Owin Carter, Aplin, Ark., writes: Planted your Half and Half April 22nd on high sandy land, no fertilizer. Began picking August 19th. Yield about 250 pounds to acre, this was bad year; 1,300 pounds made bale 500 pounds. It brought 13½ cents.

Mr. Woodron Manor, Caraway, Ark., writes: Planted your Half and Half about May 1st on rich, sandy loam, did not use fertilizer. Began picking August 15th, produced 1,560 pounds to an acre, and some in the field yet (October 3, 1934). 1,300 pounds produced 500-pound bale; on account of dry weather lost top crop.

Mr. B. L. Joiner, Perry, S. C., writes: Planted your Half and Half about April 15th on clay land; used 400 pounds 8-3-3 fertilizer to an acre. Began picking last of August, gathered 1,000 pounds to an acre; it took 1,200 pounds seed cotton to produce a 500-pound bale. Sold for ¼ cent a pound less than 1½-inch staple cotton.

Mr. Floyd Maxwell, Pottsville, Ark., writes: Planted your Half and Half May 1st on fairly good upland, did not use fertilizer. Began picking about August 20th, picked about 144½ pounds to an acre. I got excellent stand and the cotton did fine until the drouth began. Sold for same price as other cottons in my neighborhood.

Mrs. Anna L. Shell, Blackton, Ark., writes: Planted Your Half and Half about April 15th, on about one-half bale acre land, no fertilizer. Began picking about August 20th (10 days early), the yield 325 pounds to acre, about 1,450 pounds turned out 500 bale. Sold for about the same as other cottons, 13c to 13½c a pound.

Mr. J. C. Cameron, Mena, Ark., writes: Planted your Half and Half about May 1st on red hill land, used 100 pounds 16% phosphate to an acre. Began picking September 1st, gathered 400 lbs to an acre; it took 1,400 pounds to make 500 pound bale. Sold for same price as other cottons in my neighborhood. We cannot judge the seed by this year's crop as we didn't get enough rain to raise anything here, however, I have the best cotton in this part of the country.

Mr. R. S. Ashley, Amory, Miss., writes: Planted your Half and Half about April 7th on grey, sandy land, used about 400 pounds 4-8-4 fertilizer to acre. Began picking about August 1st, the yield was about 1,500 pounds seed cotton to an acre and it took about 1,400 pounds to make a 500 pound bale on account of dry weather. Got same price as others pooled to government.

Mr. J. S. Moore, Rison, Ark., writes: Planted your Half and Half April 25th on hill land, used 100 pounds 4-8-4 to an acre. Began picking August 20th. On account of drouth made only 200 pounds seed cotton to an acre, last year made 600 pounds. It took 1,250 pounds to make 500 pound bale. Sold for same price as other hill cottons.

Mr. Henry Lynch, Providence, La., writes: Planted your Half and Half April 13th on low sandy upland; used small quantity stable manure. Began picking about August 15th, yield 550 pounds seed cotton to acre, 1,400 pounds made 507 pound bale. Sold for same as other cotton.



Short Staple-Usually 7/8 to 1 1/32

BAYER--CERESAN FOR COTTON

"2% Ceresan Is Recommended for Treating Cotton Seed."
—Georgia Exp. Sta. Bulletin 170

Better stands—larger yields from 2% Ceresan treated seed produced this recommendation. 2% Ceresan prevents early-planted seed from rotting in cold, wet soil, reduces damping-off or sore shin, insures a more uniform stand and increases yields of seed cotton up to 426 pounds an acre. Plant one-fourth less treated seed. Saving in seed and replanting expense more than pays for 2% Ceresan's small cost. Easily and quickly dusted on the seed at the rate of 3 ounces a bushel. See page 65, also Yellow Price List enclosed, or write for special booklet.

TESTIMONIAL LETTERS—1935 CROP

Mr. G. W. Armstrong, Walnut, Miss., writes: Planted your Half and Half about April 1st on ridge land, no fertilizer. Began picking September 5th, yield 800 pounds seed cotton to acre. Took 1,100 pounds to produce 500 pound bale, sold for 10.90, longer staple brought 11.25. Well pleased, 500 pound bale out of 1,100 pounds seed cotton, makes more to acre than any other cotton.

Mr. B. S. Merrill, Olive Branch, Miss., writes: Planted your Half and Half April 20th to May 20th on some thin land and some bottom land, no fertilizer. Began picking September 10th, hill land yield 260 pounds, bottom land much more. It took 1,190 pounds to make 500 pound bale. Received 11.26 per pound.

Rev. W. H. Paine, Olive Branch, Miss., writes: Planted your Half and Half April 24th on very thin hill land, no fertilizer. Began picking last of August, on two acres got 1,035 pounds; got 1 bale, weight 405 pounds. Sold for 11¼, same price as other cottons. Well pleased with the turnout, will be in for same seed next spring.

Mr. J. H. Harvington, Walls, Miss., writes: Planted your Half and Half May 1st on thin hill land (ordinary), no fertilizer. Began picking September 1st, made 750 pounds seed cotton to acre (very little rain). 1,100 pounds seed cotton made 500 pound bale, it sold for about 1c less than staple cotton.

Mr. L. L. Woods, Byhalia, Miss., writes: Planted your Half and Half May 5th on medium creek bottom land, no fertilizer. Began picking September 1st; yield 1,200 pounds to an acre; took 1,100 pounds to make 500 pound bale. Sold for 11½ a pound while Delfos brought 11.50.

Mr. D. T. Hankens, Benton, Ark., writes: Planted your Half and Half May 1st on upland, used barnyard fertilizer. Began picking about September 15th; yield about 1,000 pounds to an acre (looked fine until it quit raining). About 1,150 pounds ginned 500 pound bale, brought same price as the rest; there is no difference in price of cotton here.

Mr. J. Plent Bingham, Arlington, Tenn., writes: Planted your Half and Half in April on very poor land, no fertilizer. Began picking last of August, yield about 350 pounds to acre, took 1,200 to 1,300 pounds to produce 500 pound bale. Sold about same price as others. Owing to poor land, long drouth, cotton did not have a chance to do what it should have done

Mr. S. E. Holmes, Memphis, Tenn., writes: Planted your Half and Half May 27th on bottom land, no fertilizer. Began picking September 20th; grew ten 500 pound bales on 16 acres. It took about 1,250 pounds to produce a 500 pound bale.

Mr. J. C. Buckley, Oak Grove, La., writes: Planted your Half and Half April 10th on light sandy soil, no fertilizer. Began picking third week in August; picked 5 bales on 6½ acres; it took 1,200 to 1,250 pounds, made from 500 to 558 pound bales. Sold for same price as other cottons.


Mr. Wm. H. Read, Barland, Miss., writes: Planted your Half and Half on April 22nd, on hill land, no fertilizer. Began picking September 1st; on 5½ acres picked 4,710 pounds seed cotton. It took 1,260 pounds to make 500 pound bale; sold for 11 cents, same price as other cottons.

Moore and Ellison, Oil Trough, Ark., writes: Planted your Half and Half April 29th on hill land, no fertilizer. Began picking September 10th, produced 400 pounds seed cotton an acre, took 1,280 pounds to make a 500 pound bale. Sold about 1/4 cent less than other cottons.


Mr. J. D. Kealhoper, Durant, Miss., writes: Planted your Half and Half about April 20th on sandy hill land, no fertilizer. Began picking August 15th, made about 400 pounds seed cotton to an acre, it took 1,250 pounds to make a 500 pound bale. A drouth hit this country about making time for cotton and the shortest crop for hill land I have even seen.

Mr. J. A. Johnson, Lexington, Miss., writes: Don't know what day I planted, did not use fertilizer; it was planted on a dry place. Began picking in August, took 1,200 pounds seed cotton to make 500 pound bale. The hands are well pleased with them and want me to order some more for next year.

Buchanan's Paymaster



Champion White Dent



Hickory King

BUCHANAN'S SEED CORN

All prices on this page post paid through Third Zone. Prices not prepaid—see Yellow Price List enclosed. You will find corn prices on Yellow Sheet "NOT POST PAID," and many times can save money by figuring your postage by using map and rates in front of catalogue.

1125-BUCHANAN'S PAYMASTER (100 Days)-Originated in Middle Tennessee, where there are several counties that are noted for their heavy yields of corn, due to the fact that the soil of these counties contains the elements of potash and phosphate in abundance. These elements supplied by nature are the most important factors in producing not only heavy yields of corn, but seed corn of strong vitality.

Buchanan's Paymaster is suited for both lowlands and good uplands. It will produce a medium stalk with two good ears, broad white grains on a bright red cob-fills out well.

Price—½ gal., 45c; 1 gal., 70c; peck, \$1.20; ½ bu., \$2.25 1126—TENNESSEE WHITE, RED COB (120 Days) - An extra large field corn; grains long, broad and evenly lined on large red cob. The ears of this sort will run from 9 to 12 inches long and have from 18 to 20 rows. It is a rather late maturing sort, but for bottom land and main crop this corn cannot be excelled. This is one of the largest grain, greatest yielding and best milling corns grown in the South.

Price—1/2 gal., 45c; 1 gal., 70c; peck, \$1.20; 1/2 bu., \$2.25 1128-BUCHANAN'S CHAMPION WHITE DENT (90 Days)-It is the earliest large-eared white field corn known. It is an early White Dent, coming in almost as early as the Early Surprise, but much larger; sample ears have been shown us 14 inches in length and 31/2 inches in diameter. For stock feeding it is very valuable; coming in as it does when all fodder is short, it fills a breach which all stock feeders can appreciate. Again, it is a corn that has made itself before the hot, dry weather and when other field varieties must make their growth.

Price-1/2 gal., 45c; 1 gal., 70c; peck, \$1.20; 1/2 bu., \$2.25 1132-HICKORY KING (110 Days)-This is an entirely distinct variety among the white corns, combining the largest grain with the smallest cob. Ears fill out well and will make more shelled corn to bulk of ears than any other variety. It is good for roasting ears to follow Early Surprise; makes splendid quality of corn meal.

Price—½ gal., 50c; 1 gal., 75c; peck, \$1.25; ½ bu., \$2.35

STANDARD VARIETIES—FIELD CORN

1133—BIG WHITE JUNE (90 Days)—Bears 2 large ears. 1135-WHITE PROLIFIC (120 Days)-Bears 2 to 4 small ears. 1130-WISCONSIN WHITE DENT (75 Days)-Bears 2 small ears. 1141—IOWA GOLD MINE (90 Days)—Bears 2 medium ears. 1142—REID'S YELLOW DENT (110 Days)—Bears 2 large ears. Price—1/2 gal., 40c; 1 gal., 65c; peck, \$1.15; 1/2 bu., \$2.20

TENNESSEE CERTIFIED SEED CORN

Inspected and Certified by the Tennessee Crop Improvement Association

The certification of seed corn in Tennessee is handled about the same way as the certification of alfalfa seed in Kansas. For about five years we have handled two varieties of Tennessee Certified Seed Corn, the Paymaster and Jarvis Golden Prolific.

CERTIFIED JARVIS-From two-eared plants or better, 12 rows to ear; white cob; grain hard in density, deep in color, slightly to moderately indented; ears 6 to 7 inches long, 11/2 to 2 inches in diameter; cobs 1 inch or less in diameter.

CERTIFIED NEAL PAYMASTER-From two-eared plants or better; 12 to 14 rows to ear; medium to hard density; medium to rough (deep) indentation; red cob. Ears 6 to 7 inches long, 1¾ to 2 inches in diameter. Grain is not pure white, but somewhat creamy.

Price, either variety—1/2 gal., 55c; 1 gal., 90c; peck, \$1.50; 1/2 bu., \$2.75

ALL SEED CORNS SHOULD BE TREATED WITH SEMESAN, JR.

This treatment hastens and increases germination, increases the yield, protects corn from rotting, allows earlier planting, produces sturdy plants, controls seeding blight and reduces root rot which makes the stalk stand up better—see page 65. All seed corn is cleaned, tested and shipped in our printed new bags. The actual cost of seed to plant an acre of corn is so little you cannot afford to plant run-out corn of uncertain variety and germination.



BUCHANAN'S BIG BLUE GRAIN MEXICAN JUNE

1134—Mexican June (65 to 85 days)—Original was handed down by the American Indian—it is very much like Squaw or Indian Corn grown by Mexicans, Indians and those farmers of the very dry farming lands of our Southwest. Forty-one years ago, when I began selling this (original) Mexican June, I spoke and wrote of it as the last excuse for corn, it would make some corn planted in July, followed by severe drouth, when all other corns would fail. Realizing that this was a very unprofitable crop for the Middle South, I began about 15 years ago to have growers improve this variety by crossing it with Tennessee Champion White Dent, in an endeavor to retain the drouth-resisting qualities of the original Mexican June and producing the larger ear of the White Dent.

During 1933 and 1934 we could not supply the demand for this corn, and I want everyone who can supply seed for 1937 crop from corn bought of us, to write; in selecting your seed, try and select all ears 7 to 9 inches long containing blue grains; also those ears containing all blue grains; mail samples now.

This corn has proved its worth for planting after June 1st up to July 15th. In 1933 some planted up to August 15th for late roasting ears, which it makes in 65 days. Our average killing frost date at Memphis is November 4th (U. S. Weather Bureau report).

Ears 8 to 9 inches long, grains short to medium, cobs medium in size, and while usually white, red cobs are often found. Ears have mostly white grains, but dark blue and red grains often appear, sometimes only one to three to the ear. This apparent mixture of color is peculiar to many varieties of Mexican corn. Mexican June also makes fine "roasting" ears for use right up to frost.

It is a great drouth resister and usually, if there is enough moisture to sprout the seed, a crop is assured. If wanted mostly for forage or ensilage, plant in April or May. Early planting makes stalks 12 to 15 feet high, leaves 4 to 6 feet long.

Price—½ gal., 45c; 1 gal., 70c; peck, \$1.20; ½ bu., \$2.25

1136—MOSBY'S PROLIFIC (120 Days)—The most prolific corn in existence; the stalks are tall, bearing 3 to 5 fine ears. The grains are long, set close to a small white cob, very uniform in shape, well filled. It has good roots and will withstand storms better than any other prolific sort.

Price—½ gal., 45c; 1 gal., 70c; peck, \$1.20; ½ bu., \$2.25

1137—NORTH CAROLINA (120 Days)—Our grower of this variety of corn lives in Shelby County, Tennessee; has grown no other corn for years. He has bred this corn to a medium stalk, producing 4 to 6 ears. This corn will stand in the field after maturing, through rain, storms and snow, and deteriorates less than any variety of corn grown today.

Price—½ gal., 45c; 1 gal., 70c; peck, \$1.20; ½ bu., \$2.25

1144—BUCHANAN'S (JARVIS) GOLDEN PROLIFIC—A yellow prolific corn with husk covering the ears so completely and tightly that it is practically impossible for any bird or weevil to get to the corn in the field. It is the hardest grained and makes the most solid ear of any yellow corn that we know, with the exception of the Cuban Yellow Flint. It resists drouth remarkably well, produces two good medium-size ears to the stalk and is in great demand on the Memphis market for roasting ears.

Price—½ gal., 45c; 1 gal., 70c; peck, \$1.20; ½ bu., \$2.25


1139—TENNESSEE YELLOW DENT (90 Days)—My most popular variety of yellow field corn, produces a medium stalk with two good ears of uniform size and shape, 8 to 10 inches long, with 14 to 18 straight rows of yellow kernels on a medium-sized red cob, and ears are well filled out over tip. Tennessee Yellow Dent is often called drouth resister, as it will produce more corn on our thin uplands during a drouth year than any other known corn.

Price—1/2 gal., 45c; 1 gal., 70c; peck, \$1.20; 1/2 bu., \$2.25


All Prices on This Page Post Paid
Prices Not Prepaid—See Yellow Price List Enclosed
All Corn Post Paid Through Third Zone




Buchanan's Golden Prolific Corn



1139-Tennessee Yellow Dent



Iowa Gold Mine







Mowing Alfalfa-See Full Directions for Planting on Page 55.

AMERICAN-GROWN ALFALFA SEED


ABOUT PRICES—The prices of Clovers and Grasses are changing constantly, and were we to quote definite prices on large quantities in this catalogue they would probably be incorrect before we received your order. Send us a post card and immediately upon receipt of it we will send you our regular quotation card, quoting our lowest prevailing prices.

Prices on This Page Post Paid. Wholesale Prices on Yellow Price List Enclosed.



Inoculation of your seed before planting will give you a much stronger and quicker growth. The cost of inoculation per acre is so small that the increased yield will repay it many

The big benefit comes in the value added to our land. The roots of the Alfalfa are the ome of the inoculated bacteria, that draw the your land. fertility-building nitrogen from the air and store it in swellings on the roots, called nodules. These nodules feed nitrogen to the plant.



1049—HARDY NORTHWESTERN—So called for it comes from those states like Utah, Idaho and others where the winters are very cold, therefore producing hardy alfalfa. Price—1 lb., 50c; 5 lbs., \$1.90; 10 lbs., \$3.75; 15 lbs., \$5.50; 25 lbs., \$8.75

1050-BUCK BRAND ALFALFA-Grown in the State of Kansas, and during our 40 years in the seed business we have shipped this seed to every Southern state. Our annual sales now amount to many thousands of pounds each year, and after 40 years' experience we call it the best upland American-grown alfalfa.

Price—1 lb., 50c; 5 lbs., \$1.90; 10 lbs., \$3.75; 15 lbs., \$5.50; 25 lbs., \$8.75

1051-DAKOTA No. 12 ALFALFA-This variety is the result of years of careful breeding and represents the highest type of alfalfa. Dakota produces exceptionally hardy alfalfa, practically immune to winter killing. Stands drouth and heat as well.

Price—1 lb., 55c; 5 lbs., \$2.25; 10 lbs., \$4.30; 15 lbs., \$6.25; 25 lbs., \$10.00

1067—HARDY UTAH—Often known as mile high alfalfa, because these seed are produced in the mountain valleys of Utah, more than 5,000 feet above sea level. In the mountains of Utah where this seed is grown the severe night temperatures often drop 35 degrees below the day temperatures. This seed, we believe, will stand more cold without winter killing than any alfalfa grown.

Price—1 lb., 50c; 5 lbs., \$1.90; 10 lbs., \$3.75; 15 lbs., \$5.50; 25 lbs., \$8.75 BEEHIVE ALFALFA—Grown a mile high, at an altitude of 5,000 to 6,000 feet, where winter stays late and fall freezes come early, where the growing season is the shortest of any area in the United States. Beehive Alfalfa is sacked in sealed bags to facilitate sale by the dealer and for the protection of the buyer.

Price—1 lb., 55c; 5 lbs., \$2.25; 10 lbs., \$4.30; 15 lbs., \$6.25; 25 lbs., \$10.00 1052-KANSAS CERTIFIED-Under the Crop Improvement Association. A field to be eligible for inspection must have been sown with certified or foundation seed.

Field inspection is made before harvest. The inspector reports upon the eligibility of the field as a source of certified seed, examines the field for purity and freedom from diseases and weeds, and inspects the grower's seed-cleaning equipment and storage facilities. The presence of field bindweed, Canada thistle, dodder, or Johnson grass in a field will disqualify it. The field reports are considered by a certification committee. A sample of the seed representative of the lot for sale is tested for germination and purity by the Kansas State Seed Testing Laboratory at Manhattan. If the germination and purity are found satisfactory, the seed is bagged and is then inspected and sealed by an authorized representative of the Association.

Price—1 lb., 60c; 5 lbs., \$2.50; 10 lbs., \$4.60; 15 lbs., \$6.60; 25 lbs., \$10.50

SPOTTED LEAF BUR CLOVER

HOW TO SOW-The inoculated seed should be sown broadcast in the early fall, using from HOW TO SOW—The inoculated seed should be sown broadcast in the early fall, using from 15 to 20 pounds per acre of hulled seed. If sown in burs, 50 to 60 pounds per acre should be sown. Sow in July, August, September or, in lower South, October. The clover will then come up when conditions are favorable. You will find this a splendid crop to grow, both for feed and to build up your soil. Bur Clover and Bermuda Grass make a splendid combination for permanent pasture which is excellent for all livestock. When sown for pasture we recommend thorough preparation of land before sowing, insuring stand first year. Bur Clover is an excellent soil improver. It will furnish excellent winter pasture, and the yield of each succeeding crop will be decidedly increased without the aid of commercial fertilizer.

Bur Clover will grow on almost all types of soil and can be depended on to add humus and nitrogen to the soil annually without sacrificing the regular summer crop, and is one of the cheapest legumes that serve as a winter cover crop. If it is allowed to mature a crop of seed before plowing under it will reseed itself for a number of years.

1062A—SPOTTED LEAF BUR CLOVER—Fancy hulled seed

1062A-SPOTTED LEAF BUR CLOVER-Fancy hulled seed.

Price—1 lb., 35c; 5 lbs., \$1.40; 10 lbs., \$2.50; 15 lbs., \$3.75; 25 lbs., \$6.00

1062—GIANT SOUTHERN BUR CLOVER IN BUR.

Price-1 lb., 30c; 5 lbs., \$1.10; 10 lbs., \$1.90; 15 lbs., \$2.75; 25 lbs., \$4.25

DO NOT FORGET! Alfalfa and All Clovers Should Be Inoculated.

ALFALFA WILL PRODUCE MORE CHOICE FEED PER ACRE THAN WILL ANY OTHER CROP

Three tons of dry alfalfa hay per acre is a fair yearly yield in regions of light rainfall and short growing season.

The yield should be more than three tons per acre where there is abundant rainfall and a long growing

Alfalfa and corn fed together make a good ration for all live stock—Alfalfa belongs on every farm for all live stock—Alfalfa belongs on every farm—
for hog pasture; hay for the dairy herd, family cow
or chickens. For sheep and beef cattle, no other
roughage is equal to alfalfa hay.

When comparing alfalfa with other crops, remember
one sowing of alfalfa may last five years, and it
usually doesn't have to be cultivated.

Alfalfa lives several years if not pastured too close

Alfalfa lives several years if not pastured too close. There is always a fresh growth coming during the growing season.

Alfalfa is weakened and its life shortened by pasturing too young, too close, or late in the fall or winter. Taking off the fall growth exposes alfalfa so it sometimes winter-kills. Better not pasture alfalfa the same year it is sowed.

Chickens like alfalfa pasture. Unless they have considerable range the chickens will keep the alfalfa so closely cropped that new shoots have but little chance to grow. When alfalfa is used for chicken pasture, have plenty of it, so it will last longer.

Finely cut, steamed alfalfa hay with plenty of leaves is a choice feed to add variety to the winter ration for laying hops.

ration for laying hens.

Finely cut alfalfa hay makes good litter for brooder Mouldy alfalfa is not good for either poultry houses. feed or litter.

Alfalfa is a perennial legume belonging to the same family as peas, beans, and clover; it is also the

oldest forage plant known.

The best soils on the farm should be selected for the alfalfa field. It is practically useless to attempt to grow the crop on non-productive lands.

It is best to precede alfalfa for a year or two with some cultivated crop, such as corn, potatoes, or cotton, to free the land from weeds. The ideal seed bed is a well-settled sub-surface with a fine surface that is loose to a depth of 2 inches.

Alfalfa should be sown early enough to permit the plants to become well established before winter sets in. The rate of sowing depends upon the condition of the soil. In the South, 25 to 35 pounds per acre is generally advised. Except under very favorable conditions, alfalfa should be sown without a nurse crop. Attempts to thicken up thin stands by resowing nearly always result in failure.

Alfalfa should be cut for hay when the plants are

well in bloom.

Alfalfa hay and pasture are readily eaten by all classes of farm animals.

PURCHASING SEED

Before buying alfalfa seed there are three points upon which the purchaser should have information: The name of the variety, the section of the country in which it was produced, and the quality of the seed with regard both to germination and purity. It is important, therefore, that dealings be had only

with thoroughly reliable and intelligent seedsmen.

The viability of the seed, or its ability to germinate, is quite clearly indicated in its appearance. Plump seeds of a bright olive-green color almost invariably germinate well, while shriveled seeds or seeds that are of a brownish color germinate poorly.

CHOOSING A FIELD FOR ALFALFA

In selecting land for alfalfa, careful consideration

should be given to the texture of the soil, its productivity, and drainage. Where possible, very sandy or very compact soils should be avoided.

PREPARATION FOR ALFALFA

Alfalfa may be successfully grown after almost any crop, provided proper attention is given to the preparation of the soil after the preceding crop has been removed. In deciding upon the preceding crop, however, one should be chosen that fits best into the particular system of farming and at the same time leaves the land in good condition.

PREPARING THE SEED BED

The tender nature of the young alfalfa plants requires that the soil be in excellent tilth at sowing time. Many of the failures to secure a good stand may be traced to a poorly prepared seed bed.

LIMING

No other of our commonly grown forage crops requires so much lime as does alfalfa. It is necessary not only to have enough to neutralize the soil, but also an excess for the actual use of the plant.


METHOD OF SOWING ALFALFA

The method of sowing varies considerably in different sections. It may be done with a grain drill with a seeder attachment, or with an alfalfa drill, or the seed may be broadcasted with a hand seeder, or by hand and covered with a light harrow, a weeder, or a brush drag.

Alfalfa is the only forage plant known which will send down its roots to moisture during a severe drouth like the ones of 1934 and 1936.

Alfalfa is the only forage plant that held its green color and survived the 1934 drouth of the Northwest the most disastrous drouth ever known in this country.





"... Roots of the alfalfa plant . . frequently are found to have penetrated the soil fifteen feet or more."



Wilt-Resistant Red Clover in Blossom

RECLEANED CLOVER SEEDS

For Best Results with All Clovers Inoculate the Seed All Prices on This Page Post Paid Prices Not Prepaid—See Yellow List Enclosed

1053—RED CLOVER (Wilt-Resistant) (Medium Red Blossom)—It is largely planted in Louisiana, Mississippi, Tennessee and other Southern states, being admirably adapted to the valley lands of Alabama, Mississippi, Louisiana and states farther north. It makes two or more cuttings of hay each season, and is fine for pasturage in combination with other clovers and grasses. Sow seed during the fall and spring, at the rate of 12 to 15 pounds to the acre. A bushel weighs 60 pounds.

Price—1 lb., 65c; 5 lbs., \$2.75; 10 lbs., \$5.25; 15 lbs., \$7.50 1054—RED CLOVER (Mammoth or Sapling) (Red Blossom)—It greatly resembles the Medium Red, but grows coarser and more vigorous. It is the best clover for pasturage, as it will produce an enormous yield and is of the highest feeding quality, but not as desirable for hay. Specially desirable for hog pasture.

Price-1 lb., 65c; 5 lbs., \$2.85; 10 lbs., \$5.35; 15 lbs., \$7.65 1055-ALSYKE OR SWEDISH CLOVER (Delicate Pink)-This is one of the hardiest varieties known. It is perennial and does not winter kill. It will do better on moist land than any other variety of clover, and is suitable for either hay or pasture. When sown with other grasses, it forms a thick undergrowth and greatly increases the yield. It is frequently sown both with Red Top Grass and Timothy, and the quality of hay thus produced is excellent. It is fine-stemmed and leafy, and thus is quickly cured. Sown alone for forage, 12 pounds per acre; in mixture, Alsyke 4 pounds, Red Top 6 pounds, Timothy 5 pounds.

Price-1 lb., 60c; 5 lbs., \$2.55; 10 lbs., \$4.75; 15 lbs., \$6.75

LESPEDEZA SERICEA, THE POOR LAND ALFALFA

It has been proven that untreated or unscarified Sericea seeds will only germinate about 4% to 6%, while treated or scarified seeds will germinate under ordinary field conditions about 85%; we ship only scarified Sericea.

It will take about 2 pounds of scarified seed to sow an acre, planting it about as you would Turnips or Mustard in 2½-foot rows-1 ounce will sow about one 50-foot row; it requires about 25 pounds to broadcast an acre.

We advise planting the scarified Sericea in the spring after danger of heavy frosts or after the ground is warm, or about corn planting time.

We want you to be successful with your first planting of Sericea, and therefore suggest that you inoculate the seed before

1057—SWEET CLOVER (White Blossom)—A variety of clover which, while young, resembles alfalfa, but on mature development grows from 4 to 6 feet in height. It is extremely vigorous and especially adapted to waste lands, though many prominent farmers and stock raisers use it on good land for a forage crop. Sow 12 to 15 pounds to the acre.

Price—1 lb., 35c; 5 lbs., \$1.25; 10 lbs., \$2.25; 15 lbs., \$3.25 1066-HOP CLOVER (Yellow Blossom)-An annual. Grows about 6 to 8 inches high. Its growing season is from very early spring until mid-summer. It is especially valuable when sown very early with Japan Clover on Bermuda sod or with any grasses, clovers or mixtures which do not make a heavy early spring growth. It is the earliest and fastest growing clover adapted to Southern soils and climate. Seeds small, sow 4 to 5 lbs. alone or 2 lbs. to acre in mixtures.

Price—1 lb., 50c; 5 lbs., \$1.75; 10 lbs., \$3.25; 15 lbs., \$4.75 1056-WHITE OR DUTCH CLOVER (White Blossom)-Largely used for sowing on lawns, mixed with Kentucky Blue Grass and other grass seeds, and is very valuable because it supplies nitrogen to the soil and increases the fertility and makes the plant root more available for the use of the grasses. It is of value to the summer pastures and should be used in all grass seed mixtures sown for either lawn or pasture.

Price—1 lb., 50c; 5 lbs., \$2.10; 10 lbs., \$4.00; 15 lbs., \$5.75 1060-CRIMSON CLOVER (Scarlet Blossom)-Succeeds on almost any good soil. Sown at the rate of 15 pounds per acre any time after August 15th and up to November 1st, or can be sown between cotton or corn during August, using 6 to 10 pounds to the acre. Crimson Clover furnishes good hay and adds fertility to the soil. Price—1 lb., 30c; 5 lbs., \$1.00; 10 lbs., \$2.00; 15 lbs., \$2.85

ANNUAL OR COMMON LESPEDEZAS (Japan Clover)

The best clover for all average soils of the South; grows on the poorest waste land, withstands drouths, valuable soil improver, reseeds itself each year. Sow 25 lbs. to the acre during February, March or April, according to location. There are about 180,000 seeds to each pound.

1061—COMMON LESPEDEZA—Lespedeza is one seed that the

Creator of All Things sent to us of the Southland to restore our worn cotton lands. Sow in February, March or April. Seeds weigh 25 pounds per bushel. Sow 20 to 25 pounds per acre.

Price—1 lb., 35c; 5 lbs., \$1.20; 10 lbs., \$2.20; 25 lbs., \$4.75 1078—TENNESSEE 76—This variety is similar to the common or wild variety, except that it is taller and more upright in growth, holding all the branches off the ground, even when the plants stand alone. It is finer stemmed than either Korean or Kobe, and grows to the height of nearly 3 feet under favorable conditions. It blooms slightly later than Kobe and considerably later than Korean or common. It remains green until killing frost, furnishing excellent pasture after the others have lost their Price—1 lb., 35c; 5 lbs., \$1.20; 10 lbs., \$2.20; 25 lbs., \$4.75 1079—KOREAN—The earliest of the annual Lespedezas. It comes up early in the spring and grows rapidly, furnishing much earlier pasture than any other variety. The leaves are larger than common Lespedeza, and more rounded. Begins flowering in July. Korean is especially suited for a short growing season. Seed ripens in September.

Price—1 lb., 35c; 5 lbs., \$1.20; 10 lbs., \$2.20; 25 lbs., \$4.75 1080—KOBE—Grows much ranker and has larger leaves and slightly coarser stems. It has been known to grow 38 inches tall but usually about 2 to 2½ feet. Possibly due to its rank growth, completely shading the ground, and thus retaining moisture, it is much more resistant to dry weather than common Lespedeza. Kobe flowers in August and ripens the seed in October. An excellent variety for pasture and hay.

Price—1 lb., 35c; 5 lbs., \$1.20; 10 lbs., \$2.20; 25 lbs., \$4.75

The weight per bushel of clean unhulled seed is about 35 pounds, and hulled seed 60 pounds. The number of unhulled seeds is approximately 100,000 to the pound; of cleaned hulled seeds, 225,000 to the pound.

1077-LESPEDEZA SERICEA is called the poor land alfalfa because it is a perennial legume plant sending up new shoots after cutting or grazing from the crown or root like alfalfa. It will grow, thrive and thicken on poor, thin lands where alfalfa or other clovers will not grow; it will grow on sour soils without the addition of lime; it will last for years without reseeding.

Price—1 lb., 40c; 5 lbs., \$1.50; 10 lbs., \$2.75; 25 lbs., \$6.50

All Lespedezas Are Clovers and All Clovers Should Be Inoculated. See Page 65.



GRASS SEEDS FOR LAWN, PASTURE AND HAY

HINTS ON FORMATION OF LAWNS—Spade or plow ground to the depth of 8 inches. Afterwards harrow or rake carefully, pulverize all lumps, and remove all large stones. If the soil is shallow, procure a supply of fine mold and spread over the surface to a depth of 2 inches. Soil may be enriched by bone meal or commercial fertilizers, then rake level and roll the soil well to make a solid bottom. Scatter the seed evenly over the surface. Rake seed in and roll, water regularly and carefully, as the soil is liable to dry out in the heat of the day, and if it does while the seed are germinating, it will invariably perish. When the grass is three inches high it should be cut and rolled, and every week or so thereafter until the grass has become firm. Eradicate weeds whenever they appear, without disturbing the grass. Should bare spots appear, rake the surface and sow more seed.

QUANTITY TO SOW FOR LAWNS—You cannot sow too much; the more, the better; it means quicker, more satisfactory and lasting results. We recommend, on new ground, for average mixtures, to sow as follows: 2 pounds on 600 square feet (20x30); 5 pounds on 1,500 square feet (30x50). For renewing old lawns, call to see us or write, giving full information regarding the present condition of your lawn.

All Prices on This Page Post Paid. Prices Not Prepaid—See Yellow Price List Enclosed.

1117—BUCK BRAND PERMANENT LAWN GRASS SEED—By far the best mixture of grasses offered for the purpose of quickly producing a permanent lawn. It is prepared from our own formula, and is a careful blending of varieties adapted to producing the thick growth and velvety appearance so much sought after. Each variety of grass in its composition is there for a special purpose; some for making strong, fibrous roots, which take hold upon the soil and keep the turf in place; others of a creeping nature quickly fill up any bare spots which may be caused by the taller sorts dying down; varieties which are useful for their color value, and also kinds that are able to withstand the beating rains.

Price—1 lb., 45c; 5 lbs., \$1.95; 10 lbs., \$3.50; 15 lbs., \$5.00 1118—BUCK BRAND SHADY LAWN GRASS SEED—Usually it is not difficult to obtain good turf under trees if the correct seed varieties are used. In very stubborn cases, where the shade is excessive, it may be necessary to renew the lawn every season for two or three years, in which case procedure may well be as follows: Add lime every autumn at the rate of 1 pound to each 20 square feet; apply Pulverized Sheep Manure at the rate of 1 pound per 20 square feet; rake smooth and sow Buck Brand Shady Lawn Grass Seed; rake again to cover the seed and either roll with a light roller or flatten with the back of a spade. Use 1 pound of seed for each 10 feet by 30 feet; sow at half these rates when renovating a lawn, and use double this quantity for quick results.

Price—1 lb., 50c; 5 lbs., \$2.15; 10 lbs., \$3.75; 15 lbs., \$5.25 1123—POA TRIVIALIS—A fibrous rooted perennial grass that is valuable on account of its quick growth, productiveness and nutritious qualities. It starts early in the spring and continues green till late in the fall, growing to perfection on rich, moist soils and in shaded places. As it prefers shelter, the best results are had by sowing it with other grasses, such as red top or herd's grass and Kentucky blue grass. A splendid grass for mixed permanent pastures.

Price—1 lb., 60c; 5 lbs., \$2.75; 10 lbs., \$5.50; 15 lbs., \$8.00 1107—WINTER RYE GRASS—Very valuable for annual pasture; also for lawn purposes. It makes a very heavy leaf growth for pasture. Used extensively throughout our section for lawns. Use it in Bermuda sod to keep the lawn green during the fall, winter and early spring, when the Bermuda is dormant. Sow from September until March for lawns at the rate of 1 pound to each 10 feet by 10 feet: for pasture. 40 pounds to the acre.

Price—1 lb., 25c; 5 lbs., 85c; 10 lbs., \$1.50; 15 lbs., \$2.00 1100—BERMUDA GRASS (Unhulled)—A great boon in the South for pasture; when once established, no amount of drouth or hot weather will kill it out. It succeeds on nearly all soils, furnishing a constant growth of grass during the summer, but becoming brown and bare during the fall and winter. It cannot

be recommended too highly for pasture and general culture in the South, and it is also excellent for summer lawns. Its strong, creeping roots will absolutely prevent wash. Sow April to July (12 pounds to acre).

Price—1 lb., 50c; 5 lbs., \$2.00; 10 lbs., \$3.75; 15 lbs., \$5.25 1102—HULLED BERMUDA GRASS—Same as unhulled, but the hull is removed. This new process promotes quicker germination. Our tests show that the hulled type will germinate fully within 8 to 10 days, while the regular unhulled types take from 21 to 30 days. This should revolutionize the planting of Bermuda lawns, the only objection to Bermuda seeding before being the length of time necessary for germination. It is more economical; half the quantity of seed required per 100 square feet for planting; and Bermuda will stand more hot sun and tramping than any grass known.

Price—1 lb., 60c; 5 lbs., \$2.50; 10 lbs., \$4.50; 15 lbs., \$6.25 1101—RED TOP OR HERD'S GRASS—A hay and pasture grass. Succeeds on most kinds of soil, but does best on heavy or low, moist, stiff soils. By repeated mowing, this grass holds well during the summer, but its chief value is for winter pastures. Will stand wet weather admirably, growing well after being covered with an overflow of water for two or three weeks at a time. It is used largely for hay. For lawn and pasture mixtures it is invaluable. Sow 15 to 20 pounds of our fancy recleaned solid seed to the acre.

Price—1 lb., 40c; 5 lbs., \$1.65; 10 lbs., \$3.00; 15 lbs., \$4.35 1103—KENTUCKY BLUE GRASS—A lawn and pasture grass, succeeding best on limestone land, but does well on stiff clay and medium soils. Forms a compact sod and stands tramping exceptionally well. In most sections of the central South it is largely sown for lawn purposes also, as it remains almost dormant during the hot weather, and improves after the first year on suitable soil until you have a beautiful stand. Its principal value in pasture seeding is for mixing with Lespedeza, Bermuda, Carpet Grass, and other summer growing grasses, clovers, etc. Sow about 40 pounds to the acre, preferably during the early fall or spring.

Price—1 lb., 45c; 5 lbs., \$1.75; 10 lbs., \$3.25; 15 lbs., \$4.50 1111—SUDAN GRASS—Can be drilled in with a grain drill or sown broadcast by hand, 16 to 24 pounds per acre. Sudan Grass is easy to cut with a mower and cures readily, so that the process is much the same as that of millet or any other hay grass, and yields from 2 to 4 tons of cured hay per acre. It is best to cut just after full bloom, so that it will have as much time as possible for the second growth. After cutting it renews its growth promptly, and in about 40 to 50 days another cutting is ready. Sudan Grass grows abundantly after the first cutting, and the second is very fine-stemmed.

Price—1 lb., 30c; 5 lbs., \$1.00; 10 lbs., \$1.50; 15 lbs., \$1.75; 25 lbs., \$2.45

(Page 57)

BRAND



BUCHANAN'S GRASS SEED AND PASTURE MIXTURES

All Prices on This Page Post Paid. Prices Not Prepaid—See Yellow Price List Enclosed.

1104-ORCHARD GRASS-A hay and pasture grass. A coarse-growing bunch grass, furnishing good grazing in early spring and late fall. Its growth is checked during the hot weather; it will endure considerable rough treatment without injury and should be kept closely grazed for best results. Does best on moist or heavier clay soils; will stand much shade and is excellent for woodland pastures

and for sowing in gullies to prevent erosion. Sow about 15 pounds to the acre.

Price—1 lb., 40c; 5 lbs., \$1.50; 10 lbs., \$2.75; 15 lbs., \$3.95

1105-DALLIS GRASS (Paspalum Dilatatum)-This grass furnishes hay or pasture all the year in the far South. However, in the cotton belt it furnishes two hay cuttings of fine quality, the second cutting heavier and finer than the first. It stands light frosts and does well on most any soil with plenty of moisture except dry sandy soil. It stands close grazing remarkably well and grows from early spring until killing frost. Sow in March and April, earlier in the lower South, on well-prepared land. Plant 8 pounds of seed per acre.

Price—1 lb., 45c; 5 lbs., \$1.75; 10 lbs., \$3.25; 15 lbs., \$4.50 1106-CARPET GRASS-Carpet Grass is one of the most valuable pasture grasses for the lower South. It grows on poor sandy soils better than Bermuda and does well on most any soil with a fair amount of moisture. It spreads rapidly, stands closest grazing and heavy trampling. For lawns and golf courses it will make a heavy sod and the closer it is cut the better it grows. It also does well in pastures with Bur Clover and Japan Clover, these giving all year grazing. Sow 10 pounds per acre for pasture, twice this for lawns, from early spring until July.


Price—1 lb., 35c; 5 lbs., \$1.25; 10 lbs., \$2.35; 15 lbs., \$3.25 1108-TIMOTHY-Timothy requires good land to make good crops. If sown with Sapling Clover the clover will help to supply nitrogen. Red Top or Herd's Grass and Red or Alsyke Clover all mature at the same season as Timothy and are excellent to sow with it for hay or grazing, increasing the yield of hay and pasturage. A good mixture is 6 pounds Timothy, 5 pounds Red Top or Herd's Grass, and 5 pounds Alsyke Clover; this mixture will furnish an excellent hay and fine pasturage on good loamy soils or on low ground. If Timothy and Alsyke Clover are sown together, mix 8 pounds Timothy and 6 pounds Alsyke

Price-1 lb., 30c; 5 lbs., 90c; 10 lbs., \$1.50; 15 lbs., \$1.85



FERTILIZER AND SEED SOWER

The Combination Sower also broadcasts all kinds of seed, such as clover, timothy, millet, lespedeza, sudan grass, alfalfa, sudan grass, alfalfa, wheat, etc., perfectly in desired amounts per acre. Convenient for applying fertilizer or seed on fairways, greens, parks, lawns, etc. Shipping wt., each, 7 lbs. Price—Each, \$3.50; post paid, \$3.70.



Guaranteed to sow perfectly even all varieties of farm seeds such as clover, timothy, red top, alfalfa, lespedeza, sudan grass, oats, rye, millet, wheat, buckwheat, turnip, lawn grass, etc., and can be regulated to sow any amount per acre. This machine is strongly built and mechanically perfect. The bag holds about one-half bushel. It is THE SOWER THAT scatters evenly easily operated. Weight each, 4 pounds.

Price-\$2.25 each. Post paid, \$2.40

1112—BUCK BRAND SHADY PAS-TURE No. 1-Composed of the grasses and clovers which grow best in the shade. Every farmer wants some shady spots in his pasture if it is possible to have them, also wants his shady ground to produce, therefore we furnish this mixture, composed of the following grasses and clovers: Kentucky Blue Grass, Poa Trivialis, Japan Clover, Hop

Clover, Rye Grass, White Clover, Red Top, Orchard Grass. Sow 15 pounds to the acre.

Price-1 lb., 40c; 5 lbs., \$1.50; 10 lbs., \$2.75; 15 lbs., \$3.95

100 LBS.

BUCK BRAND

A BRAN

PASTURE MIXTURE

R.B. BUCHANAN

SEED CO. MEMPHIS,TENN

1113-BUCK BEAND UPLAND MIXTURE No. 2-This mixture is our main pasture mixture or mixture for general planting and is composed of clovers and grasses which do well on our Southern uplands, mixed of high grade seeds: Red Top Grass. Rye Grass, Orchard Grass, Bur Clover, Japan Clover, White Clover, and Hop Clover. Sow 20 to 25 pounds to the acre.

Price—1 lb., 40c; 5 lbs., \$1.40; 10 lbs., \$2.65; 15 lbs., \$3.75

1114—BUCK BRAND LOWLAND PASTURE No. 3 - Almost every farm has some low land unfit for cultivation, owing to its remaining wet until too late to plant in the spring, and this very land would be made to pay well if sown with our Lowland Pasture Mixture. Mixed of following seeds: Alsyke Clover. White Clover, Red Top, Timothy, Orchard Grass, English Rye Grass, Carpet Grass, Bur Clover, and Lespedeza. Sow 15 to 20 pounds to the acre.


Price—1 lb., 40c; 5 lbs., \$1.50; 10 lbs., \$2.75; 15 lbs., \$3.95

1115-BUCK BRAND PERMANENT MEADOW No. 4-This special mixture for mowing hay is composed of grasses and clovers which ripen together for the first cutting, but it also contains smaller proportions of other grasses, which will increase considerably the second cutting and also add very much to the pasturage yield in case it is desired to use the field for pasturage afterwards.

This mixture contains: Red Clover, Alsyke Clover, Red Top, Rye Grass, Orchard grass, Timothy, and Japan Clover. Sow 15 lbs. per acre. Price-1 lb., 40c; 5 lbs., \$1.50; 10 lbs., \$2.75; 15 lbs., \$3.95

1116-BUCK BRAND PERMANENT HOG PASTURE No. 5-It is a substantial mixture which will prove a profitable investment. Composed of the following grasses: Red Clover, White Clover, Japan Clover, Alsyke Clover, Orchard Grass, Rye Grass, Hop Clover, and Bur Clover. Sow from 20 to 25 pounds to an acre. Price-1 lb., 40c; 5 lbs., \$1.50; 10 lbs., \$2.75; 15 lbs., \$3.95

THOMPSON'S WHEELBARROW SEEDER



PEARCE'S IMPROVED CAHOON BROADCAST SEED SOWER

This sower has been known and recognized as standard equipment in all parts of the world for 60 years, sows all kinds of grain and grass seed four to eight acres per hour. Bag and hopper hold 22 quarts; two gates govern the quantity of seed used very closely, preventing waste. Made almost entirely of iron and steel, this machine will last and do good work over a long period of years.



Price-\$4.50; Price Post Paid, \$4.75

PRICES ON GRASS SEEDS ARE CONSTANTLY CHANGING. WRITE ON QUANTITIES WHEN READY TO BUY.

THE

YCLONE"

SEED SOWER

SOY, OR SOJA BEANS

All Prices Below Post Paid. Write for Prices on Quantities.

CULTURE—Soy Beans may be planted either broadcast or in drills. Usually a better crop is had when planted in drills and cultivated, and few crops leave the land cleaner and in better condition for the following crop. They grow equally well on light and heavy soils, but on heavy soils they should not be planted more than 1 to 1½ inches deep except in dry seasons. On light sandy soils plant deeper, but not more than 3 inches deep. When sown broadcast sow 1 to 1½ bushels to the acre, in drills about a peck to the acre. Plant in April, May, June or July.

1225—SOY BEANS (Laredo Type) (Hay, 115 days; Seed, 140 days)—The Laredo Soy Bean is a medium early variety with a growing habit somewhat like the Otootan. The seed of the Laredo are very small, and one bushel will plant from 8 to 10 acres in 2½-foot rows. The seed should be dropped 3 to 6 inches apart in the drill for seed, and somewhat closer for hay. The seed should be covered very lightly, not more than 1 inch, and it is best to plant following a season. It is advisable to inoculate Soy Beans that are to be planted on land that has not grown this crop for several years.

Price—5 lbs., 85c; 10 lbs., \$1.60; 1 pk. (15 lbs.), \$2.35 1224—SOY BEANS (Biloxi Type) (Hay, 135 days; Seed, 165 days)—An upright variety, growing 4 to 5 feet high, covered with a dense mass of foliage that does not shed easily. A heavy yielder of beans; the oil and protein contents are high; a fine bean for hogging down, for planting with corn or sorghum, or for oil. The pods are less liable to pop than most varieties; in fact, they hardly shatter at all. Late in maturing, requiring a long season to mature, but make an unusually luxuriant growth.

Price—5 lbs., 60c; 10 lbs., \$1.00; 1 pk. (15 lbs.), \$1.35 1226—SOY BEANS (Otootan Type) (Hay, 140 days; Seed, 170 days) —Few Soy Beans can equal Otootan as a hay maker. Its late maturity is more than overcome by the abundant growth—5 feet and more in long growing seasons—its fine stems and abundant foliage, and the fine texture of its hay, which cures quickly. It differs from most varieties in having many leafy branches instead of a coarse central stem, making it easy to cut and easy to cure. Planted in 3-foot rows, they will cover the land with a mass of foliage.

Price—5 lbs., 85c; 10 lbs., \$1.60; 1 pk. (15 lbs.), \$2.25 1227—SOY BEANS (Mammoth Yellow Type) (Hay, 120 days; Seed, 145 days)—The most extensively grown for both beans and forage, both of which it yields in great abundance. It grows more than 3 feet high, is erect in growth and can be cut with a mower. Particularly valuable for the entire South for both beans and forage. Mammoth Yellow is one of the largest growers among Soy Beans, and the most widely grown variety, and excels in yield of bean hay. Broadcast Mammoth Yellow, like Cowpeas, 60 to 90 pounds per acre, or plant about 30 pounds per acre in 3½ to 4 foot drills. Cut for hay when pods are well formed, or let the beans mature if wanted for seed. They make a good main crop.

Price—5 lbs., 60c; 10 lbs., \$1.00; 1 pk. (15 lbs.), \$1.35
1230—SOY BEANS (Virginia Type) (Hay, 100 days; Seed, 125 days)
—On account of its abundant growth and large yield of beans, the Virginia makes most excellent hay and ensilage. As it is about 20 days earlier than Mammoth Yellow, it can be sown further north and throughout the Corn Belt. The vines make a fine growth, are filled with pods, stand about 3 feet high, are easy to cut and easy to cure. The stems being fine and the leafage profuse, adapts it particularly well for hay making.

Price—5 lbs., 70c; 10 lbs., \$1.10; 1 pk. (15 lbs.), \$1.50
1232—SOY BEANS (Tokyo Type) (Hay, 120 days; Seed, 145 days)
—A heavy producer of extra large pods and beans. It is a superior oil bean and for hogging down. Ten days later than Mammoth Yellow; holds its foliage and beans well; has a medium course stem, branching from the ground

coarse stem, branching from the ground.

Price—5 lbs., 60c; 10 lbs., \$1.00; 1 pk. (15 lbs.), \$1.35

1223—MAMMOTH BROWN (Hay, 115 days; Seed, 140 days)—

Makes a large upright growth, standing 3 feet or more, with plenty of foliage and an abundance of pods. It is a good hay bean, is a prolific yielder of beans, robust and is more disease-resistant than most varieties. Probably no variety is so well suited for planting with cow peas, as they mature nearly together. Mammoth Brown beans remain in the pod long after maturity. They are especially fine for late hog pasture.

Price—5 lbs., 60c; 10 lbs., 95c; 1 pk. (15 lbs.), \$1.25



Laredo Soy Beans

1233—SOY BEANS (Mamredo Type) (Hay, 100 days; Seed, 130 days)—A yellow bean, upright, bushy plant, shatters little, splendid for grazing, makes coarse hay. Produced from a hybrid of Mammoth Yellow and Laredo Soys.

Price-5 lbs., 70c; 10 lbs., \$1.20; 1 pk. (15 lbs.), \$1.60

1221—SOY BEANS (Delsta Type) (Hay, 120 days; Seed, 145 days)
—A yellow bean, grows erect, short and bushy, splendid for combination with corn. Very prolific, beans little larger than Mammoth Yellow, and shatter less.

Price—5 lbs., 70c; 10 lbs., \$1.10; 1 pk. (15 lbs.), \$1.50

1231—SOY BEANS (Mamloxi Type) (Hay, 120 days; Seed, 145 days)—Developed at Stoneville, Miss., Experiment Station. Is erect in growth, upright, very prolific yielder of beans and very fine combination with corn, and soil building. Good for hay if planted thick. Matures about with Mammoth Yellows, but shatters very little. Seed yellow with some brown markings.

Price—5 lbs., 70c; 10 lbs., \$1.20; 1 pk. (15 lbs.), \$1.60

1229—MUNG BEANS—A comparatively new bean that has thoroughly demonstrated its value to the South. Mung Beans should be planted in May for hay or turning under. They produce a smaller plant and make more seed if planted in June or early July. The seed are small and it takes from 3 to 5 pounds to drill an acre in $3\frac{1}{2}$ -foot rows. Broadcast, it takes from 15 to 20 pounds to seed an acre. Beans mature in 90 to 120 days, depending on the season.

Price-5 lbs., 90c; 10 lbs., \$1.65; 1 pk. (15 lbs.), \$2.35


1228—100-DAY OR SPECKLED VELVET BEANS—Although it will not mature the pods in 100 days, this is one of the earliest varieties and can be grown farther North than the common velvet beans. Far South they will mature in a season of average length. In more northerly sections, where the seeds will not mature, it will make a wonderful growth of vines for pasturing and finishing cattle, and a fine soil improver.

Price-5 lbs., 60c; 10 lbs., 95c. 1 pk. (15 lbs.), \$1.20


ALL SOY BEANS SHOULD BE INOCULATED

See Nitragin on Page 65

COW OR STOCK PEAS—THE SOUTH'S ECONOMICAL SOIL IMPROVING AND HAY CROP



SEE PAGE 21 FOR SOUTHERN TABLE PEAS



FACTS ABOUT COW-PEAS

Pound for pound, cow-pea hay is as valuable as clover hay. It is nearly equal in value to alfalfa and wheat bran. It contains four times as much digestible protein as timothy hay. Horses and mules need no grain through the winter when fed cured cow-pea hay.

The U. S. Department of Agriculture says: "No one thing can add more to the agricultural wealth of the South than the growing of cow-peas."

Makes a fine feed for work and beef stock and dairy cattle.

Cotton can be grown for three successive years after a cow-

pea crop.

Wheat and oat lands put into cow-peas after harvest can be seeded to grain again in the fall, making two crops a year on

Does not require expensive fertilizer, but adds nitrogen to the soil and improves its mechanical condition.

They can be grown on any soil that is not too wet.

There is no cheaper way to improve poor land than by growing cow-peas. They add nitrogen and improve the mechanical condition of the soil cow-peas. They add nitrogen and improve the mechanical condition of the soil.

Prices on This Page Post Paid Through Third Zone Quantity Prices—See Yellow Price List Enclosed

WHEN TO PLANT—Cow-peas can be planted in May, June or July, at the rate of from one to one and a half bushels per acre. Plant with a grain drill or in rows 24 to 36 inches apart, and cultivate two or three times—bigger crops are often made when grown in rows. They may also be put on a grain stubble with a disc drill without plowing. If cut when the pods are turning yellow the hay cures easier and more rapidly than if cut earlier. Leave in the swath till well wilted on top. An application of 300 lbs. acid phosphate per acre will materially increase the yield

SOWING COW-PEAS WITH SOY-BEANS, KAFFIR CORN, SOR-GHUM AND SUDAN GRASS—Cow-peas may be sown with these crops to furnish support and make the harvesting easier. Sow half a bushel soy-beans or one peck kaffir corn or sorghum or ten pounds Sudan grass with one bushel cow-peas to the acre.

SOWING COW-PEAS WITH MILLET—New Era and Whippoorwi'l are the best kinds to sow with German millet—one bushel of peas to three-fourths of a bushel of millet per acre. The crop should be cut when the millet is ready. The peas will have reached the dough state by that time and make an excellent combination of large-yielding and most nutri-

1235—THE WHIPPOORWILL—Also known as speckled. The seeds are buff, brown, or grey, depending on type, and are speckled; they are spoken of as bush peas, but will make vines when planted on rich land, on poor soil they produce few vines and many peas. The plants grow upright, two to five feet tallhalf bushy or semi-erect. The Whippoorwill is the most popular general purpose stock pea for either seed or hay. Sow broadcast one bushel to the acre for hay or drill 10 pounds to the acre in rows 3 to 4 feet apart, cultivate as you do corn, if wanted for seed or to gather and sell as green shelled peas. There are about 4,000 seed in one pound; they mature in about 90 days.

Pkt., 5c; ½ lb., 15c; 1 lb., 20c; 2 lbs., 35c; 1 gal., 60c; 1 pk., \$1.15 1238-NEW ERA-The seed are buff, thickly speckled with blue -an early maturing upright growing variety, very prolific producer of peas, small vines cure quickly, splendid for hay. Seed are smaller than Whippoorwills and it does not require as many to plant an acre. Sow broadcast 3/4 of a bushel to an acre for hay-drill 8 pounds to an acre for seed or to gather green and shell for market. They mature in about 80 days. There are about 3,800 seed in one pound.

Pkt., 5c; ½ lb., 15c; 1 lb., 20c; 2 lbs., 35c; 1 gal., 60c; 1 pk., \$1.15 1253—BRABHAM—The seed are small buff colored marbled with brown-they resemble, and are sometimes called, "Little Whippoorwill." This variety is wilt-proof, highly disease resistant, early, grows upright and retains foliage exceptionally well. Grows well on any soil, and especially sandy soils. Planted by many southern orchardists to enrich the soil, yet not spread orchard diseases. For hay sow ¾ of a bushel to an acre-for seed drill about 8 pounds to an acre in rows 3 to 4 feet apart, and work as you would corn. Mature in about 90 days. There are about 4,500 seed in one pound.

Pkt., 5c; ½ lb., 20c; 1 lb., 25c; 2 lbs., 45c; 1 gal., 75c; 1 pk., \$1.25 1239-BLACK-Seeds jet black, low growing, viny or running, making a fine growth of vines and leaves—shy seeder, splendid land improver, most valuable as a forage crop; used also as a general purpose pea. Plant in rows of corn 8 pounds to acre, same amount if drilled in rows 3 to 4 feet apart for seed. If broadcast for hay mix some upright-growing pea with them to hold vines off the ground when cutting. There are about 2,600 seed in one pound; mature in about 120 days.

Pkt., 5c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; 1 gal., 65c; 1 pk., \$1.25 1236—CLAY—The seed are buff colored, medium size, the plant is large, vigorous growing and of vining or running habit, pods are large and yellowish. The Clay pea is used mostly for soil improving or green manuring, especially in sugar cane growing section of the South. Sow broadcast 3/4 of a bushel to an acre, for hay or turning under-drill 10 pounds to the acre in 3 to 4

foot rows on poor soil for seed. There are about 3,500 seed to one pound; they mature in about 110 days.

Pkt., 5c; ½ lb., 15c; 1 lb., 20c; 2 lbs., 35c; 1 gal., 60c; 1 pk., \$1.00 1240—RED RIPPER—Seed are red, it is a vigorous growing vining pea. Like the Clay or Black, makes fine yield of long vines. Shy seeder, very popular where known. Planted mostly for soil improving and in mixtures for hay. Sow broadcast 3/4 bushel to acre for hay or to turn under-10 pounds to acre in 3 to 4 foot rows for seed. There are about 3,900 seed in one pound; they mature in about 110 days.

Pkt., 5c; ½ lb., 15c; 1 lb., 25c; 2 lbs., 40c; 1 gal., 65c; 1 pk., \$1.25 1237-MIXED PEAS-For hay and soil improving, these mixtures consist of upright and vining peas-the upright growing peas, such as Whippoorwill, New Era or Soy Beans (when used) hold the vining or running peas such as Black, Clay and Red Rippers, off the ground, which makes it much easier to cut for hay. We seil more mixed peas for hay than all other varieties combined. Broadcast from one to two bushels to an acre; ready to cut for hay in about 90 days.

Pkt., 5c; ½ lb., 10c; 1 lb., 15c; 2 lbs., 25c; 1 gal., 60c; 1 pk., \$1.15 1252-GROIT-The plants are half-bushy and semi-erect, maturing in about 80 days. The seeds are buff-colored, speckled with brown and blue spots, and number about 3,200 seed in each pound. This variety is a natural cross between the New Era and the Whippoorwill.

Pkt., 5c; ½ lb., 20c; 1 lb., 25c; 2 lbs., 45c; 1 gal., 75c; 1 pk., \$1.25 1251-IRON-The plants are tall and half-bushy, maturing in 90 to 100 days. The seeds are light buff, and run about 3,800 to a This variety is especially useful on account of its immunity to root-knot and wilt, and is largely grown in localities where these diseases are troublesome.

Pkt., 5c; ½ lb., 20c; 1 lb., 25c; 2 lbs., 45c; 1 gal., 75c; 1 pk., \$1.25

CROTALARIA SPECTABILIS A New Summer Legume

1234—CROTALARIA SPECTABILIS—Has proved itself to be an outstanding summer cover crop. It is a legume, adding nitrogen to the soil when turned under, equal to an application of 800 pounds of Nitrate of Soda per acre. A yield of 40,000 pounds of green material per acre is not uncommon. The organic materials produced by the decomposition of crotalaria are able to attack unavailable plant food materials, and make them useful to the succeeding crop. Produces more humus and more nitrogen per acre than any other crop. This makes it the cheapest cover crop to grow. Stock will not eat it, therefore it can be planted for soil building where there are no fences. It has succeeded in the Southern states and as far north as Indiana. It is not a host to injurious insects and diseases. It will re-seed each year and is not a pest. It is used as a summer cover crop and soil builder in groves, orchards, vineyards, etc. It is planted in corn and other farm crops at the last cultivation and makes a tremendous growth the same season. It will build up the wornout land so common on every farm.

1 lb., 35c; 5 lbs., \$1.25; 10 lbs., \$2.25; 15 lbs., \$3.00

BUCHANAN'S FORAGE SEEDS

All Prices on This Page Post Paid. Prices Not Prepaid—See Yellow List Enclosed.

SPECIAL ATTENTION
NON-WARRANTY—Owing to the peculiar hybridization of all cane varieties, it is impossible to guarantee any of the varieties here listed and we do not guarantee that they will

come true.

All orders for cane varieties are therefore accepted only on these conditions.

R. B. BUCHANAN SEED CO., Incorporated.

Buchanan's Honey Drip Syrup Cane

CULTURE—Plant this cane seed on rich land during April or May in drills (4-foot rows) at the rate of 12 to 15 pounds per acre. Cultivate like corn and chop out like cotton, leaving plants about 10 to 12 inches apart in the row. One seed will stool out and produce 3 to 5 stalks, 10 to 12 feet tall. It usually produces 30 to 50 bushels of seed per acre, and 125 to 200 gallons of syrup per acre, of a fine flavor and always sells well. Cut for making syrup just before seeds ripen, as the plants have more sugar at that time. If you desire to save seed, let the plant mature and cut when fully ripe.

1194—BUCHANAN'S HONEY DRIP SYRUP CANE—It is two weeks later than

Amber or Orange and makes a larger stalk and fully more than one-third more fodder than either; it is especially recommended for silos. It is an all-purpose type sorghum cane for syrup, silage, fodder and seed. Orange, Amber and Red Top Sorghum are not good for syrup making, and it is our experience that Texas Seeded Ribbon Cane cannot always be depended on for purity. It is somewhat similar to the Seeded Ribbon Cane. Price—1 lb., 25c; 5 lbs., 75c; 10 lbs., \$1.35; 15 lbs., \$2.00 1200-WHITE AFRICAN SYRUP CANE-One and two-thirds acres (measured) grown under our observation last season was planted May 1st, cultivated once in June and once in July. Made into syrup September 1st. Yield, 325 10-pound cans (so-called gallons) and was sold for \$1.10 per gallon.

Price—1 lb., 25c; 5 lbs., 75c; 10 lbs., \$1.35; 15 lbs., \$2.00

Cane Seed, Saccharine Types for Forage

1195—CANE (Texas Seeded Ribbon Type)—This cane gets its name from being a variety that closely resembles the true Ribbon Cane raised from cuttings. We recommend this cane for silage, and we do not recommend it for syrup making.

1198—CANE (Early Amber Type)—The earliest type in cultivation. Stalks tall and

slim. Most suitable for hay, as it matures very quickly.

1197-CANE (Early Orange Type)-Largely used for hay and fodder. It is taller and has heavier stalks than the Early Amber.

1199-CANE (Red Top Type)-Later, larger growth and better drouth resister than Amber Price, 4 above varieties—1 lb., 25c; 5 lbs., 60c; 10 lbs., \$1.00; 15 lbs., \$1.50

Cane Seed, Non-Saccharine Types for Forage

1212—CANE (Sagrain Type)—It does well on all heavy types of soil; thrives under the same adverse conditions as sorghum, and produces six to seven tons per acre, one to two tons of which is grain. The grain is similar to that of the Kaffirs, which means it has nine-tenths the feeding value of corn. Sagrain can be fed to mules, cows, hogs and other animals and is relished by all.

Sagrain should be planted on well-prepared seed beds in 3 to 3½ foot rows, 8 to 10 seeds per hill every 10 to 12 inches. A blank corn plate with % inch holes, properly spaced, will do the work. One bushel will plant 6 to 8 acres, and the Sagrain should be thinned to 3

to 5 stalks per hill. It matures in 70 to 75 days.

Price-1 lb., 25c; 5 lbs., 60c; 10 lbs., \$1.20; 15 lbs., \$1.50 1217—CANE (Grohoma Type)—Wonderful claims have been made for this new Grain Sorghum. Grows 4½ to 5 feet high. The first grain crop (the spike-heads) matures in about 90 days. Harvest and let branch heads mature, then cut stalks intact for bundle or silage feed. Grain-heads are 10 to 18 inches long and yield over 100 bushels per acre. Rule is to plant two 3-foot rows and skip one, thinning to 1 foot apart in row. After harvesting main grain crop, plant open rows to some cover crop. Cultivate same as cotton or corn. Five Price-1 lb., 25c; 5 lbs., 70c; 10 lbs., \$1.25; 15 lbs., \$1.60 pounds plant an acre. 1216—CANE (Egyptian Wheat Type)—If it is used for fodder purposes it may be cut about three times a year, yielding in the three cuttings from 5 to 7 tons per acre. Grows 6 to 8 feet high. Plant from January until July, depending upon your locality. We recommend sowing 10 pounds to the acre in rows 3½ to 4 feet apart. Sow broadcast at the rate of 25 Price—1 lb., 30c; 5 lbs., 85c; 10 lbs., \$1.50; 15 lbs., \$2.00 pounds to the acre. 1210—CANE (White Kaffir Type)—This variety has become more valuable every year because of its drouth-resisting qualities. Grows 4 to 5 feet high, is very stocky and leafy; valuable for forage and grain. Plant from March to July, in rows 3 feet apart, drilling seed thinly like sorghum. If wanted for grain principally, let heads mature on the stalk and then the

whole stalk may be cut for fodder after the seed heads have been cut. Price—1 lb., 25c; 5 lbs., 60c; 10 lbs., \$1.20; 15 lbs., \$1.50 1213—CANE (Yellow Milo Maize Type)—This makes a thick, succulent growth of forage, very nutritious and of splendid milk-producing qualities; and, like sorghum, can be cut over two or three times where it is desired to cut for green forage. Makes excellent ensilage. Can be cured same as other sorghums. Price—1 lb., 25c; 5 lbs., 60c; 10 lbs., \$1.20; 15 lbs., \$1.50 1214—CANE (Feterita Type)—A non-saccharine cane, a new forage crop for the South. Similar to Kaffir Corn in general habit, but grows a little taller and produces larger heads,

standing erect, white seed and early maturity.

Price—1 lb., 25c; 5 lbs., 85c; 10 lbs., \$1.35; 15 lbs., \$1.80 1215—CANE (Hegari Type)—It makes an enormous yield of grain in most sections of the South and is more desirable for forage or silage than either Kaffir or Feterita. It is dwarf in habit of growth, producing large heads of white grains that do not shatter. Plant 8 to 10 pounds per acre. It is getting to be the most popular non-saccharine Sorghum grown. Stands dry weather well. Price-1 lb., 25c; 5 lbs., 60c; 10 lbs., \$1.20; 15 lbs., \$1.50



On This Page



See Page 57



See Page 62



On This Page



Kaffir Corn

R.B.BUCHANAN SEED CO. 🗩 MEMPHIS, TENNESSEE.



Wild game is disappearing rapidly. Your State and Federal Governments ask you to help save it by feeding and protecting it. Join the Wild Life Conservation Program: Observe the game and fish laws; make constant war on the hawk and all predators, thereby increasing your sport.

benne, wheat and rye.

Wild birds save the farmers of the U.S. A. millions of dollars each year by destroying insects; feed and protect them during the winter.

Attract game birds to your farm by shelter feeding them during the winter with Buchanan's Game Bird Scatter Food, and by growing crops on which they like to feed.

1201-BUCHANAN'S GAME BIRD SCATTER FOOD-Our formula was prepared by a high authority on game bird feeding. It is composed of cracked grains and the seeds on which they love to feed. Scatter near the edge of woods or brush. This mixture is held in high favor, especially by game preserve owners, who are using it in increasingly large quantities.

All Prices on This Page Post Paid.

50 LBS.

BUCK BRAND

PEANUTS

R.B.BUCHANAN

SEED CO. MEMPHIS,TENN,

Price-1 lb., 25c; 5 lbs., 80c; 10 lbs., \$1.40; 25 lbs., \$3.00

PEANUTS

Price-1 lb., 35c; 5 lbs., \$1.25; 10 lbs., \$2.45; 15 lbs., \$2.60 See Yellow List Enclosed for Quantity Prices.

GAME BIRD SEEDS FOR PLANTING - The Federal Game and Inland Fisheries Commission recommends the planting of

the following crops for game bird feeding: Korean lespedeza,

buckwheat, brabham, groit and black-eye peas, shallu Japan

clover, hairy vetch, German millet, laredo soy beans, kaffir corn,

1202—BENNE SEED—Tall annual herb, about 3 feet high, pro-

ducing flowers followed by seed pods which shatter the oily seeds in great profusion. These seeds are relished by poultry and a

great use at present is a crop to attract and feed wild birds,

especially quail and partridges. The oil from the seed is sweet,

and, like olive oil, is used on salads and for other culinary

purposes. The parched seeds are used in confectionery. This is one of the finest plants ever grown for poultry feed. Try it this


year. Drill seed in rows 3 feet apart, as soon as frost danger is

CULTURE-Plant the shelled nut in May or early in June, dropping the nuts 8 to 10 culture—Plant the shelled nut in May or early in June, dropping the nuts 8 to 10 inches apart in 2½ to 3 foot rows and cover 1 to 2 inches deep. Cultivate thoroughly until the nuts begin to form. When harvesting, loosen the roots with a plow, pull the vines with the nuts attached, allow them to dry, stack around a stake, turning the nuts inward. 1177—PEANUTS (Spanish Type)—They can be grown closer than most varieties, are more easily cultivated and gathered, as the nuts, which are clustered around the base of the plant, cling firmly to the roots. Price—1 lb., 25c; 5 lbs., 80c; 10 lbs., \$1.40; 15 lbs., \$1.95. 1178—PEANUTS (Tenn. Red Running

Type)—The finest large variety grown; similar to Spanish Peanuts, but the pods are much larger and longer, well adapted to all soils. The pods usually contain from three to four nuts, which are very rich and highly flavored. Price-1 lb., 30c; 5 lbs., 85c; 10 lbs., \$1.50; 15 lbs., \$2.10 1180—PEANUTS (Valencia Type)—Fills the demand for a peanut that is larger and containing more nuts than the common varieties. It is splendidly adapted for growing on the light sandy soils of the South Atlantic Seaboard, where it has yielded uniformly satisfactory crops. The pods are large, well filled, usually containing three or four nuts. Price-1 lb., 25c; 5 lbs., 80c; 10 lbs., \$1.40; 15 lbs.,

past, at rate of 5 pounds per acre.





1185—TENNESSEE GERMAN MILLET (Big Headed Type)—Seed are grown in Middle Tennessee. The standard weight of millet is 50 pounds to the bushel. Broadcast 1 bushel to acre. There are about 232,000 seed to 1 pound.

German Millet makes a quickly grown, easily cured and large yielding, nutritious hay crop. It comes so quickly that it can be sown after wheat, oats or other early crops are harvested, and leaves the land clean and in fine mechanical condition for the following crop. Millet should be cut when coming to flower, as after that stage the woody fibre forms in the stem and the hay is hard and unpalatable. Cut at the proper time, it makes a splendid hay. As a summer catch-crop, it has few equals, for it makes its crop in about sixty days, discing and harrowing wheat or oat land being the only preparation necessary.

Price—1 lb., 25c; 5 lbs., 80c; 10 lbs., \$1.40; 15 lbs., \$1.95

1187—JAPANESE OR BARNYARD MILLET (Called Billion Dollar Grass)—Distinct from other millets; grows 4 to 6 feet high, yielding an enormous crop that in quality is equal to corn fodder and is relished by stock. Sow in May, June or July, 20 pounds to the acre broadcast; or plant in 15-inch drills and cultivate until it is 18 inches high. When green, feed a moderate quantity at first, gradually increasing the quantity as the animals become accustomed to it. This millet is used in great quantities by Southern Hunting Clubs for wild duck feed.

Price—1 lb., 25c; 5 lbs., 85c; 10 lbs., \$1.50; 15 lbs., \$2.00 1188-PEARL OR CAT-TAIL MILLET-Will grow 10 to 12 feet high, but for the greatest amount of green feed it should be cut when 3 to 4 feet high. It will then stool out enormously. Give three or four cuttings a season, and keep on growing right up to frost. It is highly nutritious. It is a warm weather plant, and should not be planted till the ground is thoroughly warm, otherwise the seeds will not germinate. Plant 5 pounds to the acre, in drills 3 feet apart.

Price—1 lb., 30c; 5 lbs., 95c; 10 lbs., \$1.75; 15 lbs., \$2.25

MISCELLANEOUS FARM SEEDS

All Prices on This Page Post Paid. Write for Prices on Quantities.
Prices on These Items Are Constantly Changing.

1155—VETCH (Spring Type)—Has become very popular in the central South within the past few years. Used as green feed and hay. Must be sown in early spring. When sown at this time with oats, it will produce a good crop of hay two weeks earlier than fall-sown Vetch. Very productive and highly nutritious. Handle similar to Canada Field Peas. Spring Vetch is superior to peas. Makes a greater growth of vine, takes less seed per acre. Sow 30 to 40 pounds per acre with about 1 bushel of oats.

Price—1 lb., 25c; 5 lbs., 80c; 10 lbs., \$1.40; 15 lbs., \$2.00 1176—VETCH (Sand or Hairy Type)—The hardiest vetch. Fine for hay, grazing and improving land. Grows well on all soils and surprisingly well on poor, thin land, and will stand extremes of drouth, heat and cold. The yield of hay is really wonderful, as many as twenty long vines growing from a single root. It may also be sown in the fall to make hay about the end of May, for an excellent pasture or to prevent the leaching of plant food from the land by the winter rains. It never winter kills.

Price—1 lb., 30c; 5 lbs., \$1.00; 10 lbs., \$1.90; 15 lbs., \$2.75

1265—RYE (Abruzzi Type)—If sown on good land in September it will be ready for grazing in about six weeks, and will furnish grazing for several months if not grazed too close. Unless wanted for grazing, do not sow as early as September, as it may go to seed during the winter or early spring; late October or early November is early enough to sow for a grain crop. For fall planting seeds write for prices when ready to buy 1266—RYE (Rosen Type)—Makes a splendid cover crop, and when grown on land to which it is suited, makes heavy grain head on thick, stiff straw about 5 feet high. It is fine for grazing, although the spring growth is not as early as Abruzzi, nor is the straw as long.

For fall planting seeds write for prices when ready to buy 1267—RYE (Southern or Common Type)—I have sold Southern or Common White Rye for 40 years, and while there is no special comment to make on same, there is more of it sown than all other varieties combined. It is cheaper in price and can be sown from August 15 to December 15 for grazing. Sow about 2 bushels to acre.

For fall planting seeds write for prices when ready to buy 1268—SUNFLOWER (Russian Type)—Sow 10 pounds per acre in drills 3 feet apart, dropping seed about every 4 inches.

Price—Large pkt., 10c; 1 lb., 30c; 5 lbs., 70c; 10 lbs., \$1.25

Oats packed 5 bushels (160 pounds) to bag. Sow 60 to 90 pounds to acre alone; with Vetch, 32 pounds Oats and 30 pounds Vetch.

1275—OATS (Appler Type)—Are equally well adapted for sowing both in the spring and fall.

Price—Peck, 65c; ½ bu., \$1.00; 1 bu., \$1.90

1276—OATS (Burt Type) (90 days)—Sow in February, March and April, 15 days earlier than any other spring oats; free from rust; healthy, and makes a remarkably good yield of clean, bright, heavy grain.

Price—Peck, 65c; ½ bu., \$1.00; 1 bu., \$1.90

1278—OATS (Winter Turf Type)—Often called Winter Turf because they stand the winter better than any other oat that you can sow in the fall. Sow at the rate of 2 bushels per acre.

Price—Peck, 85c; ½ bu., \$1.20; 1 bu., \$2.20

1279—OATS (Fulghum Type)—This oat has been very popular for six years. It is of the rust-proof type, earlier than either Appler or Red Rust Proof, and a heavier yielder.

Price—Peck, 65c; ½ bu., \$1.00; 1 bu., \$1.90

1280—OATS (Red Rust Proof Type)—This variety is very hardy, producing a medium tall, stiff straw and a heavy yield of grain or hay. The stock which we offer is exceptionally heavy, bright, recleaned and graded. Price—Peck, 65c; ½ bu., \$1.00; 1 bu., \$1.90 1258—WHEAT (Fultz Type)—A smooth-head wheat, sown in the South for grazing green hay, and in some sections threshed and ground for flour.

For fall planting seeds write for prices when ready to buy 1260—WHEAT (Red May Type)—Beardless or smooth-head, sown mostly in the South for grazing and to cut green for hay in spring.

For fall planting seeds write for prices when ready to buy 1263—BARLEY (Beardless Type)—It makes a quick-growing crop of most excellent and nutritious feed, either to use green or to cure as hay. Sow 1½ to 2 bushels per acre.

For fall planting seeds write for prices when ready to buy 1262—BARLEY (Bearded Type)—Best for fall sowing; in fact, makes the finest winter pasture and should be more generally used.

For fall planting seeds write for prices when ready to buy 1269—BUCKWHEAT (Silver Hull Type)—The grain of this type is plump and silvery gray. The crop continues to bloom longer than common buckwheat, and therefore is larger. Sow broadcast, 50 pounds to the acre. Price—1 lb., 25c; 5 lbs., 60c; 10 lbs., \$1.00

NEW IMPROVED CERESAN-For Wheat, Oats and Barley

New Improved Ceresan is unusually effective for controlling bunt or stinking smut of wheat, smut of oats, and covered smut and stripe of barley. Costs but 1½ to 2½ cents a bushel of seed grain, as only ½ ounce of dust is used. Easily and quickly applied by a rotary treater or with shovel. It adds to grain profits by reducing losses from smut and dockage and increases yields. See page 65 for prices Semesan for treating Cotton, Corn, Potatoes and Grass Seeds. Prices—Post paid—1 lb., 90c; 5 lbs., \$3.20. At Store—1 lb., 75c; 5 lbs., \$3.00.

See Yellow Price List enclosed for prices on large quantities



Rye (Abruzzi Type)



R. R. Moore of Somerville, Tenn., writes: I planted the Abruzzi Rye and have as good a stand as I would want. I planted five bushels on five acres and I wish I had spread it out to six or seven.



Wheat (Red May Type)

CERESAN

R.B.BUCHANAN SEED CO. MEMPHIS, TENNESSEE. BUCK BRAND TESTED SEEDS

Austrian Winter Peas

Dwarf Essex Rape



Broom Corn

MISCELLANEOUS FARM SEEDS

All Prices on This Page Post Paid. Prices Not Prepaid—See Yellow List Enclosed.

Buchanan's Austrian Winter Peas

1250—AUSTRIAN WINTER PEAS—Introduced into the U. S. A. about ten years ago from Central Europe where the dairy farmers plant them very extensively to be used as green forage during the winter and spring.

This winter Pea has endured temperatures of 10° below zero in Oregon with only a light snow covering and 3° below in Washington, D. C. In Georgia it has survived without injury when Oats and all Vetches except Hairy Vetch were killed.

The Delta Experiment Station at Stoneville, Miss., recommends Austrian Peas and Vetch the safest legume crops to use and advises Delta planters to plant 15 to 20 pounds to acre in cotton middles after the first picking of cotton.

These Peas should be planted after the first good season after September 10th, and then on for six weeks according to your latitude. At the South Mississippi Experiment Station, Poplarville, Miss., these peas were planted October 27th, came up promptly and grew luxuriantly until March 10th.

A good plan for planting is to disk about 25 to 30 pounds per acre about 2 inches deep in cotton middles for green manure. If sown for hay it is best to mix 25 pounds of Peas with 1 bushel Oats—Oats hold the Peas up to be cut.

Austrian Peas when used for soil improvement should be turned under the first half of March. When used for hay they are ready about the same time as Oats planted the same time.

Price—1 lb., 30c; 5 lbs., 85c; 10 lbs., \$1.40; 15 lbs., \$1.95; 25 lbs., \$3.00

The Austrian Winter Pea is a Legume plant and should be inoculated with Nitragin to improve your crop and soil for future crops—the cost is about 15c an acre. See page 65 for inoculation for all legume crops.



Dwarf Essex Rape

A Quick and Cheaply Grown Pasturage for Sheep, Hogs, Cattle and Poultry Ready in 6 to 8 Weeks from Sowing

CULTURE—Sow either broadcast or in drills 18 inches to 2 feet apart; when grown in drills and cultivated occasionally, the leaves will cover the intervening space; this method is a fine weed killer. Allow 8 to 10 weeks for it to attain its maximum growth. Sow it as early as possible—February, March or early April; 3 to 4 pounds plant an acre in drills; to 8 pounds broadcast. Sow again next fall for grazing during the fall, winter and spring.

Formerly Rape was grown especially for sheep and lambs, but in recent years it has been found equally good for providing pasture for all kinds of stock. It has been estimated to yield more than 10 tons of green forage per acre that, for fattening, is claimed to be worth, pound for pound, double the value of clover. One of the State experiment stations reports that the lowest average gain on lambs fed on Rape alone was 7 to 8 pounds per month. Another experiment station recommends the sowing of 5 to 6 pounds Rape to the acre in corn at the last working, and stating that this has proved a particularly profitable practice, as an enormous crop can be grown at a cost of about 50 to 60 cents per acre. An acre of rape will easily pasture twenty hogs for two months.

Do not turn stock into a Rape pasture when they are hungry, nor when the Rape is wet, as it may induce bloating; allow them to remain a short while the first day, and increase the time each succeeding day. Give stock access to salt while feeding on Rape; they should also have hay or straw convenient in case of bloat.

Price—1 lb., 30c; 5 lbs., 80c; 10 lbs., \$1.25; 15 lbs., \$1.80; 25 lbs., \$2.90

Broom Corn

Broom Corn belongs to that group of plants known as sorghums. The United States consumes and exports about 50,000 tons annually. The average yields of brush are about 600 pounds to an acre under favorable conditions and 200 to 300 pounds under unfavorable conditions. Planting in early June usually produces the best crops in most sections. Any land that will grow corn will grow broom corn. When ground is thoroughly warm plant in rows $3\frac{1}{2}$ feet apart. When up, thin to one plant about every six inches. Cultivate as you would corn, cut when the seed are in the dough stage, thrash the same day and put in drying frames for a week and then bale carefully. Six to eight pounds of seed will plant one acre. There are about 30,000 seed in one pound.

1270—EVERGREEN (Tall or Standard Type)—Grows 7 to 15 feet high, bears a brush 16 to 24 inches in length, used in making all types of brooms.

1271—OKLAHOMA (Dwarf Type)—Grows 4 to 7 feet tall, matures in about the same time as Standard Evergreen or slightly earlier.

1272—SCARBOROUGH (Dwarf Type)—It is later, slightly taller and has somewhat longer brush and less reddened chaff on the seeds than Evergreen Dwarf. Bears fewer seeds and easier thrashed than many varieties.

1273—BLACK SPANISH (Black Jap, Tall Type)—Is shorter and earlier than Evergreen (Tall) and has dark brown or black chaff on the seeds. It usually grows to a height of 6 to 11 feet and is ready for harvesting 10 days earlier than the Evergreen variety.

Price, either variety-1 lb., 30c; 5 lbs., 85c; 10 lbs., \$1.25; 25 lbs., \$2.90

BUCK BRAND TESTED SEEDS

Du Bay Seed Disinfectants Increase Profits



2% CERESAN FOR COTTON, PEAS, SORGHUM

Ceresan prevents early-planted seed from rotting in cold, wet soil, reduces damping-off or sore shin, insures a more uniform stand and increases yields of seed cotton up to 426 pounds an acre. Plant one-fourth less treated seed. Saving in seed and replanting expense more than pays for 2% Ceresan's small cost. Easily and quickly dusted on the seed at the rate of 3 ounces a bushel. Prices—Post paid—1 lb., 85c; 5 lbs., \$3.10; 25 lbs., \$12.85. At Store—1 lb., 75c; 5 lbs., \$3.00; 25 lbs., \$12.50; 100-lb. drum, \$49.00; 300-lb. drum, \$144.00. Write for Booklet.

SEMESAN—For Flower and Vegetable Seeds Prevents seed rotting under unfavorable soil conditions. Effective in controlling damping-off. Harmless to the seed, but deadly to disease organisms on them. Costs from ¼c to 1c per pound of seed, as one ounce treats 15 lbs. Prices—Post paid—2 ozs., 60c; 1 lb., \$2.65; 5 lbs., \$11.95. At Store—2 ozs., 50c; 1 lb., \$2.50; 5 lbs., \$11.75.





NEW SEMESAN BEL-For Potatoes

Seed potato treatment with New Improved Semesan Bel gave an average increase in yield of 35.4 bushels per acre, by controlling seedborne scab and Rhizoctonia, reducing seed rotting and improving stands. Costs 1½c to 3c per bushel, as one pound treats 60-80 bushels of seed. Prices—Post paid—4 ozs., 60c; 1 lb., \$1.75; 5 lbs., \$7.00; 25 lbs., \$31.70. At Store—4 ozs., 50c; 1 lb., \$1.65; 5 lbs., \$7.00; 25 lbs., \$31.25.

NEW IMPROVED SEMESAN JR.—For Corn.

Insure good stands and yields. It protects seed from rotting and prevents certain seed-borne diseases. Use 2 ounces per bushel. Costs from 2½c to 3c an acre. Prices—Post paid—4 ozs., 45c; 1 lb., \$1.15; 5 lbs., \$4.95; 25 lbs., \$23.85. At Store—4 ozs., 35c; 1 lb., \$1.00; 5 lbs., \$4.75; 25 lbs., \$23.25.



Legume-Aid-Inoculation MOIST COMPOSITION BASE:



Living bacteria in a base of relatively low moisture content which adheres to dry seed without the use of water. Recommended because of its ease of application.

ONLY THE BEST STRAINS of bacteria are used. They have been selected from a large collection and are the best now available.

CULTURES OF MORE THAN adequate size are supplied to in-

sure results even under unfavorable conditions.

PROMPT DELIVERY is desirable as fresh cultures are much more effective than old ones. To insure the use of fresh cultures we only permit their sale within four months after preparation.

For Small Seed—Alfalfa and All Clovers

At Store Post-paid

For Small Seed—Alfalfa and All Clovers.	At Store	Post-paid
For one-half bushel	\$0.30	\$0.40
For one bushel	50	.60
For two and one-half bushels	1.00	1.10
For Large Seed-Beans, Peas, Vetch, Soy Bea	ins.	
For one bushel	30	.40
For two bushels	50	.60
For five bushels	1.00	1.10



All legumes — plants that bear their seed in pods—like peas, beans, alfalfa, form a partnership at the roots with certain kinds of healthful bacteria called legume germs, that are able to draw nitrogen from the air and give it to the plant. They form on the roots in colonies looking like lumps, called nodules.

Without these germs, legumes would rob the soil for nourishment and have a sickly growth, for few soils contain a natural supply. It is therefore necessary to "inoculate"—apply these nitrogen-gathering germs directly to the seed. All agricultural authorities advise inoculation of legumes. Every 1-bushel size can of Nitragin is packed with more than seven billion legume germs. When ordering, always specify kind of seed.

Alfalfa. All Clovers
Size Retail P. Paid
½ bushel\$0.35 \$0.40
1 bushel55 .60
2½ bushels 1.20 1.30
Lespedeza (Hulled or
Unhulled)
1-bu. size inoculates 60 lbs. of

seed, hulled or unhulled.
Size Retail P. Paid
1 bushel \$0.35 \$0.40
2 bushels55 .70
5 bushels 1.20 1.30
Peas, Vetch, Beans,
Austrian Winter Peas

Austrian Winter Peas
Size Retail P. Paid
½ bushel ... \$0.30 \$0.35
1 bushel45 .50
*1 2/3 bushels65 .75
5 bushels ... 1.85 2.00
12½ bushels ... 4.25 4.45
*"100 lb. size." Packed only for
Vetch and Austrian Peas.
Soy Beans, Cow Peas,
Size Retail P. Paid

 Size
 Rotall
 P. Paid

 1 bushel
 .\$0.35
 \$0.40

 2 bushels
 .55
 .65

 5 bushels
 1.20
 1.30

 10 bushels
 1.75
 2.00

 25 bushels
 3.75
 3.95

 Garden NITRAGIN for Peas, Beans, Sweet Peas

Inoculates from 1 oz. to 8 lbs. seed. Price 10c, post paid 15c









Causes Spring-Grown Irish Potatoes to Sprout for LATE Crop
This new, quick method (in use 8 years) has the effect of
waking the potato or bringing it out of the rest period.

Read Carefully How to Treat the Seed

Dig the potatoes and let them dry 3 or 4 weeks before planting. Eight hours before planting, cut the seed in pieces about 1 ounce in weight. Cut small potatoes in two. Dip the cut potatoes in solution of Ethylene Chlorhydrin and water as follows:

			At	Ву	Post
Ethylene	Water	Treats	Store	Express	Paid
½ Pint	2 Gallons	2 Bushels	\$0.50	\$0.50	\$0.70
1 Pint	4 Gallons	4 Bushels	1.00	1.00	1.25
1 Quart	8 Gallons	10 Bushels	2.00	2.00	2.35
½ Gallon	16 Gallons	20 Bushels	2.75	2.75	3.25
1 Gallon	32 Gallons	40 Bushels	4.25	4.25	4.95

Allow the potatoes to remain in the solution just long enough to become thoroughly wet. Remove and put in a container just as near air-tight as possible and let remain there eight hours. Remove and store in cool, shady place where temperature is under 90 degrees. Do not treat potatoes when temperature is above 90 degrees in shade, as it will cause rot. Do not treat with any other chemical, as the combined treatments will cause rot. Lay off rows in ground that has been well worked, open deep furrows so as to cover seed deep; plant early in morning, late in afternoon, or on a cloudy day; drop pieces 12 to 15 inches apart, cover 4 to 6 inches deep; a low, moist piece of soil. Plant from July 1st until last week in August. Many plant early in September in lower Southern territory. It requires 8 to 10 bushels to plant an acre.

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE.


BUCK BRAND TESTED SEEDS



Apple Blotch



The Time for First Codling Moth Spray



Codling Moth or Apple Worm A Chewing Insect



San Jose Adult Female Scales

How to Spray the Orchard and Garden

These pages are written to help orchardists and gardeners raise better fruit, flowers and vegetables. Orchard and garden pests are divided into two divisions—insects and diseases. Insects are classified as chewing insects and sucking insects.

CHEWING INSECTS—Have mouth parts that enable them to bite off and chew the foliage and fruit. Such insects as the potato bug, apple worm and cabbage worm are examples. The way to control chewing insects is to poison their food, which is the fruit and foliage.

SUCKING INSECTS—Are so called because they have mouth parts that pierce and suck the juices and sap from the leaves, fruit and foliage. Included in this class are scale insects, aphis or plant lice, red spiders, thrips, etc. These insects are controlled by spraying them directly with a material that paralyzes or suffocates them. Black Leaf 40 or Evergreen are used.

FUNGUS DISEASES—A fungus disease is a condition in a plant that may effect fruit, leaves or bark, and is a low form of plant life that originates from a minute spore or seed. As the fungus spore or seed germinates it pushes its roots into the tissues of the plant and causes what is known as a fungus disease. Examples of fungus diseases are brown rot on plums, peaches or cherries, scab on apples, mildew on roses or grapes, and curl on peaches. CODLING MOTH OR APPLE WORM (a chewing insect)—This insect hibernates as a pinkish white worm in cocoons under the bark of trunk or other protected places. The worm transforms itself into a moth, which emerges about blossom time and lays eggs on the fruit and foliage. The eggs hatch about 2 or 3 weeks after the fall of petals, at which time about 90% of the young worms enter the apples at the calyx or blossom end. It is very important that the calyx spray is applied at the right time, between 7 and 10 days before calyx closes.

SCAB (a fungus disease)—Scab makes its first appearance in the cool wet weather in the spring. The spores or germs of Scab live through the winter in the dead leaves lying under the trees, and are discharged into the air, and the wind carries them to the young leaves and blossom stems where they grow and multiply rapidly. The disease makes its first appearance on the underside of the leaves in the form of brownish spots, which later become black. It spreads to the upper side of the leaves and to the fruit. The disease on the fruit makes brown or black spots and later the fruit cracks and falls.

BLOTCH (a fungus disease)—Blotch is found on the fruit, leaves and twigs. On the fruit the disease appears as a brown, irregular edged mass of fibers, beneath the skin of the fruit; on the leaves numerous small light gray spots with a single black dot in the middle of each spot. On the twigs the disease appears as a circular canker on new growth.

SAN JOSE SCALE (a sucking insect)—The most common class of insects that attack apples, pear and quince trees are scale insects. They attack nearly every kind of tree, including shade trees and evergreens. The most distinctive scale insect is the San Jose Scale. This insect attacks all parts of the tree, including the trunks, branches, leaves and fruit, and usually causes bright red spots on the skin of the apples. The branches and trunk covered with San Jose Scales have a rough, grayish appearance. By scraping these, soft yellowish insects can be seen




Apple Scab



Too Late for First Codling Moth Spray



Apple Scab A Fungus Disease



Young Fruit of Peach Branch on Left Ready for the First Spraying for Curculio. Branch on Right Too Early for Effective Spraying.

APPLE SPRAY PROGRAM

DORMANT SPRAY—FOR SCALE INSECTS—For scale insects and blister mites use a dormant spray, after the leaves drop in the fall and before buds swell in the spring, and when the temperature is above 40 degrees. Use Buchanan's Oil Emulsion, diluted 2 gallons to 48 gallons of water, or concentrated limesulphur solution, 6 gallons to 44 gallons of water, or use 15 pounds dry lime-sulphur to 50 gallons of water.

PINK BUD SPRAY—As the individual buds in a cluster begin to separate use concentrated lime-sulphur solution diluted 5 quarts to 50 gallons water, or 4 pounds sulforon to 50 gallons water, or 4 pounds Koppers Flotation Sulphur to 50 gallons water. To either of the above mixtures add ½ pound Ortho

Dry Spreader.

FULL BLOOM SPRAY—Apply when 75% of the blossoms are wide open. Frequently apples and pears bloom beautifully and do not set any fruit. Failure to set fruit under these conditions is usually caused by blight. This spray properly applied will prevent dropping of blossoms and small fruit caused by blight. Spray with 1-3-50 Bordeaux or Coposil, 34 pound to

PETAL FALL OR CALYX SPRAY—Begin when petals are three-fourths off and finish before the calyx closes. Use same

materials as written for Pink Bud Spray, and add 1½ pounds Arsenate of Lead.

In applying cover sprays it is equally important to cover both fruit and foliage.

FIRST COVER SPRAY—Begin 7 days following last spray. Use 8 pounds Bordeaux Mixture in 50 gallons water, or dilute Coposil 1 pound to 50 gallons water. To either of the above mixtures add ½ pound Ortho Dry Spreader. Beta-Napthol Tree Bands should be applied about the time of first cover spray.

SECOND COVER SPRAY—Begin 10 days after First Cover Spray, using same materials as in First Cover Spray plus two quarts Orthol-K Summer Oil

quarts Orthol-K Summer Oil.

THIRD COVER SPRAY—Begin 10 days after Second Cover Spray, using same materials.

FOURTH COVER SPRAY—Begin 12 days after Third Cover

Spray, using same materials.

LATER COVER SPRAYS—Begin two weeks after Fourth Cover, using same materials, except omitting Orthol-K. Apply as often as needed but DO NOT USE ARSENATE OF LEAD later than

using same materials, except omitting Orthol-K. Apply as often as needed but DO NOT USE ARSENATE OF LEAD later than one month before harvest. The above spray program is equally as good for pear and quince.

When using any of the above materials follow special directions on package for mixing.




Leaf Curl of Peach

Controlling Pests of Peach, Plum, Cherry and Apricot

PEACH LEAF CURL (a fungus disease)—Shows up in the spring shortly after the leaves unfold; they become thickened, puffed, folded and the diseased portions turn yellow with tints of red, and usually fall off. The spores of the disease winter over on the outside of the leaf buds, therefore the only way to control this disease is with the dormant spray.

PEACH SCAB (a fungus disease)—Makes the fruit spotted with small olive-colored dots, giving the fruit a freckled appearance. BROWN ROT (a fungus disease)—Shows up when the fruit is about half grown as a small circular dark brown decayed area. As the rot grows the center becomes dotted with grayish mold. This disease is found on Peaches, Plums, Cherries, and Apricots. CURCULIO (a chewing insect)—The adult Curculio is a grayish black humped-back snout beetle about one-quarter inch long.

black humped-back snout beetle about one-quarter inch long. It attacks the fruit by making a crescent-shape cut in the skins of the fruit in which the egg is laid. From this egg hatches a small white worm which feeds on the inside of the fruit.



Young Peach, Showing Curculio in Position, also Numerous Egg-Laying Punctures.

DORMANT SPRAY—FOR SCALE INSECTS AND PEACH LEAF CURL—After leaves drop in the fall and before buds swell in the spring, when temperature is above 40 degrees, spray with one of the following mixtures: In each 48 gallons of water dissolve 8 pounds of prepared Bordeaux Mixture. Then add 2 gallons Buchanan's Oil Emulsion. In case you wish to make your own Bordeaux with bluestone and lime, see page 69 for full directions. Or use 6 gallons lime sulphur solution to 44 gallons water; or 15 pounds dry lime sulphur to 50 gallons water.

No. 1—BLOSSOM SPRAY—This is the first spray for Curculio, Brown Rot and Scab, and should be applied when three-fourths of the blossoms have fallen and finish as quickly as possible; use Sulforon, 3 pounds in 50 gallons water, or Koppers Flotation Sulphur (full directions on package), 2½ pounds to 50 gallons water. Koppers Flotation Sulphur has no equal as a fungicide on peaches. If Peach Bacterial Leaf Spot is present, use Zinc Sulphate in this and the next spray. 3½ pounds to 50 gallons of either of the above sprays. Use ½ pound Ortho Dry Spreader to each 50 gallons of all summer sprays. To either of the above sprays add 1 pound arsenate of lead.

No. 2—FIRST COVER SPRAY—Apply two weeks after No. 1 spray for the same diseases and using the same spray. This should be the last spray for the early fruits.

No. 3—SECOND COVER SPRAY—Apply two weeks after No. 2 spray, using same materials as No. 1 spray.

No. 4—THIRD COVER SPRAY—Apply three to four weeks before fruit is due to ripen, using same materials as No. 1, except do not use arsenate of lead.

SPRAYING GRAPES for INSECTS and DISEASES

GRAPE LEAF TYER—Is a greenish-white caterpillar, marked with a dark green stripe, that folds the leaves together and lives between the folded leaves.

LEAF HOPPER—Is a small pale yellowish-green hopping insect that attacks the grape on the underside of the leaves. This insect causes the leaves to yellow, then brown, and eventually die. BLACK ROT—The disease affects all the green parts of the vine. The name black rot applies to the condition of the affected grapes. As the grapes ripen this brown rot spot becomes sunken and soon the fruit turns black and shrinks. The leaves may become infected also by reddish brown circular spots.

DOWNY MILDEW—A fungus disease of grapes, destructive to berries and all young or green portions of the vines. First sign on the fruit is a hardening of the berries, with a change from their normal color to a grayish blue-lead appearance.

SPRAY PROGRAM FOR GRAPES

No. 1—Just before blooming, mix 8 pounds of Bordeaux Mixture in 50 gallons of water according to directions on package. add to this 1½ pounds arsenate of lead. Use ½ pound Ortho Dry Spreader to each 50 gallons of all summer sprays. You can make your own Bordeaux Mixture with bluestone and lime.

No. 2—FIRST COVER SPRAY FOR MILDEW, BLACK ROT AND BERRY MOTH—Immediately after blooming use same spray as used in No. 1 spray.

No. 3—Two weeks after No. 2 spray use same spray for the same controls.

No. 4—THIRD COVER SPRAY—Two weeks after previous spray use same materials, except DO NOT USE ARSENATE OF LEAD, unless prepared to remove by washing.

STRAWBERRY SPRAY PROGRAM

STRAWBERRY WEEVIL—The mature insect is a small snout beetle about one-tenth of an inch in length and black in color. The presence of this insect is detected by finding buds drooping or cut off and lying on the ground. After the blossom bud has opened they do not attack it.

CONTROL by dusting the entire field with a mixture of 85 parts superfine dusting sulphur and 15 parts either Dutox, Arsenate of Lead or Calcium Arsenate. Apply as soon as insects appear. Repeat the application in one week.

STRAWBERRY LEAF SPOT—This disease is by far the most important one affecting the strawberry plant. It is especially destructive in rainy, wet weather when the temperature is relatively high. Yields are often reduced by one-half because of injury due to this disease.

CONTROL by spraying with 2-4-50 Bordeaux mixture; first application as new growth starts in the spring; second application as blooming begins.

CONTROL OF PESTS ON BLACKBERRY AND RASPBERRY


No.	Time of Application	Materials to Use	To Control
1	In spring, just after growth begins, but before the leaves have reached ½ inch in length.	4-4-50 Bordeaux and add 1½ gals. Buchanan's Oil Emulsion; or 5 gals. liquid Lime Sulphur in 50 gals. water plus ½ lb. Ortho Spreader.	Anthracnose Red Spider Rose Scale
2	One week before blooming.	Bordeaux 4-4-50 plus ½ lb. Ortho Spreader.	Anthracnose
3	Immediately after harvest.	Bordeaux 4-4-50 plus ½ lb. Ortho Spreader.	Anthracnose Red Spider

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE.

BRAND TESTED SEE



Mexican Bean Beetle



CABBAGE WORM (a) Butterfly, or Adult. (b) Eggs, Side and Dorsal View. (c) Larva or Worm. (d) Chrysalis or Inactive Stage.




Potato Beetle or Potato Bug



Tobacco Worm on Tomato

Tomato Fruit Worm



Black Spot on Roses. A Serious Fungus Disease Which Requires Constant Attention.



Pecan Scab on a Nut

HOW TO IDENTIFY PESTS OF VEGETABLES BEANS

ANTHRACNOSE-Attacks the leaves and the pods, forming roundish discolored areas with a purplish border. Use Bordeaux Mixture to control this disease.

MEXICAN BEAN BEETLE-The adult beetles are oval shaped and pale yellow to brownish in color with sixteen black spots. The young beetle is yellow in color and spiny. It is essential that spraying or dusting should be on the upper and lower sides of the leaves. Use Dutox for either spraying or dusting.

CABBAGE, CAULIFLOWER, COLLARDS

THE CABBAGE WORM-Is that greenish-yellow caterpillar that feeds on the leaves. The adult is a white butterfly that is often seen around the cabbage. This butterfly lays its eggs on the leaves and the eggs hatch into the Cabbage Worm.

THE CABBAGE LOOPER-It crawls like a measuring worm, is green in color and feeds the same as the Cabbage Worm. Dutox will control both of these pests.

CANTALOUPES. CUCUMBERS. WATERMELONS, SQUASH

STRIPED AND SPOTTED BEETLES-Are yellow beetles, distinguished by three longitudinal black stripes or twelve black spots. Dust with Dutox, using a dust gun.

LEAF BLIGHT—Is a disease sometimes called rust. It causes brown spots on the leaves.

ANTHRACNOSE-This disease affects the leaves and stems in the form of dark sunken spots. Both of these pests can be controlled by spraying with Bordeaux Mixture.

POTATOES

COLORADO POTATO BEETLE-POTATO BUG-This yellow-black striped beetle comes out of the ground where it spent the winter just as the Potato plants are coming up. The beetles feed for a short time on the young plants and then lay masses of orange-colored eggs on the underside of the leaves. These eggs hatch into dark red young beetles and they proceed to eat the Potato vines.

THE FLEA BEETLE—Is a small black jumping insect that eats holes in the leaves of the

plant. Control with Calcium Arsenate, Arsenate of Lead and Paris Green.

LEAF HOPPERS—Are small pale yellowish-green hopping insects that attack the Potato on the underside of the leaves. This insect causes the leaves to brown, which in time will kill the plants.

BLIGHT-Is the most destructive Potato disease. This disease turns the leaves black and tends to rot the growing Potatoes. Blight attacks both early and late plantings. Bordeaux

Mixture will control Blight and Leaf Hoppers.

TOMATOES

TOBACCO WORM ON TOMATOES—This insect is a green caterpillar from two to four inches long with a horn at its posterior end. It will eat all the leaves off a plant in a few days unless the plant is sprayed or dusted. Use Calcium Arsenate, Dutox or Arsenate of Lead. Full directions on package.

TOMATO FRUIT WORM ON TOMATO—A grayish-black worm which bores into the tomato, sometimes damaging 90% of the crop. Dust with Dutox when blooms appear and apply

every 14 days until two weeks before harvest.

Controlling Diseases of Flowers

PHLOX-Mildew-The surface of the leaves becomes covered with a white powder. This disease may kill the leaves. Spray with 11/2 to 2 tablespoonfuls of Dry Lime Sulphur to 1 gallon water, or dust with Superfine Sulphur. Leaf Spot-This disease causes brown spots

on the leaves. Spray with Bordeaux.

ROSES-Black Spot-This disease causes large black circular spots on the leaves. Dust with Floragard or spray with Bordeaux. Brown Canker—This disease shows up as purple spots on the stem and leaves. The blossoms are often attacked. Spray with Bordeaux Mixture. Caterpillars—There are several different kinds of caterpillars that attack Roses. The stinging Rose Caterpillar is one. Dutox will destroy all caterpillars. Mildew—This disease covers the leaves, buds and young shoots with a white, flour-like mold. To control this, dust once every five days with Floragard. Leaf Roller-Leaf Rollers often attack Roses. The Olique Banded Leaf Roller feeds on the leaves and buds. To control this pest dust with Floragard. Rose Scale—A gray or whitish circular scale that readily sloughs off. Spray in the early spring before the buds open or in late fall after the leaves are off, with Volck or Oil Emulsion. Aphis or Plant Lice—These are small, soft-bodied insects. They are green, red and black in color and cluster around the young shoots and under the leaves, causing the leaves to curl under. These pests attack every kind of flower and shrub. To control them, spray regularly once every four or five days with Evergreen or Black Leaf 40.

SNAPDRAGON—Blight—This disease causes yellow spots on the leaves. Later they turn dark. Anthracnose—This disease is like blight. Spray with Bordeaux Mixture. Rust—One of the most serious diseases of Snapdragons; rusty brown pustules of spores formed on leaves

and stems. Use Floragard or Superfine Sulphur.

ZINNIA-Leaf Spot-This disease causes large black spots on the leaves, which can be controlled by using Bordeaux Mixture. Webworms or Caterpillars—Webworms attack many different flowers, shrubs and trees. It is one of the common caterpillars. Spray with Dutox or Arsenate of Lead.

HOW TO CONTROL INSECTS AND DISEASES OF PECANS

PECANS are attacked by scale, scab, leaf blotch, crown gall, etc. The following is an excellent spray program for combating all the diseases and insects of pecans:

DORMANT SPRAY-For Scale Insects. While trees are completely dormant, spray with Buchanan's Oil Emulsion at the rate of 5 gallons to 45 gallons of water.

FIRST SUMMER SPRAY FOR SCAB, CASE WORM, CATERPILLAR, LEAF SPOT AND APHIDS—Apply just after fruit has set. Use prepared Bordeaux at rate of 8 pounds to 50 gallons water, 2 pounds hydrated lime and 1½ pounds Arsenate of Lead. Add to this ½ pint Black Leaf 40.

Buchanan's Dependable Insecticides

Order early. See pages 66, 67, 68 about spraying fruits, vegetables, flowers and shade trees. A few years ago, when the U. S. Department of Agriculture developed the formula for Oil Emulsion and made certain claims for it, many good orchardists accepted their recommendations and have continued using it, to their entire satisfaction. Most of the more skeptical orchardists have since been convinced of its merits, and the use of Oil Emulsion has steadily grown. An Emulsion can be made of any oil from coal oil up to the extremely heavy oils, but Oil Emulsion made of the light and low grade oils will not control scale and will frequently injure fruit trees. Buchanan's Oil Emulsion is made exactly according to U. S. Government Formula. Guaranteed 67% active.

BUCHANAN'S OIL EMULSION - For a dormant spray, Buchanan's Oil Emulsion provides the cheapest, most effective and complete control of scale insects, aphis and thrips that winter over on trees. For scale control on all fruit trees, use 1 gallon Oil Emulsion to 24 gallons water, or 2 gallons to 48 gallons water for a 50-gallon mixture. If your water is extremely hard, 4 pounds Bordeaux added to each 50 gallons of water, before adding the oil, will prevent oil from curdling. To get best results, every part of the tree must be completely covered. Spray in fall, after leaves and fruit are off, or in spring before buds swell. To control peach leaf curl and scale, combine Buchanan's Oil Emulsion with prepared Bordeaux Mixture or home-made Bordeaux, directions below.

Price—1 qt., 35c; ½ gal., 50c; 1 gal., 65c; 5 gals., \$2.25; 10 gals., \$4.00; 15 gals., \$5.45; 25 gals., \$6.50; 50-gal. bbl., \$10.00. Post paid—1 qt., 50c; ½ gal., 65c; 1 gal., 85c.

LIME SULPHUR SOLUTION—Is an insecticide as well as a fungicide, free from sediment and works through the nozzle easily. Used as an insecticide to control San Jose scale, blister mite and similar sucking or scale insects, at a dilution of 1 gallon to 8 gallons of water and applied either after the leaves drop in the fall or before the buds open in the spring. For small quantities, use 1 pint Lime Sulphur Solution to 1 gallon of water. Never use at this strength when trees are in foliage. The spring application, just before the buds swell, will assist in controlling leaf blister mite, plant lice and peach leaf curl and is advisable in orchards when the scale is already under control. To control scab, leaf spot and similar fungus diseases on apples and pears, 1 gallon to 50 gallons water.

Price-1 qt., 35c; ½ gal., 50c; 1 gal., 65c; 5 gals., \$2.25; 10 gals., \$4.00; 15 gals., \$5.45; 25 gals., \$6.00; 50-gal. bbl., \$8.50. Post paid—1 at., 50c; ½ gal., 65c; 1 gal., 85c.

BLUESTONE-COPPER SULPHATE—(Formula for Making Home Made Bordeaux.) In case you wish to use Bluestone and Lime to make your Bordeaux, proceed as follows: Dissolve our Snowform (Powdered) Bluestone at the rate of 4 pounds to 50 gallons of water. It will require only a few minutes stirring to dissolve Snowform Powdered Bluestone. Then while stirring add 6 pounds hydrated lime to the above mixture. If the above directions are correctly followed you will have 50 gallons of standard strength 4-4-50 Bordeaux. In case you need a 3-4-50 strength, use only 3 pounds of the Snowform Bluestone, and if you wish a 5-4-50 strength, use 5 pounds of the Snowform Bluestone, but do not change the other ingredients. By combining the Bluestone and the Lime at different proportions, one can make any strength Bordeaux Mixture desired. Bluestone is used either alone or in combination with other material to spray peaches when dormant, and apples, grapes and pecans dur-

storage houses—use 1 pound to 5 gallons of water. SNOWFORM (Powdered)—Post paid—1 lb., 25c; 5 lbs., 90c; 10 lbs., \$1.25; 25 lbs., \$2.90; 50 lbs., \$5.25.

ing summer months. (See spray program, pages 66, 67, 68.) Bluestone is also used in spraying potato

At Store—1 lb., 15c; 5 lbs., 65c; 10 lbs., \$1.00; 25 lbs., \$2.50; 50 lbs., \$4.25; 100 lbs., \$6.50.

CRYSTALS—Post paid—1 lb., 25c; 5 lbs., 85c; 10 lbs., \$1.20; 25 lbs., \$2.75; 50 lbs., \$5.00. At Store—1 lb., 15c; 5 lbs., 65c; 10 lbs., 90c; 25 lbs., \$2.25; 50 lbs., \$4.00; 100 lbs., \$6.25.

ORTHO DRY SPREADER (A Spray Depositor)—During the past several years there has been developed a new type of spreader and spray depositor, known as a non-casein, colloidal spreader. By using small amounts of this spreader, an even, heavy protective covering is obtained with such materials as Lead Arsenate and other arsenicals, with Bordeaux Mixture, Sulphur Mixture, and Lime-Sulphur. It prevents also blotched coloring of fruit at harvest, so common where sprays are applied which give a splotched or spotted coverage on the fruit.

This new type spreader and spray depositor has entirely replaced casein spreaders in the Northwest for the past several years, and has decidedly " good" in Eastern fruit districts. Ortho Dry Spreader should be used at the rate of ½ pound to 50 gallons of water.

Post paid—1 lb., 35c; 2 lbs., 70c; 5 lbs., \$1.50; 10 lbs., \$2.50; 25 lbs., \$5.75. Not

Prepaid—1 lb., 25c; 5 lbs., \$1.15; 10 lbs., \$2.00; 25 lbs., \$5.00; 50 lbs., \$9.50. CASEIN SPREADER-Makes the spray spread, makes it stick and makes it cover a greater surface. It can be used with Bordeaux Mixture, Arsenate of Lead, Paris Green, and Lime Sulphur and with combinations of these sprays. Use 2 heaping tablespoonfuls for each 5 gallons spray; 1 pound for 50 gallons.

Price—Post paid—1 lb., 35c; 2 lbs., 65c; 5 lbs., \$1.40; 10 lbs., \$2.25; 25 lbs., \$5.00. Not Prepaid—1 lb., 25c; 2 lbs., 50c; 5 lbs., \$1.00; 10 lbs., \$2.00; 25 lbs., \$4.75; 50 lbs.,


\$9.00; 100 lbs., \$17.00.

ZINC SULPHATE—Feach Bacterial Spot has become destructive in practically all sections of the South. Zinc Sulphate is the complete control for this disease. Use it in each of the summer sprays on peaches, beginning with the petal fall spray. Combine our Zinc Sulphate with whatever summer spray you are using on your peaches, at the rate of 3½ pounds to each 50 gallons. If you are using as much as 4 pounds lime to 50 gallons water in your regular material, additional lime is not necessary; otherwise add 4 pounds lime to each 50 gallons. Full directions with each package. Price—Post paid—1 lb., 25c; 5 lbs., 70c; 10 lbs., \$1.15; 25 lbs., \$2.40; 50 lbs., \$4.25. Not Prepaid—1 lb., 15c; 5 lbs., 50c; 10 lbs., 90c; 25 lbs., \$1.75; 50 lbs., \$3.25; 100 lbs., \$5.75.









LEFT Apple sprayed with Lead Arsenate, no Spreader. Note blotchy, uneven dis-tribution of the Lead. This means poor control.

Apple sprayed with Lead Arsenate - Spreader combination. Note even Lead Better proteccoverage. tion from

DRITOMIC SULPHUR—(Peach Dritomic or Apple Dritomic)—It is a spring and summer spray, safe to apply to fruit and foliage where older type materials would develop caustic tendencies. The universality of its use, right through the growing season, is ample evidence. Its fineness enables it to go into suspension easily, and without sediment. You have no annoying loss of time to clean clogged spray nozzles. Dritomic Sulphur is an excellent preventive for all fungous troubles, bitter, brown rot, scab, etc. We can furnish Peach Dritomic or Apple Dritomic. When ordering specify the one desired.

Price—Post paid—4 lbs., 75c; 8 lbs., \$1.40; 24 lbs., \$2.90; 48 lbs., \$5.50. At Store—4 lbs., 60c; 8 lbs., \$1.15; 24 lbs., \$2.50; 48 lbs., \$4.75;

96 lbs., \$8.75.

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE., * BRAND TESTED

BUCHANAN'S DEPENDABLE INSECTICIDES



COPOSIL-It is a powdered copper fungicide which tests have shown to possess the fungicidal efficiency of Bordeaux Mixture, with a decided increase in the margin of safety from russeting or other copper injury common to Bordeaux. Coposil does not leave a blotched coverage and has produced exceptionally fine finished fruit. Used at the

dosage recommended (1 pound to 50 gallons water) it provides excellent protection against scab, blotch, fruit spot and ornamental plant diseases in an economical manner. Combines unusually well with Summer Oil. Put up in 6-lb. packages.

Post paid, 6 lbs., \$1.65; 12 lbs., \$3.15; 24 lbs., \$5.25; 48 lbs., \$10.15. At Store, 6 lbs., \$1.50; 12 lbs., \$2.90; 24 lbs., \$4.80; 48 lbs., \$9.40.



ORTHOL-K (Summer Oil)-Codling moths are present in most apple orchards in such large numbers that lead arsenate alone will not control them. A summer oil which kills the egg is a necessity. Orthol-K is a high quality summer oil for use on fruit trees and hardy deciduous shade trees and shrubs. It combines readily with Lead Arsenate, Dutox, Bordeaux Mixture, Coposil, etc. Used to control codling moth, red spider, mites, leaf hopper, pear psylla, etc. Cannot be used with Sulphur or Lime-Sulphur, or for ten days or two weeks after Sulphur or Lime-Sulphur applications. Write for booklet.

Price—Post paid, gal., \$1.25. At Store, gal., \$1.00; 5 gals., \$3.25; 15 gals., \$9.75; 30 gals., \$19.25; 54 gals., \$32.25.



KLEENUP READY-MIX (Dormant Oil Spray)—An emulsifiable oil forming an emulsion when agitated in water. Inert ingredients are held to a minimum (approximately $1\frac{1}{2}\%$), making the active ingredients exceptionally high. This is possible through the use of an emulsifying agent having insecticidal properties in its own right, together with high grade petroleum oil. Actual oil content is 96% and the material contains no water. Kleenup Ready-Mix has many advantages over ordinary oil sprays worthy of your consideration. A few of the more important advantages are: Will not

freeze in storage—no danger of broken emulsions; high active content requires less material per hundred gallons of spray; mixes readily with hard or soft waters by agitation; compatible with copper fungicides, and practically all insecticides—flows direct from drum under all weather conditions.

Price-Post paid, gal., \$1.10. At Store, gal., 85c; 5 gals., \$2.75; 10 gals., \$5.50; 15 gals., \$6.75; 30 gals., \$11.00; 54 gals., \$18.25.



BETA-NAPTHOL BANDS FOR BANDING APPLE TREES-The codling moth (apple worm) in apple orchards has steadily increased in spite of the many improvements in spraying. Beta-Napthol bands do not replace spraying, but aid in controlling the apple worm, which we have never properly controlled. The bands insure a cleaner crop with the same spray program. Our bands are heavy corrugated paper 125 feet long, 4 inches wide, and thoroughly treated with Beta-Napthol. Directions for

Use: First, remove all rough bark on trunks of trees and larger branches; second, place about 18 inches above ground, with corrugation next to tree, fastening snugly with large-headed bill posting tacks. Apply in the Memphis area about May 1st. Price, post paid, each, \$3.00; at Store, \$2.65.

MOLOGEN - Non-poisonous to humans or pets. Does not injure soil or grass. With a teaspoon or small trowel, carefully make a MOLE KILLER

MOLOGEN

small opening in the side of ridge, keeping it free of earth. Now put in the mole's underground passage or runway a teaspoonful of Mologen. Carefully cover the opening with the original sod or earth. This should be repeated several feet apart.

Prices-Post paid, ½ lb., 60c; 1½ lbs., \$1.35; 5 lbs., \$4.15. At Store, ½ lb., 50c; 1½ lbs., \$1.25; 5 lbs., \$4.00.

ATLACIDE — Chlorate Weed Killer represents the most effective method for killing weeds, Johnson grass,



poison ivy and all undesirable vegetation when properly applied. It is non-poisonous to human, animal or bird life. It has no odor and is harmless to the hands. It is ideal for killing weeds in driveways, paths, brick walks, cobble gutters, tennis courts, playgrounds, athletic fields and along fence lines. If you want to rid your farm of patches of Johnson grass, we urge you to use Atlacide Chlorate Weed Killer. Circulars mailed on request.

Price—Post paid, 1 lb., 60c; 5 lbs., \$1.65; 15 lbs., \$3.75; 50 lbs., \$7.75. At Store, 1 lb., 50c; 5 lbs., \$1.50; 15 lbs., \$3.50; 50 lbs., \$7.00; 100 lbs., \$13.50; 200 lbs., \$26.00.

SA-VA-TREE PRUNING PAINT-Much damage is done by insects and disease entering through pruning cuts and wounds of fruit and shade trees. This can be prevented by completely covering all cuts and wounds with SA-VA-TREE Pruning Paint. If pruning is done when trees are entirely dormant apply SA-VA-TREE at once; otherwise, apply as soon as bleeding stops. It is not necessary to paint small cuts but very necessary to cover all cuts of one inch or more, also all abrasions in the bark.

Price—Post paid, pt., 50c; qt., 75c; gal., \$2.00. At Store, pt., 40c; qt., 60c; gal., \$1.75; 5 gals., \$8.50.

ROTENONE POWDER, CONCENTRATED 4%-Rotenone is an extract from a tropical root which has been used for centuries by natives to stun fish. It is not poisonous and is harmless to humans when used at proper strength for controlling insects. Every year thousands of lives are endangered by the misuse of deadly poisons such as Paris Green, Arsenate and Fluorine compounds. At the proper strength Rotenone will control almost all chewing and sucking insects and does not leave any dangerous residue. If you wish to make your own Rotenone dust from our concentrated form; write for directions and price. It is not advisable to attempt mixing your own Rotenone dust unless you will need 50 lbs. or more.

GARDEN GUARD (Rotenone Dust)-Not poisonous; highly effective against both chewing and sucking insects but leaves no poisonous residue. Women especially prefer using this dust on their flowers. Dust plants thoroughly, covering both upper and lower sides of foliage, hitting all insects to be controlled. Especially recommended for use on beans, peas, cabbage, cauliflower, greens, etc. Apply about 20 lbs. per acre.



Price—Post paid, 1 lb., 45c; 4 lbs., 90c; 25 lbs., \$4.60. At Store, 1 lb., 35c; 4 lbs., 75c; 25 lbs., \$4.25.

SCALECIDE controls scale aphis, red mite and many other pests of apples, peaches, pears, etc. Scalecide kills many overwintering codling moth larvae, and aids in cleaning up cankers. The year after year use of Scalecide invigorates the trees. The most complete dormant spray for fruit trees, shrubs and vines. Full directions on each container.

Price—Post paid, 1 qt., 80c; 1 gal., \$1.75. At Store, 1 qt., 65c; 1 gal., \$1.55; 5 gals., \$5.50; 10 gals., \$9.50; 15-gal. drum, \$13.25; 30 gals., \$21.00; 50 gals., \$29.00.



We do not recommend any spray material or spray program that has not been thoroughly tried by experienced orchardists

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE, BUCK BRAND TESTED SEEDS

BUCHANAN'S DEPENDABLE INSECTICIDES

BORDEAUX (for Fungous Diseases)

Blight Prevention of Apples and Pears



for fungous diseases of fruit trees, shrubs, and flowers, especially black spot on roses. Fungous troubles must be prevented by spraying at regular intervals. Frequently apples and pears bloom beautifully and do not set any fruit. Failure to set fruit under these conditions is usually caused by blight. To prevent fire blight or blossom blight of apples or pears spray with a 1-3-50 strength Bordeaux when about one-third the blossoms are open and again when approximately all

the blossoms are open. In case the blight is not severe one spraying with 1-3-50 Bordeaux when about 75% of the blossoms are open will usually give satisfactory results. Caution: Do not put on a sulphur spray in less than seven days after the Bordeaux spray. Price—post paid—1 lb., 40c; 4 lbs., 85c; 12 lbs., \$2.00; 24 lbs., \$3.15; 48 lbs., \$6.00. At Store—1 lb., 25c; 4 lbs., 65c; 12 lbs., \$1.75; 24 lbs., \$3.00; 48 lbs., \$5.75; 96 lbs., \$11.25.

DRY LIME-SULPHUR—For dormant spraying against San Jose scale and peach-leaf curl; for summer spraying against apple and pear scab. Price, post paid—1 lb., 35c: 5 lbs., \$1.25; 12½ lbs., \$1.75; 25 lbs., \$3.25; 50 lbs., \$6.00. Not prepaid—1 lb., 25c; 5 lbs., \$1.00; 12½ lbs., \$1.50; 25 lbs., \$2.75; 50 lbs., \$5.25; 100 lbs., \$10.25; 200 lbs., \$19.00.





KOPPERS FLOTATION SULPHUR—An exclusive product—a new and improved fungicide of microscopic ultrafineness, prepared especially for the fruit grower. All authorities agree that the finer the sulphur, the better and surer the results. Non-caustic, which makes it especially popular with the men who do the actual spraying. Tested and approved by hundreds of horticultural experts. Used and recommended by leading fruit growers. And known everywhere for the

beautiful finish it gives to fruit. Can supply only in 10 lbs. or multiples of 10 lbs.

Prices—post paid—10 lbs., \$1.70; 30 lbs., \$4.75; 60 lbs., \$8.00. Not prepaid—10 lbs., \$1.50; 30 lbs., \$4.25; 60 lbs., \$7.25; 100 lbs., \$12.00.



SULFORON—It should be used as a summer spray on peaches, plums and cherries at the rate of 2½ to 3 pounds to 50 gallons of water. As a summer spray on apples it should be used at the rate of 3 to 4 pounds

to 50 gallons of water. To control mildew on roses and similar diseases on other ornamentals, use at the rate of 3 to 4 pounds to 50 gallons of water or apply as received, dusting on the foliage. If leaf-eating insects are present, add Arsenate of Lead in quantities recommended for spraying; if applied as a dust, mix one part of Arsenate of Lead to nine parts Sulforon. Price—post paid—1 lb., 30c; 4 lbs., 75c; 8 lbs., \$1.40; 24 lbs., \$2.80; 48 lbs., \$5.50. At Store—1 lb., 20c; 4 lbs., 60c; 8 lbs., \$1.15; 24 lbs., \$2.40; 48 lbs., \$4.75; 96 lbs., \$8.75.



BUG DEATH—Takes the place of Paris Green and other dangerous and poisonous insecticides. Absolutely safe to use, as it contains no poison whatever. Price—post paid—1 lb., 35c; 5 lbs., 95c; 12½ lbs., \$2.35; 25 lbs., \$4.25. Not prepaid—1 lb., 25c; 5 lbs., 75c; 12½ lbs., \$2.00; 25 lbs., \$3.90.

IT ISN'T SO STRANGE—that the customer held by the slender thread of low price is here today and gone tomorrow, whereas the customer held by the ties of quality and service becomes a permanent asset.

We are proud of the fact that many of our customers have been with us for more than 40 years. We believe that quality and service is the DUTOX (for Chewing Insects)

It will not burn bean foliage and will not injure the soil. It can be applied as a dust alone (six pounds per acre) or diluted with four or five times its weight of lime, road dust or some other inert material, and the gun set so as to deliver enough of the mixture to give six pounds of Dutox to the acre. As a spray use one pound of Dutox to 50 gallons of water. Dusting can be done on beans when leaves are wet without danger of burning the foliage. While Dutox is primarily recommended for use against the Mexican bean beetle, striped and spot-



ted cucumber beetle, extensive trials by trained experimenters and practical growers indicate that it will control tobacco hornworm, tobacco flea beetle, Colorado potato beetle, egg-plant beetle. blister beetle, cabbage worm and tomato worm, when properly applied. Price—post paid—1 lb., 40c; 6 lbs., \$1.40; 36 lbs., \$7.45. At Store—1 lb., 25c; 6 lbs., \$1.20; 1 case, 36 lbs., \$6.85.



burn the foliage, as other poisons; kills every insect that eats it; superior in every way to Paris Green; can be used dry as a powder, or as a solution in water. All Arsenate of Lead is packed in 4-lb. packages for your convenience in measuring. Pricepost paid—½ lb., 30c; 1 lb., 40c; 4 lbs., 95c; 12 lbs., \$2.00; 24 lbs., \$3.40; 48 lbs., \$6.60. At Store—½ lb., 20c; 1 lb., 25c; 4 lbs., 75c; 12 lbs., \$1.75; 24 lbs., \$3.00; 48 lbs., \$6.00.

calcium arsenate—Recommended by all experimental stations for cotton boll weevil; also a sure remedy for army and other worms. Calcium Arsenate at prices below is packed in 4-lb. packages for your convenience in measuring. Price—post paid—1 lb., 35c: 4 lbs., 80c; 12 lbs., \$1.70: 24 lbs., \$2.70; 48 lbs., \$4.75. At Store—1 lb., 20c; 4 lbs., 60c; 12 lbs., \$1.40; 24 lbs., \$2.25; 48 lbs., \$4.00; 96 lbs., \$7.50.




ILLIAMS

USD SUCCESSFULLY SNG
WATER STATE OF THE STAT

SLUG SHOT (Hammond's) — A non-poisonous powder insecticide; it requires no mixing or preparation, easily applied and not injurious to person applying it, or fruits and vegetables. Destroys potato bugs, beetles, green flies, slugs, worms, etc. Pricepost paid—1 lb., 35c; 5 lbs., \$1.10; 10 lbs., \$2.00; 25 lbs., \$3.50. Not prepaid—1 lb., 25c; 5 lbs., \$1.00; 10 lbs., \$1.85; 25 lbs., \$3.00; 125-lb. keg, \$12.50.

paris Green (Poison) — Effective against the potato bug and tobacco and cotton worms and most leaf-eating insects. Not to be used on tender foliage such as the peach and the Japanese plum. Price—post paid—¼ lb., 25c; 1 lb., 65c; 5 lbs., \$2.20; 14 lbs., \$4.95. At Store—¼ lb., 15c; 1 lb., 50c; 5 lbs., \$2.00;



SUPERFINE SULPHUR—For dusting cotton hoppers, red spider, mildew on roses and for use with lime in making self-boiled lime sulphur solution.

Price, post paid—1 lb., 20c: 5 lbs., 60c; 10 lbs., \$1.00; 25 lbs., \$2.00; 50 lbs., \$3.25. Not prepaid—1 lb., 15c: 5 lbs., 45c; 10 lbs., 75c; 25 lbs., \$1.50; 50 lbs., \$2.50; 100 lbs., \$4.00.

ALL ITEMS ON THIS PAGE CAN BE SENT PARCEL POST

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE.,

UCK BRAND TESTED





This is a Pyrethrum insecticide, recommended for killing a wide variety of plant insects, including plant lice, cabbage worms, cut-worms, cucumber beetle, thrips, rose slugs, rose chafer, squash beetles, currant worm, mealy bugs, leaf hoppers, potato bugs or beetles, bean beetle, Japanese beetle. Full directions on each package. Post paid price-1 oz. (makes 6 gallons of spray), 45c; 6-oz. bottle, \$1.15; 1-pt. bottle (makes 100 gallons), \$2.15; 1 gal., \$11.25. Not prepaid—1 oz., 35c; 6 ozs., \$1.00; 1 pt., \$2.00; 1 gal., \$11.00; 5 gals., \$45.00.



BLACK LEAF 40-A nicotine solution for destroying aphids, lice, etc., on both garden and flowering plants. A teaspoonful makes one quart of solution. This is one of the most effective preparations for general sucking insects. A remarkable control for poultry lice, that does away with dusting, dipping or greasing, and yet is absolutely effective and unbelievably simple. Post paid-1 oz., 45c; 5 oz., \$1.15; 1 lb., \$2.45; 2 lbs., \$3.45; 5 lbs., \$6.10; 10 lbs., \$10.90. At Store—1 oz., 35c; 5 ozs., \$1.00; 1-lb. tin, \$2.25; 2-lb. tin, \$3.25; 5 lbs., \$5.85; 10-lb. tin, \$10.60.

BLACK LEAF 40 TOBACCO DUST-Sure death to all plant lice and aphis. For best results, dust on when foliage is damp. Our tobacco dust is of extra fine quality, very strong in nicotine content. Price-post paid-1 lb., 20c; 5 lbs., 55c; 10 lbs., 80c; 25 lbs., \$1.75; 50 lbs., \$2.95. At Store—1 lb., 15c; 5, 45c; 10, 60c; 25, \$1.25; 50, \$2.00; 100, \$3.50.



CROW-TOX-A Crow Repellent-Crow-Tox protects corn from crows, blackbirds, moles, etc. It aids and hastens germination, which means healthier stalks and larger yields per acre. Crow-Tox will not kill birds or animals. Saves seed loss and replanting.

½-pint can, treats 1 bushel seed corn, 75c, post paid. At Store, 60c.

1-pint can, treats 2 bushels seed corn, \$1.15, post paid. At Store, \$1.00.


1-quart can, treats 4 bushels seed corn, \$1.75, post paid. At Store, \$1.50.




NURSERY-VOLCK - For the garden. greenhouse, florist and nurseryman. It successfully controls scale, mealy bug, white fly, red spider, and mites, aphis, caterpillars and many other insect pests. Rose mildew is prevented by spraying with VOLCK. Full directions on each can. Price—post paid—½ pt., 45c; 1 qt., 90c; 1 gal., \$2.25. At Store—½ pt., 35c; 1 qt., 75c; 1 gal., \$2.00.

FLORAGARD ROSE DUST-National authorities on rose disease and insect controls have reported that Floragard is the most effective control known for black spot, brown canker, mildew and leaf-eating insects on roses. It has also proved effective as a fungicide and insecticide on snapdragons, asters, hollyhocks and carnations. Price, post paid—1 lb., 60c; 5 lbs., \$1.75. At Store—1 lb., 40c; 5 lbs., \$1.50.

PYROX - Keeps crows and blackbirds out of the corn field. It has a very nasty taste, which the pests hate. They never bother the fields where Pyrox has been used. Pyrox is a big help in producing a better and earlier crop. Pyrox-treated seed corn not only germinates sooner, but frequently results in much better germination. Use Pyrox also to spray potatoes, tomatoes, melons and beans. Pricespost paid—1 lb., 65c; 5 lbs., \$1.95; 10 lbs., \$3.35; 25 lbs., \$5.50. At Store—1 lb., 50c; 5 lbs., \$1.75; 10 lbs., \$3.00; 25 lbs., \$5.00.





A new discovery, kills without

burning; non-poisonous; effective against lice on turnip greens; leaf-



hoppers and worms that bother cantaloupe, cucumber, Harlequin cabbage bugs. 1-ounce bottle makes 8 gallons. Price-post paid-1 oz., 45c; 1/4 pt., \$1.15; 1 pt., \$2.65; 1 qt., \$4.25. At Store—1 oz., 35c; 1/4 pt., \$1.00; 1 pt., \$2.50; 1 qt., \$4.00.

GRAFTING WAX

GRAFTING WAX-Used for grafting scions on trees, healing cuts around the graft, very essential to all orchardsts. Full directions on each package. By mail, post paid—¼ lb., 20c; ½ lb., 35c; 1 lb., 60c; 5 lbs., \$2.25. Not prepaid—¼ lb., 15c; ½ lb., 30c; 1 lb., 50c; 5 lbs., \$2.00.



Applying Paradichlorobenzene

Kills and controls plant lice, thrips, leaf hoppers, Harlequin bugs, red spiders, etc. If your muskmelon and cucumber crops are bothered with worms, use Shep's Plant Spray once a week. Kills lice on turnip greens, etc. Price post paid—½-oz. bottle, 15c; 1½ ozs., 35c; ½ pt., 85c; 1 pt., \$1.40. At Store—½ oz., 10c; 1½ ozs., 25c; ½ pt., 75c; 1 pt., \$1.35.



PARADICHLOROBENZENE-Kills peach tree borer. In the Upper South, September 15 to October 5 is the right time to apply; Middle South, October 1 to 15; and Lower South, October 10 to November 15. Can also be used in spring. For trees that have grown three years, use three-fourths of an ounce as a dose. Use only one-fourth ounce on trees that have grown two years. For trees four years of age and older, use one ounce. For abnormally large ones, use 1¼ ounces. Price—post paid—1 lb., 55c: 5 lbs., \$1.65; 10 lbs., \$2.65; 25 lbs., \$5.95; 50 lbs., \$10.75. Price, at Store or not prepaid—1 lb., 40c; 5 lbs., \$1.50; 10 lbs., \$2.40; 25 lbs., \$5.50; 50 lbs., \$10.00; 100-lb. drum, \$19.00.










R.B. BUCHANAN SEED CO. 🦟 MEMPHIS, TENNESSEE, 🕏 BRAND TEST

BUCHANAN'S SPRAY

HUDSON 452—Hudson Misty A universal favorite for use in and around the house, yard, garden, chicken house.

No. 452—Heavy tin, post paid, 55c; at Store, 40c.

No. 452B-Copper tank, post paid, 75c; at Store, 65c. Capacity, about 1 quart.



Pump-1½-in. diameter, 10-in. stroke. Powder Reservoir-3 in. diameter, 4 in. long, with air valve to prevent powder getting into pump.


No. 664—Adjutant Duster, post paid, 60c;

at Store, 50c.



No. 202-MIDGET-Pump, heavy tin, 11/4 inches diameter, 10 inches long; Hudson

AIR-PAK plunger and sturdy rod. Tank, heavy tin, 3 inches diameter, 3 inches long; capacity about ¾ pint. Length over all, 14 inches. Price—Post paid, 35c; at Store, 25c.




No. 665 - MAJOR DUSTER - Handles paris green, arsenate of lead, calcium arsenate and similar poisons very efficiently. Post paid, 90c; at Store, 80c.

HUDSON No. 432—CONTINUOUS. Handles fly oils, liquid in-

secticides, disinfectants. No. 432—Continuous, heavy tin, post paid,

85c; at Store, 75c. No. 432B—Continuous, copper tank, post paid, \$1.15; at Store, \$1.00. Capacity, about quart.





Tank-61/2 inches diameter, 17 inches high; capacity 21/4 gallons. Made of galvanized sheet. Pump -13/4 inches diameter, 14 inches long; seamless brass tubing. Recessed bronze ball valve seats perfectly. Discharge Hose - 24 inches of special high pressure spray hose. Attaches directly to the supply tube which extends to the bottom of the tank and allows all the liquid to be discharged. One in heavy fibre carton. Shipping weight, 8 pounds.

No. 120G-Thrifty, galvanized tank, post paid, \$3.45; at Store, \$3,25.



Tank-61/2 inches diameter, 17 inches long; capacity about 21/2 gallons. Pump-13/4 inches diameter, 15 inches long; seamless brass tubing. Discharge Hose-Attaches to the supply tube which extends to the bottom of the tank and allows all the liquid to be discharged. Nozzle-Automatic shut-off nozzle, which will handle all solutions perfectly.

No. 140G - Galvanized tank, post paid, \$4.80; at Store, \$4.60.

No. 140B - Copper tank, post paid, \$7.20; at Store, \$7.00.



No. 133 — TROMBONE— High pressure spray pump for handling all solutions. Continuous in operation, maintaining a steady discharge without undue exertion on the part of the operator. All parts are brass with bronze ball valve, easily accessible.

No. 133-Trombone, post paid, \$4.05; at Store, \$3.90.



ameter, 20 inches high; capacity, 4 gallons. Seams are riveted and soldered. Hose-Attaches direct to the discharge tube which extends to the bottom of the tank. Nozzle-Designed for high pressure work; is automatic and operates perfectly under all pressures. Pump - Seamless brass tubing, 134 inches diameter, 15 inches long.

No. 110G - Galvanized tank, post paid, \$6.25; at Store, \$6.00. No. 110B - Copper tank, post paid, \$9.70; at Store, \$9.50.



No. 128-MO-HAWK working parts are brass. Foot rest is adjustable for various heights. Comes equipped with 3 feet of hose, 12inch iron extension and brass nozzle with variable discs.

No. 128 - Mohawk, weight 7 lbs., post paid, \$3.95; at Store, \$3.75.



The two 12-inch extensions and reversible angle nozzle permit the operator to reach all parts of the plant easily. Pump—1¾ x 14 inches. Powder Reservoir-Glass, specially designed. Contents always visible. Wide mouth permits easy filling.

No. 612—Patrol, with Jar, each, \$1.25; post paid, \$1.40.

No. 135GF — CLI-MAX — Tank — With NU-EEZ funnel top. $7\frac{1}{8} \times 20$ inches, capacity approximately 31/2 gallons. Discharge Equipment—24 in. of %-in. special high pressure spray hose. Attaches directly to the supply tube which extends to the bottom of tank and allows all the liquid to be discharged. Perfection automatic shut-off valve, all brass. Designed for high pres-

sure work. -Climax, galvanized tank, post No. 135GFpaid, \$4.20; at the Store, \$4.00.

IT ISN'T SO STRANGE -

That the customer held by the slender thread of low price is here today and gone tomorrow, whereas the customer held by the ties of quality and service becomes a permanent asset.

We are proud of the fact that many of our customers have been with us for more than 40 years. We believe that quality and service is the answer.

Nº 135

R.B. BUCHANAN SEED CO. 🗩 MEMPHIS, TENNESSEE.



The HUDSON DU-MORE is a continuous high pressure sprayer adapted for all truck and field crops, vineyards, bushes, fruit trees, ornamental shrubs, etc. Will handle all agricultural insecticides. Tank holds 4 gallons. Made of heavy galvanized steel, sturdily built. Equipped with wide shoulder straps, adjustable in length. Operates with remarkable ease because of long handle placed at right of user. Is equipped with 3 feet of spray hose, 2-foot iron extension rod, shut-off and brass Fog Nozzle. Packed one in a carton. Shipping weight, 19 pounds.

No. 147G—Galvanized Du - More, post

paid, \$13.25; at Store, \$13.00.

No. 147B—Copper Du-More, post paid, \$18.00; at Store, \$17.75.

HUDSON No. 435—CARDINAL CONTINUOUS **SPRAYER**

Is particularly effective for handling fly oils in the dairy barn, milk house, creamery, etc. Handles all oil base solutions and insecticides, breaking them up into a fine vapor. Adjustable nozzle takes care of solutions of varying consistency. Tank is heavy galvanized, with

large filler opening. Comfortable handle acts as a brace between pump and tank. Holds 3 quarts. Pump is 13 inches long and 11/2 inches in diameter.

No. 435NS—Cardinal Sprayer, post paid, \$1.50; at Store, \$1.35.



in Memphis



SPRAYER PARTS - We can furnish parts for all Hudson Sprayers. Send the worn or broken part you wish and we will send the part to match by C. O. D. Parcel Post.

No. 4S-BARREL PUMP - Is powerful, light and durable and will maintain a continuous working pressure of 200 pounds.

No. 4S-Pump, no discharge equipment. Shipping weight, 30 pounds. Post paid, \$10.00; at Store, \$9.50.

No. 4SA — Pump with 6 feet %-inch 5-ply spray hose and 4-foot exten-

sion rod, total 10Hudson 4SA Barrel Pump feet, and angle Ideal Nozzle. Shipping weight, 33 pounds. Post paid, \$11.75; at Store, \$11.25.

No. 608—HUDSON DUSTER—Develops an unusually powerful air blast. It delivers more than enough air at the nozzle to prevent clogging and to break the powder into a fine floating dust. It has two agitators, one oscillating, one rotary. Will handle any powder, light or heavy. Gear case is oil and dust proof.

Packed one in a heavy fibre carton. Shipping weight, 22 pounds. Price—Post paid, \$12.90; at Store, \$12.50.



IDEAL PORTABLE SPRAYER

SPRAYING - Pages 66, 67, 68, 69





No. 168 Angle Spray Nozzles . Each

No. 166 Spray Nozzles.....Each

60c

The Lot of the Later of the Lat
No. 149 Brass Shut-off CockEach \$1.00
No. 176 Perfection Nozzle Each \$1.50
No. 155 Adjustable NozzleEach \$1.30
Extension Rods
2-ft. Brass Rods \$0.60; mailed, \$0.70
3-ft. Brass Rods80; mailed, .90
4-ft. Brass Rods 1.00; mailed, 1.10
Spray Repairs Post Paid
Leather Washers, Barrel Pumps 15c
Leather Washers, Bucket Pumps 10c
Leather Washers, Hand Sprayers 10c
Leather Washers for Comp. Air 10c
Rubber Gaskets for Comp. Air 10c
Check Valves for Comp. Air Sprayers. 10c
Whirl Discs, Brass Screens and Brass
Spray Caps for Spray Nozzles 10c

Hudson Bamboo Spray Pole

HUDSON BAMBOO SPRAY POLES are brass lined. This lining is in one piece, locked to the poles at both ends. Will not turn inside the bamboo because of the special end castings.

No. 42—Spray Pole, 8-foot, with stop cock. Price, each, \$3.75.

HUDSON SPRAY HOSE-It is 5-ply, and the inner liner is not affected by the chemical action of the various sprays. Furnished in both %-inch and ½-inch sizes, any length up to 50 feet.

Price—3/8-inch, post paid, 1 to 10 ft., 13c per ft.; 10 ft. or more, 12c per ft. At Store-12c and 11c. ½-inch, post paid, 1 to 10 ft., 16c per ft.; 10 ft. or more, 15c per ft. At Store-15c and 14c.

No. 34S-IDEAL PORTABLE SPRAYER-Equipment, tank 12 gallons, portable, attached to an iron wheelbarrow frame with wheel; 10 feet %-inch pressure hose; 4 feet pipe extension; 1 T shut-off cock; 1 nozzle. Weight, 65 pounds. Fitted

with non-clogging tubular brass screen and special dasher agitator. See cut. Price, \$19.00.

No. 35S-IDEAL-Different from No. 34S in that it is equipped with a reserve air pressure gauge and tank.

No. 35S-Ideal with pressure tank and gauge. Price, \$29.00.

No. 36S-SUNSHINE-Fits the needs of the florist or nursery man, because its width permits its use between the narrow rows; also adapted for orchards, vineyards and truck gardens, for whitewashing poultry houses and dairy barns. Valves are bronze balls mounted in a brass cage, accessible without dismantling the pump. Cylinder is seamless brass. Air chamber has ample capacity for high pressure and steady discharge. Tank is heavy gauge copper bearing galvanized steel; capacity 12½ gallons. Discharge equipment consists of 5 feet of %-inch 5-ply spray hose, 2-foot iron pipe extension and angle spray nozzle. Fitted with non-clogging tubular brass screen and special dasher agitator which cleans it thoroughly at each stroke of the pump plunger.

Standard Package—One in a crate. Shipping weight, 43 pounds. \$12.45.



R.B.BUCHANAN SEED CO. MEMPHIS, TENNESSEE. BUCK BRAND TESTED SEEDS

FRUIT AND PLANT GROWERS' SUPPLIES



EVERMARK—For writing on all plant labels. Will not rub off, will not wash off. Endorsed by leading growers everywhere. You cannot afford to use any other pencil. How many plant names have you lost after using common pencils? Don't take chances—use EVERMARK exclusively. Made especially for growers.

Price, post paid—Each, 10c; 3 for 25c.

White Wood Labels



These labels made of White Wood, need no paint and will last for many months used by professional market gardeners, orchardists, nurserymen for labeling trees, plants, shrubs, and flowering plants.

Dahlia or Tree Labels with copper wire, 3½-inch. Post paid, 50, 30c; 100, 50c; 500, \$1.45. At Store, 50, 25c; 100, 40c; 500, \$1.25; 1,000, \$2.25.

Pot Labels, 5-in., post paid, 50, 30c; 100, 50c; 500, \$1.75; 1,000, \$2.75. At Store, 50, 25c; 100, 40c; 500, \$1.50; 1,000, \$2.50.

Ten-inch Pot Labels, post paid, 50, 50c; 100, 90c; 500, \$3.50. At Store, 50, 40c; 100, 75c; 500, \$3.25.

FLOWER POTS—Improved Neponset



			P. Paid	At Store
21/2-inch,	per	100	65c	50c
31/2-inch,	per	100	. 80c	65c



JUTE TWINE-2-PLY

For bunching vegetables, tying plants to stakes and trellises, etc.

			*		
					At Store
½-lb.	balls		Each	\$0.20	\$0.15
10 1-lb	ball:	S	• • • • • •	1.20	1.00
25-lb.	coils		Each	5.75	5.00
			Each		



Snap-Cut Pruner


SNAP-CUT PRUNER — The snap-cut design makes an extremely easy and fine cutting tool. It is proclaimed by fruit growers, gardeners, etc., as the finest shear ever produced. Each, post paid, \$1.60; at Store, \$1.50.

EARTHENWARE FLOWER POTS


	Post Paid		At Store		
		Each	Doz.	Each	Doz.
4	in	\$.10	\$.70	\$.05	\$.45
6	in	.20	1.50	.10	1.00
8	in	.45	3.25	.20	2.00
10	in	.70		.35	4.00
12	in	1.20		.75	8.00

FLOWER POT SAUCERS

	Post Paid		At Store		
		Each	Doz.	Each	Doz.
4	in	\$.10	\$.55	\$.05	\$.35
	in	.15	.90	.07	.50
8	in	.20	1.70	.10	1.10
10	in	.30	2.50	.15	1.75



No. 22—A low priced but efficient pruner, 8 inches. Post paid, 60c; at Store, 50c.



No. 1312S—For general home or orchard, use the Tip-Top Tree Trimmer; is an easy cutting, easy to operate tool whose 12-foot handle is furnished in three sections. The 12-inch saw blade is a valuable addition, as it makes the tool a pole saw as well as a trimmer. Post paid, \$2.80; at Store, \$2.50.

No. 149HH-A long-handled pruner us-

ing the famous Snap Cut Action. Ash

handles pinned to the shank. This shear

will cut large limbs with unbelievable ease. 27 inches. Post paid, \$3.25; at Store,

\$3,00.



Budding Knife

BUDDING KNIFE—(See cut.) Good quality. Each, post paid, \$1.25; at Store, \$1.15.

GRAFTING KNIFE—Same quality as above. Each, post paid, \$1.25; at Store \$1.15.



No. 172—A very serviceable and strong pruner with ratchet adjusting nut; 9 in. Post paid, \$1.35; at Store, \$1.25.



No. 130 — California pattern, volute spring, ratchet nut, 9 in. Post paid, \$1.00; at Store 90c.



No. 230—California pattern, flat spring, ratchet nut, 9 in. Post paid, \$1.10; at Store, \$1.00.




No. 20—California Pruning Saw, made of genuine silver steel. Has a very narrow blade with rip teeth. Blade tapers from ¼ inch wide at point. Length 12 inches. Post paid, \$1.10; at Store, \$1.00.

No. 20—Same as above except 14-in. length. Post paid, \$1.20; at Store, \$1.10.

No. 113 — California pattern, crescent shaped, special steel blade, hardwood handle riveted to steel blade, 12 in. Post paid, \$1.25; at Store, \$1.15.

PRUNING FRUIT TREES

See page 45 for instructions on pruning and trimming fruit trees.



No. 055—Light weight but strong enough for heavy work; blade and hook are of hardened and tempered steel, 28 inches. Post paid, \$2.20; at Store, \$2.00.

No. 056—Same as above, except 36 inches long. Post paid, \$2.45; at Store, \$2.25.

More vegetables earlier this way.

Take no chances with your vegetables or other growing things. Feed Vigoro, the complete and balanced plant food. Sanitary, odorless.

Feed everything you grow...with VIGORO BALANCED PLANT FOOD

Watermelon growers knew that the secret of making this crop more profitable to them was to grow finer quality melons and to get them to market earlier. In an effort to solve their problems, watermelon growers have been doing some private experimenting.

As a result of practical experiments hundreds of growers have discovered that Vigoro gives them the big, sweet, early-maturing melons they need to make a fair profit. Some have now been using Vigoro for several years and report that they always make a profit when they use Vigoro.

Vigoro is a scientific product that was created to meet the needs of all plant life. Experiments and years of research proved that only a complete plant food . . . that is a plant food that contained all of the 11 elements scientists had proved plants require from the soil . . . would prove satisfactory.

Because Vigoro contains all these elements in a balanced proportion, it assures the vines a square meal. Under such ideal conditions quick, healthy growth of both vine and melon can be expected. Experience has proved that Vigoro feeding increases the size and weight of the fruit as well as maturing it one to two weeks earlier.

Prices—Post paid—1 lb., 20c; 5 lbs., 60c; 10 lbs., \$1.10; 25 lbs., \$1.90; 50 lbs., \$3.25. At Store—1-lb. pkt., 10c; 5 lbs., 45c; 10 lbs., 85c; 25 lbs., \$1.50; 50 lbs., \$2.50; 100 lbs., \$4.00.



100 LBS.

BUCK BRAND

NITRATE OF SODA—The most readily available form in which nitrogen can be had. Largely used for forcing vegetables, for applying to grass fields after each cutting. For field use, apply 150 pounds to acre; applied as a side dressing to cotton or corn will almost double the yield.

Price, post paid—5 lbs., 45c; 10 lbs., 75c; 25 lbs., \$1.50; 50 lbs., \$2.25. Not prepaid—5 lbs., 25c; 10 lbs., 50c; 25 lbs., 75c; 50 lbs., \$1.50; 100 lbs., \$2.25.

SULPHATE OF AMMONIA—Sulphate of Ammonia contains 25¼ per cent of Ammonia, or 20¾ per cent of Nitrogen. We recommend that corn be top-dressed with Sulphate of Ammonia at the rate of 100 to 150 pounds per acre, applied early in the growing period or when the plants are 2 to 3 feet high. For Orchards—Peach trees, apply when buds show signs of swelling, 1 to 2 pounds of Sulphate of Ammonia to bearing trees up to 10 years of age.

Price, post paid—5 lbs., 45c; 10 lbs., 75c; 25 lbs., \$1.50; 50 lbs., \$2.25. Not post paid—5 lbs., 25c; 10 lbs., 50c; 25 lbs., 75c; 50 lbs., \$1.50; 100 lbs., \$2.25.

ACID PHOSPHATE is recommended for all legume, grain and grass crops, and for applying to all land deficient in Phosphoric Acid. Beneficial results follow the addition of it to barnyard manure, all manure being high in ammonia but low in phosphoric acid. Apply 300 to 400 pounds to the acre broadcast.

Price, post paid—5 lbs., 35c; 10 lbs., 60c; 15 lbs., 70c; 25 lbs., \$1.15; 50 lbs., \$1.65. Not prepaid—5 lbs., 20c; 10 lbs., 35c; 15 lbs., 45c; 25 lbs., 65c; 50 lbs., 90c; 100 lbs., \$1.25.



BUCHANAN'S 4-8-8 FERTILIZER

Analysis: 4% Nitrogen, 8% Phosphate, 8% Potash

Especially good for fertilizing Irish potatoes, sweet potatoes, tomatoes and all root crops. If properly applied it produces smoothness and firmness in the tubers and fruit, also giving earlier maturity. It is an excellent fertilizer for general crops on soils deficient in Potash, especially sandy soils.

Price, not prepaid—5 lbs., 25c; 10 lbs., 40c; 25 lbs., 70c; 50 lbs., \$1.10; 100 lbs., \$1.65.

BUCHANAN'S TRUCK GROWER

Analysis: 4% Nitrogen, 8% Phosphate, 4% Potash

Vegetables of a leafy nature require an ample supply of nitrogen to give them that quick growth on which their quality largely depends; others, like beans and peas, demand, in addition, phosphoric acid to develop and produce their pods and seeds. Our Vegetable Grower is prepared for all garden crops. Apply 300 pounds to 1,000 pounds to acre, depending on soil and crop grown.



Price, not prepaid—5 lbs., 20c; 10 lbs., 35c; 25 lbs., 70c; 50 lbs., \$1.00; 100 lbs., \$1.65.

· STEAMED BONE MEAL—Our Bone Meal will analyze 24% phosphoric acid and not less than 2.47% ammonia. Bone meal is an excellent fertilizer for all kinds of fruit trees, rose bushes, grape vines, bulbs, ferns, and other potted plants, and for grass crops. It is especially desirable for producing solid, firm growth, which is an important feature in fertilizing the orchard, shade trees, shrubs, etc. Fine for lawns.

Price, post paid—1 lb., 20c; 2 lbs., 25c; 5 lbs., 45c; 10 lbs., 75c; 25 lbs., \$1.40; 50 lbs., \$2.40. Not prepaid—2 lbs., 15c; 5 lbs., 25c; 10 lbs., 50c; 25 lbs., 90c; 50 lbs., \$1.50; 100 lbs., \$2.25.



BUCHANAN'S TIP-TOP TRUCKER

Analysis: 6% Nitrogen, 8% Phosphate, 6% Potash

A very high grade fertilizer for general purposes, giving you more for your money than any other mixed fertilizer we sell. Fopular among market gardeners who wish to get their crops on the early market. The high nitrogen content gives vegetables a quick start and pushes them to maturity.

Price, not prepaid—5 lbs., 25c; 10 lbs., 40c; 25 lbs., 75c; 50 lbs., \$1.25; 100 lbs., \$1.80.

MURIATE OF POTASH (50% Available Potash)—Necessary for cotton fertilizing; prevents rust, increases yield. For cotton and grains, 25 to 50 pounds to acre; for potatoes, turnips and truck crops, 50 to 150 pounds to acre.

Price, post paid—5 lbs., 45c; 10 lbs., 80c; 25 lbs., \$1.50; 50 lbs., \$2.25. Price, not prepaid—5 lbs., 25c; 10 lbs., 50c; 25 lbs., \$1.00; 50 lbs., \$1.90; 100 lbs., \$2.50.

BUCHANAN'S DOG FOODS AND REMEDIES



PEERLESS DOG RATION

Popular with kennels and relished by all dogs. Made of cereals, meat, bone and other healthy items; the ration contains 35% meat. Mixed with water, ta-

ble scraps, or any liquid, into the cheapest ration that can be procured. Post paid-5 lbs., 55c; 10 lbs., 90c; 25 lbs., \$1.75. At Store—5 lbs., 40c; 10 lbs., 65c; 25 lbs., \$1.35; 50 lbs., \$2.50; 100 lbs., \$4.90.

PEERLESS DOG CAKES - QUADS -Meat Content Stepped Up-Peerless is complete in all essential food elementsthe Quads contain 40% meat. Peerless has the largest meat content of any cereal and meat compounded food on the market today. It is an economical concentrated food — correctly proportioned — high in mineral and vitamin content.

Post paid—3 lbs., 40c; 5 lbs., 60c; 10 lbs., \$1.00; 25 lbs., \$1.85; 50 lbs., \$3.25. At Store-3 lbs., 25c; 5 lbs., 45c; 10 lbs., 75c; 25 lbs., \$1.35; 50 lbs., \$2.60; 100 lbs., \$5.00.



WILSON'S IDEAL DOG FOOD—It is ideal because scientifically combined in just the right proportion are: meat products for protein; wheat and rice for carbohydrates; edible, cooked bone for sound bone, good teeth and a fine coat; carrots for roughage and vitamins and salmon

for appetite stimulation; and cod liver oil for vitamins A and D. These foods, prepared properly, have been proved to be best for dogs, because they are high in energy-giving values and are quickly assimilated in the dog's digestive tract. Wilson's Ideal Dog Food is prepared with the same care and respect with which you prepare food for your own table. It smells good-tastes good-and is good. You may be able to buy lower-priced foods than Wilson's, but you cannot buy foods at any price—any time—anywhere—that give you more real dog food value for each dime you spend than Wilson's Ideal Dog Food! Packed in pound cans.

Post paid ..\$0.20 6 Cans \$0.80 3 Cans \$4.50 \$0.55 At Store



PULVEX FOR DOGS AND CATS. Use Pulvex Flea Powder twice a month.

PULVEX 6-Use Dog Soap, tones, oils, grooms, kills fleas and lice.

	Powder (Canaries).	Post Paid \$0.30	At Store \$0.25
	OZ	.55	.50
			1.25
Sopex, 2 oz.		.55	.50
			.75
Pulvex Dog	Soap	.55	.50

For feeding fully matured dogs; the size cake for large adult dogs. Small box, post paid, 30c; at Store, 20c. Large box, post paid, 45c; at Store, 35c.





The cakes are just the size for puppies and small dogs. Small box, post paid, 30c; at Store, 20c. Large box, post paid, 45c; at Store, 35c.

Pure food materials, including clean beef meat; is very small cake used for small puppies and toys. Small box, post paid, 30c; at Store, 20c. Large box, post paid, 45c; at Store, 35c.



KRESO DIP-For Dogs-Fleas, lice and sarcoptic mange -wash the dog thoroughly in a freshly pre-pared dilution of 1 part of Kreso Dip No. 1 to 100 parts of warm water, keeping the animal wet for one minute.



For Poultry-Lice, fleas-dip the fowls, except young chickens, in a dilution of Kreso Dip No. 1, 1 part to 100 parts warm water. Repeat in eight days as frequently as necessary. Keep poultry from hot sun after dipping.

Post paid—Pt., 65c; qt., 95c; ½ gal., \$1.30; gal., \$2.15. At Store—Pt., 50c; qt., 75c; 1/2 gal., \$1.00; gal., \$1.75.



CEDAR BED-DING-Is made exclusively from Red Cedar, the heart wood of which contains the wonderful Oil of Cedar. It is clean, luxurious, velvety and fra-grant, is produced 90% or more red heart wood, dried, and none of the valuable oil has been removed.

Cedar Bedding is excellent for putting under nests to keep away mites and lice.

Price—At Store, 5 lbs., 35c; 10 lbs., 65c; 50 lbs., \$2.00. Post paid, 5 lbs., 55c.

Glover's Dog Remedies

		Post
	Each	Paid
Glover's Antiseptic Mouth Wash	. \$0.50	\$0.70
Glover's Canker Wash		.70
Glover's Comp. Sulphur Tablets		.65
Glover's Condition Pills		.65
Glover's Diarrhea Medicinc		.70
Glover's Digestive Pills		.65
Glover's Eye Lotion and Eye		•00
Wash Powder	60	.70
Glover's Iron Tonic		.70
Glover's Flea and Insect Powder.		.60
Glover's Kennel and Flea Soap		.30
Glover's Laxative Pills		.65
Glover's Liniment		.70
Glover's Mange Medicine	75	.85
Glover's Medicated Soap	30	.35
Glover's Nerve Sedative (for fits).		.70
Glover's Round Worm Capsules	60	.65
Glover's Round Worm Vermifuge.	60	.70
Glover's Tape Worm Capsules	60	.65
Glover's Tetrachlorethylene		
Capsules	60	.65

Sergeant's Dog Medicines

	Post
Each	Paid
Sergeant's Arsenic and Iron Pills. \$0.60	\$0.65
Sergeant's Canker Wash	.65
Sergeant's Carbolic Tar Soap	.30
Sergeant's Condition Pills60	
Sergeant's Disinfectant, 4 ozs25	
Sergeant's Disinfectant, 12 ozs50	.65
Sergeant's Diuretic Pills—	•••
Rheumatism	.65
Sergeant's Eye Wash60	
Sergeant's Intestinal Astrin-	
gent—Diarrhea	.65
Sergeant's Laxative Capsules60	.65
Sergeant's Liniment	.65
Sergeant's Mange Medicine	.75
Sergeant's Mouth Wash	.65
Dorg control in account in a	.00
Sergeant's Nerve Sedative— Running Fits	.65
available a second seco	
Sergeant's Pepsin Tablets	.65
Sergeant's Puppy Worm Capsules60	.65
Sergeant's Shampoo Soap	.30
Sergeant's Skip Flea Powder25	.35
Sergeant's Skip Flea Soap25	.30
Sergeant's Special Distemper 1.20	1.25
Sergeant's Worm Capsules60	.65
Sergeant's Worm Liquid60	.65
Sergeant's Tape Worm Medicine60	.65
Sergeant's Cod Liver Oil Capsules60	.65



"TET" (Tetrachlorethylene) for Worms -Tetrachlorethylene is endorsed by the veterinary scientists as the safest known effective wormer for dogs and puppies. Prevents and cures running, barking fits and sore mouth.

Box for large dogs, \$1.00. Box for small dogs, \$1.00. 1/2 Box either, 55c, post paid.

DRY YEAST FOR ANIMALS Helps to



increase pep and general vitality, stimulate the appetite and aid digestion, produce firmer and heavier

coat, build stronger bones and muscles. Price—Post paid—3½-oz. can, 35c; 8-oz. can, 60c; 1-lb. can, 95c; 5-lb. can, \$3.70. At Store—3½-oz. can, 25c; 8-oz. can, 50c; 1-lb. can, 85c; 5-lb. can, \$3.50.

TANGLEFOOT



DIFUSOR AND DIFUSO-Is a new, electrically operated machine for destroying insects; employs steam, electrically generated, to diffuse Tanglefoot Difuso-an insecticide for use in the Difusorsending the vapor into every

crack, crevice and hole.

Harmless to people, pets,

foods and furnishings. Ideal for stores, restaurants, bakeries, creameries, hospitals and homes. Difusor, post paid, each, \$13.25; at Store, \$12.75. Difuso, post paid, pint, \$1.60; ½ gal., \$4.75; gal., \$8.75. At Store, pint, \$1.50; ½ gal., \$4.50;

FLY SPRAY - Quickly kills household insects; harmless to human beings and pets; will not injure clothing or furniture. Post paid, ½ pint, 45c; pint, 60c; quart, \$1.00; gallon, \$2.75. At Store, ½ pint, 35c; pint, 50c; quart, 90c; gallon, \$2.50; 5 gallons @ \$1.80 per gallon.





NEW DEAL STOCK SPRAY—It is practically odorless; will not taint the milk; does not burn or blister, discolor or gum the hair of animals. It kills the insects; economical. Post paid, gallon, \$1.25. At Store, gallon, \$1.00; 5 gallons, \$4.50.

FLY RIBBON -In coil form; hangs from the ceiling. Postpaid—2, 10c; 6, 20c; 12, 40c. At Store, 2, 5c; 6, 15c; 12, 25c.





JUNIOR FLY PAPER—Packed in cartons, each containing 3 double sheets or 6 single sheets. Post paid, carton, 15c; 3, 40c; 6, 70c. At Store, carton, 10c; 3, 30c; 6. 55c.

TREE TAN-GLEFOOT - A paste preparation for painting around the trunks of trees, in the form of a band. Caterpillars and other crawling pests cannot get over it. Post paid—6



ozs., 45c; 1 lb., 75c; 5 lbs., \$3.20; 10 lbs., \$5.90. At Store—6 ozs., 35c; 1 lb., 65c; 5 lbs., \$3.00; 10 lbs., \$5.65.

SAUSAGE MAKING MEAT CURING AND



OLD **SMOKEHOUSE** Liquid Smoke

Used to preserve and flavor hams, bacon, sausage, fish and other meats. Prevents molding, skippers, rancidness and shrinkage of meats. Directions on each package. Post paid, pint, 65c; quart, \$1.10, At Store, pint, 50c; quart, \$1.00.





DEAM'S LIQUID SMOKE


Makes meat palatable; it saves the expense of a smokehouse and fuel. It leaves. the meat pliable and does not dry it out like a fire. When meat is salted and when Liquid Smoke is applied, the meat should be on a wood surface and free from all metal. Price, post paid-1 pt., 65c; 1 qt., \$1.10. At Store-1 pt., 50c; 1 qt., \$1.00.

SAVE MONEY - By reading pages 2 and 3 regarding our Yellow Sheet Price List. Study the Map, the Parcel Post Rates, also low Express Rates east of the Mississippi River.

DIXIE (A Liquid Substitute for Meat Smoke)

Made of distilled wood - directions on each package. Price, pint, post paid, 60c; at Store, 45c. Quarts, post paid, \$1.05; at Store, 95c.

II COORPH





Take a small brush or cloth mop (the brush is better), simply brush the meat.

Smoke a Year's Supply in 30 Minutes.

One 32-ounce bottle will smoke 500

pounds of meat.

Price-At Store-1/2 pt., 50c; 1 pt., \$1.00; qt., \$1.50. Post paid-1/2 pt., 60c; 1 pt., \$1.15; 1 qt., \$1.70.



Is an improved meat curing salt - a perfect blending of salt, sugar-cure and smoke. It is so easy to use. With Morton's Smoke Salt you salt-cure, sugar-cure and smoke the meat all at the same time. Packed in 10-pound cans: cures and smokes 100 pounds of meat.

One can, 90c; post paid, \$1.15. One case, 6 cans, \$4.50; post paid, \$5.35.

TENDER - QUICK -Beef, veal and lamb can be perfectly cured and kept for future use. The cured meat will slice firm-it will be tender—it will have fine flavor and excellent appearance. For corned beef, tongue, fish, fowl, pigs' feet, spare ribs, heart, liver,



etc. Tender-Quick will be more than welcomed by farm homes everywhere. Farmers have long needed and wanted just such a product. Directions on each package.

Price, post paid—2½-lb. can, 65c; 10 lbs., \$2.25. At Store—2½ lbs., 50c; 10 lbs., \$2.00.



Is the greatest convenience ever developed for everyone who makes sausage. It saves mixing your own ingredients. It is easier to use. It takes out all "guesswork" in seasoning. It

saves disappointments because it enables you to get the same rich delicious flavorthe same tempting taste—every time.

Post paid—3 ozs., 15c; 10 ozs., 35c; 1 lb., 45c; 7½ lbs., \$1.75.

Price-At Store-3-oz. can. 10c; 10 ozs., 25c; 1 lb., 35c; 7½ lbs., \$1.50.



RAT POISONS AND PEST KILLERS



K-R-O Prices-Small size, post paid, 85c; at Store, 75c. Large size, post paid, \$2.10: at Store, \$2.00.



Red Cross Rat and Mouse Embalmer

A sure rat and mouse destroyer that does the work thoroughly and without any odor. Post paid, 35c and 60c. At Store, 25c and 50c.

"Black Leaf" Worm Pellets

If you prefer individual dosing, use "Black Leaf" Worm Pellets. The uncoated pellets are odorless and tasteless, containing "shockless" nicotine made from the powder and highly effective. Price—Post paid, Adult size, doz., 15c; 25, 25c; 50, 45c; 100, 85c; 500, \$3.50; 1,000, \$6.50. For 2 to 4-lb. chickens give one-half the easily broken adult size tablet.



A SEED THAT KILLS MICE PREFERRED TO FOODSTUFFS

A scientifically prepared mouse exterminator. It's a tiny imported seed, scientifically treated in such a way that practically all the chemical is absorbed by the kernel. The mice gnaw the seed to reach the kernel, leaving the hull. They then go outside to die. Price-Pkg. 15c, post paid 25c; 1 carton, 24 pkgs., \$3.00, post paid \$3.20.



BEE BRAND

World's Largest Selling

-because it is certain death to flies, ants, moths, lice, mosquitoes, roaches and other household and poultry insects. Absolutely harmless to humans, animals and pets. Price-23/4 ozs., 25c; 6 ozs., 40c; 11 ozs., 75c, post paid.

Crewood Oil

Paint or spray the poultry house with Crewood Oil. Insects, mites or lice can not survive where it is. It is a special distilled wood creosote that soaks into the wood and kills the germs and mites instantly.

Prices at Store

1-gal. can	.\$0.90
2½-gal. drum	
5-gal. drum	. 2.50
10-gal. drum	. 4.50
50-gal. drum	16.00



CONTROLS ROUND WORMS IN POULTRY

Tobacco Powder

Controls round worm in poultry. Easy to use and very inexpensive. Mix 2 pounds of this extra fine quality Tobacco Powder in 100 pounds of mash.

2-lb. pkg., 25c; post paid, 40c. 10 lbs., 85c; post paid, \$1.10.



Simply paint the perches, it works while chickens sleep. Post paid-1 oz., 45c; 5 oz., \$1.15; 1 lb., \$2.45; 2 lbs., \$3.45; 5 lbs., \$6.10; 10 lbs., \$10.90. At Store—1 oz., 35c; 5 oz., \$1.00; 1-lb. tin, \$2.25; 2-lb. tin, \$3.25; 5 lbs., \$5.85; 10-lb. tin, \$10.60.

Black Leaf Worm Powder

A Flock Treatment-For round and pin worms in poultry. Post paid—1/4 lb., 100 bird size, 80c; 1½ lbs., 600 bird size, \$3.00. At Store—¼ lb., 75c; 1½ lbs., \$2.90.



Carbon Disulphide

Used for controlling weevil in peas, beans, grains, etc. Method of Treating—Put seeds to be treated in an air-tight container, as a water barrel, strong goods box or metal container. For treating small lots, 2 ozs. of Carbon Disulphide per bushel is sufficient. Full directions on package. Caution-Keep open fire,

such as lanterns, matches, etc., away from Carbon Disulphide. Price-1 lb., 50c; 5 lbs., \$2.00. Not mailable.

Corrosive Sublimate

Used for treating sweet potatoes before bedding to prevent black rot. One ounce will make 8 to 10 gallons of solution. Post paid—1/4 lb., 60c; lb., \$1.60; 5 lbs., \$6.50. At Store—1/4 lb., 50c; 1 lb., \$1.50; 5 lbs., \$6.25.





Roach Killer

This preparation is not poisonous to pet animals or human beings. It affects only such insects as roaches, water bugs, etc., and can be used in the home and pantry with freedom. Small size, 40c; large size, 75c; post paid.

Bed Bug Killer
Kills the bug and the egg; insures peaceful sleep. Positively will destroy bed bugs, mites, ticks and lice in the poultry house; all fleas, ants, weevils, beetles, skippers, meal worms. Small size, 40c; large size, 75c; post paid.



Antrol

Offers quick and complete relief. Poured in receptacles at places where the ants may be seen. Safe around pets.

Simply place the glass "feeders" along ant trails, and the ants carry the Antrol Syrup to their nests for foodquickly killing the queen and the entire ant family—the only way to get lasting relief. Four filled feeders, post paid, 65c; at Store, 50c.



Acme Ant-Kill

The Acme Ant-Kill cottage set contains 3-ounce bottle syrup, 5 service cups and 5 nails. For large premises, syrup is offered in larger quantities, with service cups extra as may be required. Price-1 set, 60c; post paid, 85c.

TERRO Ant Killer

Will rid your place of Ants in 24 hours Dead sure and quick relief from ants of all kinds. Simply pour the preparation where ants enter the house or where they travel. Price-post paid, 35c; at Store, 25c.

Mulch Paper


Mulch Paper—(Light weight roll for annual crops)-18 in. wide, 300 yds. long. Price, \$1.50 per roll. 36 in. wide

and 300 yds long. Price, \$2.50 per roll. Mulch Paper—(Heavy weight for perennial crops)—18 in. wide, 150 yds. long. Price, \$1.50 per roll. 36 in. wide and 150 yds. long. Price, \$2.50 per roll.

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE. BRAND TEST ED SEEL



-These slip on like a key ring; cannot drop off; easily removed. Made of various colors. Heavy Breeds—post paid, dozen, 15c; 50, 35c; 100, 45c. Light Breeds—Dozen, 15c; 50, 35c;



"GRO-EZY" ELECTRIC BROODERS

Gro-Ezy Brooders are made entirely of metal; easy to keep clean; have every feature necessary to raise big, healthy, husky chicks. It starts them right—they grow quickly to profitable marketing size. Ideal for starting chicks until 3 or 4 weeks of age and then transferring to brooder house or for use in small broiler plants. Eliminates 95% of the cause of chick mortality the first 3 weeks. Three adjustments accommodate chicks from day-old to 10 weeks.

No. 801-Each, at Store, \$8.95.




Trough is made of heavy gauge galvanized steel. Die stamped in one piece. Holds either feed or water. Revolving metal reel prevents chicks roosting or getting into trough. Made in three popular lengths. A big value.

No. 104 —10 in. long. Post paid, 20c; at Store, 10c. No. 105A—18 in. long. Post paid, 25c; at Store, 15c. No. 106A-24 in. long. Post paid, 35c; at Store, 20c.



Revolving metal reel prevents chicks roosting or getting into trough. Reel adjustable to three positions. Will feed day-old chicks or eight weeks old. A real all-purpose feeder at low price. Made in three lengths.

No. 342—2 feet long. Post paid, 50c; at Store, 35c. No. 343—3 feet long. Post paid, 65c; at Store, 45c. No. 344—4 feet long. Post paid, 75c; at Store, 55c.



ROOST PROOF BROILER FEEDER

This new type feeder can be used for chicks from three weeks old to full grown. Roost-proof wire grill is electric welded. Hinged for easy cleaning and filling the trough. Prevents chicks from getting a foothold on edge of trough and fouling the feed with their droppings. Each feeder complete with quick adjustable stands. Height of trough can be increased as chicks grow. Feed capacity 10½ quarts. Made in 42-inch length only.

No. 3942W—42 inches long. Post paid, \$1.60; at Store, \$1.35.




CONE TOP FOUNTS

Roost proof, modernistic cone top with convenient carrying handle makes this new fountain very desirable. Small chicks cannot get into the water and drown.

No. 81 - One-gallon. Post paid, 65c; 3 for \$1.80. At Store, 50c; 3 for \$1.45.

No. 82 — Two-gallon. Post paid, 95c; 3 for \$2.60. At Store, 80c; 3 for \$2.10.



MOES 234 LEG BAND

No. 117—Adjustable Leg Bands (numbered) Post paid, dozen, 15c; 25, 25c; 50, 40c; 100, 75c; 200, \$1.25. At Store, dozen, 10c; 25, 20c; 50, 35c; 100, 60c; 200, \$1.10.

MASON JAR FOUNTAIN

No.69B-This new fountain is made from extra heavy material, finished with firm coat of brilliant enamel. Finish is very hard and durable. Extra wide curl on pan edge.

No. 69B—Each, post paid, 20c; 6 for 85c; at Store, each, 10c; 6 for 50c.

No. 365G-Same as above, except pan is of heavy glass with smooth edge. Very sanitary, Post paid, each, 25c; 6 for 95c; at Store, each, 10c; 6 for 50c.

Both without jar.



THE DANDY DOUBLE WALL FOUNTAIN

This new double wall fountain is top filled. Easy to fill and clean. Can be used for all fowls from baby chicks to hens. Top slopes sharply to prevent roosting.

No. 192—Capacity 2 gal. Post paid \$1,40; at Store, \$1.25.


No. 93—Capacity 3 gal. Post paid, \$1.65; at Store, \$1.50.



NEW GRO-FAST FEEDER

With this adjustable stand it is easy to adjust height of trough for small chicks (week old), growing chicks or pullets. The fourbladed reel is adjustable to three positions. Keeps the feed clean-eliminates waste. A wonderful all-purpose feeder. Trough is 5 inches wide at flange upturn, 4 inches wide at bottom, 21/2 inches deep. Made in two lengths.

No. 233—36 inches long. Post paid, \$1.10; at Store, \$0.90. No. 234—48 inches long. Post paid, \$1.30; at Store, \$1.10.



ADVANCE ELECTRIC BROODER

Brooders have automatic heat regulators which cut off or turn on the current as needed to keep the temperature at the point desired. Canopy is made of heavy gauge galvanized steel and comes complete with legs, cloth curtains, automatic regulator, pilot light, thermometer and 8 feet of drop cord. Can be operated as economically as coal or oil brooders when electric current is 5c per K. W. H.

No. 520—Capacity 85 to 100 chicks. Post paid, each, \$8.25; at Store, \$7.75.

Fees for Money Orders Drawn on Domestic Form

Payable in the United States, including Hawaii, Puerto Rico, and the United States Virgin Islands, or in Guam and Tutuila (Samoa); also for orders payable in Antigua, Bahamas, Barbados, Bermuda, British Guiana, British Honduras, British Virgin Islands, Canada, Canal Zone, Cuba, Dominica, Grenada, Jamaica, Montserrat, Nevis, Newfoundland, Philippine Islands, St. Kitts, St. Lucia, St. Vincent, and Trinidad and Tabago.

For Orders	From	\$0.01	to	\$2.50 6 cents:
I OI OI CICIO	From	\$2.51	to	\$5.00 8 cents:
	Elom	ψ <u>ω</u> .υ.	, o	
	From	\$5.01	to	\$10.0011 Control.
	From	\$10.01	to	\$20,0013 cents:
	From	\$20.01	to	\$40.0015 cents:
	From	\$40.01	to	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
	Titom	TO.01	1 -	00
	From	\$60.01	to	\$80.0020 CCITOS,
	From	10.029	to	\$100.0022 cents:
	2, 1, (3, 1, 1, 1,	TOO.07	· ·	Ψ200.00

Memoranda of Issuing Postmaster:

If order is purchased through Rural Carrier, he will fill spaces below:

Carriers receipt No. _____

Note.—The maximum amount for which a single Money Order may be issued is \$100. When a larger sum is to be sent additional Orders must be obtained. Any number of Orders may be drawn on any Money Order office on any one day.

Applications must be preserved at the office of issue for three years from date of issue.

c5—7155 (EDITION JULY, 1932)

U. 8. GOVERNMENT PRINTING OFFICE



FROM

ADDRES5

PLACE STAMP

HERE

R. B. BUCHANAN SEED CO.

Buck Brand Tested Seeds

P. O. Box 253

MEMPHIS, TENN.

Form No. 6001
POST OFFICE DEPARTMENT NO.
THIRD ASSISTANT POSTMASTER GENERAL Stamp of Issuing Office
DIVISION OF MONEY ORDERS
The Postmaster will insert
WIII IIISEL
the office drawn on when the office named by
the office drawn on, when the office named by the remitter is in Alaska, and does not transact money order business.
Spaces above this line are for the Postmaster's record, to be filled in by him
Application for Domestic Money Order Spaces below to be filled in by purchaser, or, if necessary, by another person for him
Amount
Dollars Cents
Pay to Order of Name of person or firm for whom order is intended)
Manual I
Whose Address Is NoStreet
Post \ Office\
State
Sent by(Name of sender)
NoStreet City and State
PURCHASER MUST SEND ORDER AND COUPON TO PAYEE (FOR FEES SEE OTHER SIDE) 05—7155

STOP! BEFORE YOU SEAL THIS, LOOK CAREFULLY AND SEE IF YOU HAVE YOUR NAME AND ADDRESS WRITTEN PLAINLY ON THE ORDER.

R.B. BUCHANAN SEED CO. MEMPHIS, TENNESSEE. BUCK BRAND TESTED SEEDS

CONKEY'S REMEDIES AND POULTRY FEEDS



CONKEY'S
Y-O is a vitamin food containing cod liver
oil and brewers'
yeast. It holds
the potency of
the A, B, D and
G vitamins, so
necessary for

complete digestion. This product comes in the form of a powder which is free-running and mixes readily with any poultry mash. Only 2 to 3 per cent of this potent vitamin food is required in any mash. Conkey's Y-O in the feed brings more eggs, larger eggs, eggs of greater fertility. Post paid—1 lb., 60c; 2 lbs., \$1.05; 5 lbs., \$1.80; 25-lb. drum, \$5.85; 50-lb. drum, \$9.75. At Store—1 lb., 50c; 2 lbs., 90c; 5 lbs., \$1.60; 25-lb. drum, \$5.45.

CONKEY'S BALMO—A soothing, cooling application for relieving irritation around the swollen eyes and head and in the mouth when treating conditions caused by colds. Pkg., 50c; pt., \$1.20; post paid, 55c and \$1.30.

conkey's DIA-TABS—The majority of diarrhea is due to digestive disorders which arise from irregular feeding, chilling, overheating, crowding, insanitation, etc. Keeping these tablets in the drinking water will aid each chick to fight off diarrhea. Post paid—30c; 55c, and \$1.05. At Store—25c; 50c, and \$1.

CONKEY'S NIKALA WORM TAB-LETS—Controls roundworms and tapeworms in chickens and turkeys. Chick Size—post paid—12 tablets, 20c; 25, 30c; 50, 50c; 100, 85c; 500, \$3.35; 1,000, \$6.40. Adult Size—post paid—12 tablets, 25c; 25, 45c; 50, 75c; 100, \$1.35; 500, \$5.00; 1,000, \$9.50.

CONKEY'S POULTRY TONIC—Unequalled as a laying tonic, moulting powder, chick conditioner and poultry regulator. 1½ lbs., 25c; 3¼ lbs., 50c; 7 lbs., \$1; 12-lb. pail, \$1.60; 25-lb. pail, \$3; post paid, 30c, 60c, \$1.20, \$1.90 and \$3.40.

CONKEY'S OLD RELIABLE POWDER—This old reliable powder has been on the market for over thirty years. Keep it on hand to put in the drinking water as a preventive or to treat birds that have colds and similar troubles. Full directions on each package. Post paid—30c; 55c, and \$1.05. At Store—25c; 50c, and \$1.

CONKEY'S NOX-I-CIDE—Use as a preventive of disease and a help in keeping down lice, ticks, bugs, etc. Conkey's Nox-i-cide is very effective for washing incubators, brooders, fountains, etc. Pt., 40c; qt., 60c; 2 qts., 90c; gal., \$1.50; post paid, 50c, 75c, \$1.10 and \$1.85.

CONKEY'S POULTRY PILLS—These pills are especially good for administering to individual birds which have caught cold. Give sick birds a pill morning and evening and in severe cases one at noon also. Post paid—30c; 55c, and \$1.05. At Store—25c; 50c, and \$1.

CONKEY'S POULTRY BOOK

It contains 64 pages, with instructions for feeding all kinds of poultry, plans for building poultry houses; also instructions for treating all poultry diseases. Costs you only 3c stamp for postage.



The feed chicks need during the first six weeks after hatching. It contains cod liver meal and minerals; reduces the mortality in the flock, makes strong bones, firm flesh and healthy birds. Price, post paid—5 lbs., 50c; 10 lbs., 85c; 25 lbs., \$1.60. At Store—25 lbs., \$1.10; 50 lbs., \$2.00.



Has been on the market for 25 years—mixed of good, wholesome grains to furnish all that is needed in a scratch grain. Write for prices on quantities. Price, post paid—5 lbs., 45c; 10 lbs., 75c; 25 lbs., \$1.50. At Store—25 lbs., 95c; 50 lbs., \$1.80.



It contains grain products, dry form, necessary minerals, protein and carbohydrates, just the right properties the hens need to make eggs in quantities.

Price, post paid—5 lbs., 50c; 10 lbs., 80c; 25 lbs., \$1.50. At Store, 25 lbs., 90c; 50 lbs., \$1.80.



Should be fed from the sixth week until the sixth month. Oatmeal in the mash insures fine flavored breast meat. Continue feeding the growing mash through the summer months. Price, post paid - 5 lbs.. 50c; 10 lbs., 85c; 25 lbs., \$1.60. At Store -25 lbs., 95c; 50 Ibs., \$1.85.

BLACK LEAF 40 WORM PELLETS

For control of round worms in poultry. A scientifically prepared dry compound of Nicotine that is both tasteless and odorless. Nicotine is not released in mouth, throat, crop, and gizzard, but is delivered full strength in intestine, where the worms are. For adult fowls, give one whole pellet, forcing it well into the throat. The pellets are made so that they can be broken in half easily. For young birds weighing 1½ to 2 lbs., give half a pellet. They may be given any time, but preferably after feeding at night. Price, post paid—12, 15c; 25, 25c; 50, 45c; 100, 85c; 500, \$3.50.

DON SUNG—Absolutely guaranteed to put your hens in good condition and make them lay more eggs.

Price—Box, 45 tablets, 50c; large size box, 135 tablets, \$1.00. Post paid.




TALCIMIZED SODIURIDI

It kills both old and young lice, including the young which hatch from the eggs present on the fowl at time of treatment. Talcimized Sodium Fluoride is the form for poultrymen to use.

Small size (for 40 chickens) 35c 40c
Large size (twice as much). 60c 70c

Contains carbonate of lime, same composition as egg shell. The hens need Oyster Shell at all times, to produce eggs. Two sizes—coarse and fine. 10 lbs., 25c; 25 lbs., 50c; 50 lbs., 70c; 100 lbs., 90c.



A necessary aid for both small and large birds. Should be before the fowls in a hopper at all times; shell and yolk maker. Two sizes—chick and hen. 10 lbs., 25c; 25 lbs., 50c; 50 lbs., 70c; 100 lbs., 90c.

Aids digestion, purifies the blood, regulates the bowels and it is necessary that fowls, young and old, have access to it at all times. Three sizes—fine, medium or coarse. 10 lbs., 35c; 25 lbs., 75c; 50 lbs., \$1.15; 100 lbs., \$2.15.





SEE YELLOW PRICE LIST FOR QUANTITY PRICES

R.B. BUCHANAN SEED CO. AMEMPHIS, TENNESSEE.


UCK BRAND TES



HOTKAPS are waxed paper cones, easily set out in quantity over seed or growing plants. They guard against rain, frost, cold, wind, hail, birds and insects,

and maintain perfect mulch. Growth is forced and yield is increased 10 to 25 per cent. Crops mature 2 to 3 weeks earlier, and bring premium prices.

With Setter, price post paid—100, \$2.60; 250, \$3.90; without Setter, 500, \$5.75; 1,000, \$10.20. At Store-100, \$2.40; 250, \$3.65; 500, \$5.25; 1,000, \$9.75; 5,000, \$48.25.



CEL-O-GLASS—Grow your own plants; get earlier flowers and vegetables with Cel-O-Glass. Can be used where ordinary glass and cloth can not, and is much lighter. Sashes are easier to handle; not affected by hail, snow, rain or wind and cannot break like glass.

Cel - O - Glass comes in rolls 36 inches wide and 50 running feet to the roll.

1 to 4 yards, per yard. \$1.35 \$1.30 5 to 15 yards, per yard... Roll, 16 2/3 yards—50 feet,

per yard 1.20

LITE-O-GLAS is a cloth-flexible.unbreakable. Cheap and easy to use-cut it with a scissors-the finest window material—tough, weather proof and washableexcellent for poultry houses, brooder house, hot-beds, cold frames, windows, doors. All Lite-O-Glas comes in rolls 3 feet wide,



100 yards long. Post Paid At Store 27c 25c Price: 1 to 25 yards, per yard 25 to 75 yards, per yard 23c 22c

Roll, 100 yards, not prepaid, per yard 21c





AVICOL-Saves Baby Chicks-A safe and effective remedy in tablet form for White Diarrhea, Cholera, etc., in small and large grown fowls. Avicol is now being used by thousands of successful poultry raisers the world over. Write for circulars. Price-50c and \$1.00, post paid.

WALKO DIARRHEA TABLETS—Walko is a reliable germicide, intestinal antiseptic and general correctant. It is especially destructive to the white diarrhea germ, yet perfectly safe to give little chicks in their drinking water as soon as they are out of the shell. It acts as a general tonic. Price-50c and \$1.00, post paid.

Group Over Roup Remedy. This famous

The Over-Night

remedy gives complete, prompt and positive results. There is nothing on the market like Group-Over for roup, colds and canker. 50c; \$1.00 size (three times as much), by parcel post, 50c and \$1.00.

Poultry Litter

Used for baby chicks and grown fowls. It is a deodorizer, disinfectant and absorbs the moisture from droppings. In this state it is valuable as a fertilizer. Price, post paid—3 lbs., 40c; 7 lbs., 70c. At Store— ¼ bale (about 5 bu.), \$1.25; ½ bale, \$2.00; large bale (about 20 bu.), \$3.00.





CONKEY'S BUTTERMILK STARTING FEED WITH Y-O - For low mortality, rapid growth and no leg-weakness (rickets), feed Conkey's Buttermilk Starting Feed with Y-O. It is high in digestible nutrients and low in fiber. Price, post paid—5 lbs., 55c; 10 lbs., 90c; 25 lbs., \$1.85. At Store—5 lbs., 35c; 10 lbs., 60c; 25 lbs., \$1.35; 50 lbs., \$2.50.

CONKEY'S GECCO GROWING MASH WITH Y-O - Y-O contains cod liver oil combined with brewers' yeast. This mash supplies all other necessary materials for strong frames and solid flesh. Price, post paid—10 lbs., 85c; 25 lbs., \$1.75. At Store— 10 lbs., 50c; 25 lbs., \$1.15; 50 lbs., \$2.15.


BROODERS



Electric Brooders

A low-priced primary brooder, the box is made of strong fibre with a wire screen floor. It is also durable, waterproof, and equipped with feed and water pans. The box part can be replaced when soiled at a nominal cost. The brooder can be set on the end of two chairs or on a frame, made with legs so as to raise it to a convenient height, which avoids stooping when feeding and watering the chicks. The outfit consists of Brooder Box, 10 feet of electric cord, porcelain socket with terminal plug, and a circulating drum to enclose the bulb. (Electric light bulb is not furnished.) Size of brooder, 20 by 24 inches, 7½ inches high.

Price—Only \$1.95; by parcel post, \$2.25.



OAKES METAL BOX BROODER

Accommodates 50-day-old chicks. Inside dimensions, 18 x 22 x 6 in. high, complete with galvanized dropping pan. Electric light bulb is not furnished. Ideal for starting small chicks; uses ordinary electric light bulb for heat. Made entirely of heavy galvanized steel. Very sanitary. Easy to keep clean. Hardware cloth floor of 1/2-in. mesh. Feeder trough 22 in. long. Water trough 18 in. long. Ample size for capacity of brooder. Troughs easily removed for filling and cleaning. Price, post paid, \$2.55; at Store, \$2.25.

BIRD SUPPLIES

Mixed Bird Seed

Post Paid, 1 lb. BUCK BRAND

Canary Seed 25c Hemp Seed....25c Millet Seed ... 25c Rape Seed 25c Sunflower

Seed Bird Tonic....30c Vitamin


Health Food 30c Cuttle Fish

Bone Each 15c Song Restorer.



See quantity price list enclosed for prices on larger quantities of bird seed.

BUCHANAN'S DAY-OLD BABY CHICKS





18 S. FRONT ST. MEMPHIS, TENN.